

## GTIN Report

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-15SDC-G1	00845384014621	1.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014621
S-06SD-G1	00845384014645	0.6 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014645
M-6P-G1	00845384014706	6 mm x 9 mm Fluted Pear. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014706
S-6IP-G1	00845384014713	6 mm x 11.8 mm Fluted Pear, Inverted. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014713
M-6AC-G1	00845384014720	6 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014720
S-6D-100-G1	00845384014737	6 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014737
XLHD-51C-G1	00845384014775	6.4 mm Cylindrical Carbide. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014775
L-5DRC-G1	00845384014799	5 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014799
M-5BA-A-G1	00845384014805	5 mm x 11.3 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014805
S-5OV-G1	00845384014812	5 mm x 10 mm Fluted Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014812
L-5BA-G1	00845384014829	5 mm x 10 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014829
S-5D-100-G1	00845384014836	5 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014836
XLHD-55DC-G1	00845384014867	5.5 mm Coarse Diamond Ball. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014867
L-4OV-G1	00845384014874	4 mm x 8 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014874
M-4OVDC-G1	00845384014881	4 mm x 8 mm Coarse Diamond Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014881
S-4DRM-G1	00845384014898	4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014898
XLHD-8NS-M-G1	00845384014904	3 mm Fluted Matchstick, Less Aggressive. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014904
M-8NSDC-G1	00845384014911	3.2 mm Coarse Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014911

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
M-1B-G1	00845384014942	1 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014942
L-1SD-G1	00845384014959	1 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014959
M-15D-G1	00845384014973	1.5 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014973
S-15DCT-G1	00845384014980	1.5 mm Coarse Diamond Ball, Tapered, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014980
S-08SD-G1	00845384014997	0.8 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014997
S-1254TD-G1	00845384015000	Twist Drill for 1.25 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015000
XLHD-9B-G1	00845384015017	9 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015017
MHD-19CT-G1	00845384015024	9.9 mm Coring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015024
LHD-95DRM-G1	00845384015031	9.5 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015031
L-7DRC-G1	00845384015048	7 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015048
L-7DRC-11-G1	00845384015062	7 mm x 11 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015062
XLHD-7B-G1	00845384015079	7 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015079
M-7DX-G1	00845384015086	7 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015086
S-6PD-G1	00845384015130	6 mm x 9 mm Diamond Pear. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015130
L-6B-4-G1	00845384015154	6 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015154
S-6B-4-G1	00845384015161	6 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015161
MHD-6B-G1	00845384015185	6 mm Fluted Ball. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015185
XLHD-6B-G1	00845384015192	6 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015192
MIA16-6DC-G1	00845384015208	6 mm Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015208
MA19-2SB	00845384011859	2 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011859

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MA19-2SD	00845384011866	2 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011866
MA19-3SB	00845384011873	3 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011873
MA19-4D	00845384011903	4 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011903
MA19-8NS	00845384011934	3 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011934
MA19-8NSDC	00845384011941	3 mm Coarse Diamond Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011941
S-6B-G1	00845384012429	6 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012429
S-5B-G1	00845384012436	5 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012436
M-5B-G1	00845384012450	5 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012450
S-4B-G1	00845384012467	4 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012467
L-4B-G1	00845384012481	4 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012481
S-4DC-G1	00845384012504	4 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012504
S-3SB-G1	00845384012559	3 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012559
S-3B-G1	00845384012566	3 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012566
S-3D-G1	00845384012573	3 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012573
A-CRN-G1	00845384012603	1.85 mm x 16 mm Fluted Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.	Anspach (Power Tools)	EA	 (01)00845384012603
S-1510TD-G1	00845384012610	1.55 mm x 10 mm Fluted Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012610
S-1R-G1	00845384012627	1.4 mm x 12.8 mm Fluted Router. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012627
P-CRN-G1	00845384012634	1.4 mm x 12.8 mm Fluted Router. Use with CRANI-P-G1, CRANI-P Attachments.	Anspach (Power Tools)	EA	 (01)00845384012634
S-6R-G1	00845384012641	1.12 mm x 6.35 mm Fluted Router. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012641
M-6B-G1	00845384012665	6 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012665

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-6AC-G1	00845384012672	6 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012672
M-5D-G1	00845384012702	5 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012702
M-8NS-M-G1	00845384012740	3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012740
S-3SD-G1	00845384012771	3 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012771
S-3DC-G1	00845384012795	3 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012795
S-2SD-G1	00845384012825	2 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012825
S-2SDC-G1	00845384012832	2 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012832
S-1D-G1	00845384012863	1 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012863
S-15D-G1	00845384012870	1.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012870
S-9AC-G1	00845384012900	9.2 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012900
SHD-9AC-G1	00845384012917	9.2 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384012917
L-6B-G1	00845384012948	6 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012948
SHD-6AC-G1	00845384012962	6 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384012962
S-6D-G1	00845384012993	6 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012993
M-6D-G1	00845384013006	6 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013006
L-5D-G1	00845384013020	5 mm Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013020
L-4D-G1	00845384013068	4 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013068
S-8NS-M-G1	00845384013082	3 MM FLUTED MATCHSTICK, LESS AGGRESSIVE. USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384013082
L-8ND-G1	00845384013129	2.5 mm Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013129
L-8N-G1	00845384013143	2.3 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013143

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-1B-G1	00845384013174	1 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013174
S-1DC-G1	00845384013181	1 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013181
S-8N-18-G1	00845384013198	1.8 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013198
S-1506TD-G1	00845384013211	Twist Drill for 1.5 mm x 6 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013211
L-9B-G1	00845384013228	9 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013228
M-6B-4-G1	00845384013242	6 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013242
M-5B-4-G1	00845384013297	5 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013297
SHD-5B-G1	00845384013303	5 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013303
L-5AC-G1	00845384013310	5 mm Fluted Acorn. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013310
S-5AC-G1	00845384013327	5 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013327
L-5DX-G1	00845384013334	5 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013334
S-4B-4-G1	00845384013341	4 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013341
L-3SB-G1	00845384013365	3 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013365
M-3B-G1	00845384013372	3 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013372
L-3SD-G1	00845384013389	3 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013389
L-8NSDC-G1	00845384013419	3.2 mm Coarse Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013419
M-2SD-G1	00845384013433	2 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013433
S-1SB-G1	00845384013464	1 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013464
S-1SD-G1	00845384013471	1 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013471
S-1SDC-G1	00845384013488	1 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013488

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
SHD-DS-A-G1	00845384013495	1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap max. 60,000 RPM. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013495
S-15B-G1	00845384013501	1.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013501
S-05D-G1	00845384013532	0.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013532
LHD-6AC-G1	00845384013587	6 mm Fluted Acorn. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013587
L-6D-G1	00845384013594	6 mm Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013594
M-5AC-G1	00845384013617	5 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013617
L-4DC-G1	00845384013655	4 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013655
S-4BL-C-G1	00845384013662	4 MM CARBIDE FLUTED BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384013662
S-4B-C-G1	00845384013679	4 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013679
S-3B-C-G1	00845384013686	3 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013686
S-35B-G1	00845384013693	3.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013693
S-35D-G1	00845384013709	3.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013709
L-2SD-G1	00845384013730	2 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013730
M-2SDC-G1	00845384013747	2 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013747
S-25SB-G1	00845384013754	2.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013754
SHD-3-10-G1	00845384013778	1.93 mm Suture Pass Drill / 1.17 eye. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013778
P-CRN-4-G1	00845384013785	1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with CRANI-P-G1, CRANI-P Attachments.	Anspach (Power Tools)	EA	 (01)00845384013785
LHD-7B-G1	00845384013839	7 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013839
L-7AC-G1	00845384013846	7 mm Fluted Acorn. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013846
L-6DRC-G1	00845384013860	6 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013860

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
SHD-6B-G1	00845384013877	6 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013877
LHD-6B-G1	00845384013884	6 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013884
M-5DX-G1	00845384013921	5 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013921
LHD-8NS-M-G1	00845384013945	3 mm Fluted Matchstick, Less Aggressive. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013945
LHD-3SB-G1	00845384013976	3 mm Fluted Ball, Standard Length. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013976
M-3D-G1	00845384013990	3 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013990
L-3SDC-G1	00845384014003	3 mm Coarse Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014003
S-35SB-G1	00845384014027	3.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014027
L-2SB-G1	00845384014058	2 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014058
M-2B-G1	00845384014065	2 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014065
S-2SB-C-G1	00845384014096	2 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014096
MHD-25DD-G1	00845384014102	25.4 mm Diamond Disc. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014102
S-2004TD-G1	00845384014171	Twist Drill for 2.0 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014171
XLHD-75AC-G1	00845384014188	7.5 mm Fluted Acorn. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014188
L-68DRMDX-G1	00845384014201	6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014201
M-5BA-20-G1	00845384014218	5 mm x 20 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014218
LHD-5DRM-L-G1	00845384014225	5 mm x 16.2 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014225
L-5B-4-G1	00845384014256	5 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014256
S-5B-12F-G1	00845384014263	5 mm Fluted Ball, 12 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014263
LHD-5B-G1	00845384014270	5 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014270

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-4OV-G1	00845384014287	4 mm x 8 mm Fluted Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014287
L-4BA-G1	00845384014294	4 mm x 8 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014294
M-4DRM-G1	00845384014317	4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014317
L-4B-4-G1	00845384014331	4 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014331
MIA16-8NSM-G1	00845384014393	3 mm Fluted Matchstick, Less Aggressive. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384014393
M-3DC-G1	00845384014423	3 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014423
M-2DC-G1	00845384014478	2 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014478
S-2B-C-G1	00845384014485	2 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014485
S-25B-G1	00845384014492	2.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014492
M-1SD-G1	00845384014560	1 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014560
S-1SB-C-G1	00845384014584	1 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014584
MHD-17DD-G1	00845384014591	17 mm Diamond Disc. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014591
SHD-17DD-G1	00845384014607	17 mm Diamond Disc. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014607
MHD-126BT-G1	00845384014614	12.6 mm x 10.4 mm Boring Tool, 3 Flutes. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014614
L-1R-G1	00845384014638	1.2 mm x 12.8 mm Fluted Router. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014638
S-05B-G1	00845384014652	0.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014652
S-2006TD-G1	00845384014669	Twist Drill for 2.0 mm x 6 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014669
L-8BA-G1	00845384014676	8 mm x 12.5 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014676
M-8BA-G1	00845384014683	8 mm x 12.5 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014683
S-8DC-G1	00845384014690	8 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014690



Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
L-6DC-G1	00845384014744	6 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014744
S-68DRMDC-G1	00845384014751	6.8 mm x 10.6 mm Coarse Diamond Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014751
LHD-64DRM-G1	00845384014768	6.4 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014768
MHD-62DRM-G1	00845384014782	6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014782
MIA16-5D-G1	00845384014843	5 mm Diamond Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384014843
M-5B-C-G1	00845384014850	5 mm Carbide Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014850
L-CRN-S-4-G1	00845384014928	2.47 mm x 30.3 mm Fluted Spiral Router, 4-Series. Use with CRANI-L-G1, CRANI-L Attachments.	Anspach (Power Tools)	EA	 (01)00845384014928
MHD-25R-G1	00845384014935	2.15 mm x 25.4 mm Fluted Router. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014935
S-1506TD-M-G1	00845384014966	1.5 mm x 6 mm Fluted Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014966
S-7IP-G1	00845384015055	7 mm x 13.1 mm Fluted Pear, Inverted. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015055
S-7B-C-14F-G1	00845384015093	7 mm Carbide Fluted Ball, 14 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015093
LHD-LS9-76-G1	00845384015109	7.6 mm x 28.6 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015109
M-6DX-20-G1	00845384015116	6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015116
S-6P-G1	00845384015123	6 mm x 9 mm Fluted Pear. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015123
M-6BA-A-G1	00845384015147	6 mm x 11.3 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015147
MIA16-6B-G1	00845384015178	6 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015178
E-FP	00845384011767	Electric Systems Foot Control	Anspach (Power Tools)	EA	 (01)00845384011767
MA19-15SD	00845384011842	1.5 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011842
MA19-3SD	00845384011880	3 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011880
MA19-8N	00845384011910	2.3 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011910

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MA19-8N-18	00845384011927	1.8 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011927
L-5B-G1	00845384012443	5 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012443
M-4B-G1	00845384012474	4 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012474
S-4D-G1	00845384012498	4 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012498
L-8NS-M-G1	00845384012511	3 mm Fluted Matchstick, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012511
L-8NS-G1	00845384012528	3 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012528
M-8NS-G1	00845384012535	3 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012535
S-8NS-G1	00845384012542	3 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012542
S-2D-G1	00845384012580	2 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012580
A-CRN-S-G1	00845384012597	2.15 mm x 22 mm Fluted Spiral Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.	Anspach (Power Tools)	EA	 (01)00845384012597
S-7B-G1	00845384012658	7 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012658
S-5DX-G1	00845384012689	5 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012689
S-5D-G1	00845384012696	5 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012696
S-5DC-G1	00845384012719	5 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012719
S-4DX-G1	00845384012726	4 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012726
M-4D-G1	00845384012733	4 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012733
LHD-8NS-G1	00845384012757	3 mm Fluted Matchstick. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384012757
M-3SB-G1	00845384012764	3 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012764
S-3SDC-G1	00845384012788	3 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012788
S-2SB-G1	00845384012801	2 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012801

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-2B-G1	00845384012818	2 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012818
S-2DC-G1	00845384012849	2 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012849
L-CRN-G1	00845384012856	2.5 mm x 25.4 mm Fluted Router. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012856
SHD-6R-G1	00845384012887	1.12 mm x 6.35 mm Fluted Router. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384012887
S-1504TD-G1	00845384012894	Twist Drill for 1.5 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012894
M-7B-G1	00845384012924	7 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012924
SHD-75AC-G1	00845384012931	7.5 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384012931
M-6DX-G1	00845384012979	6 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384012979
S-6DX-G1	00845384012986	6 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384012986
S-6DC-G1	00845384013013	6 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013013
M-5DC-G1	00845384013037	5 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013037
L-5DC-G1	00845384013044	5 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013044
M-4DX-G1	00845384013051	4 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013051
M-4DC-G1	00845384013075	4 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013075
M-3SD-G1	00845384013099	3 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013099
L-8NS-M-C-G1	00845384013105	3 mm Carbide Fluted Matchstick, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013105
MHD-15C-G1	00845384013112	3.2 mm Fluted Carbide Side Cutter. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013112
L-CRN-S-G1	00845384013136	2.47 mm x 30.3 mm Fluted Spiral Router. Use with CRANI-L-G1, CRANI-L Attachments.	Anspach (Power Tools)	EA	 (01)00845384013136
M-8N-G1	00845384013150	2.3 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013150
S-8N-G1	00845384013167	2.3 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013167

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
A-CRN-4-G1	00845384013204	1.85 mm x 16 mm Fluted Router, 4-Series. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.	Anspach (Power Tools)	EA	 (01)00845384013204
SHD-75AC-A-G1	00845384013235	7.5 mm Fluted Acorn, Less Aggressive. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013235
L-6DX-20-G1	00845384013259	6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013259
L-6DX-G1	00845384013266	6 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013266
S-6B-C-G1	00845384013273	6 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013273
L-5DRM-G1	00845384013280	5 mm x 8.4 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013280
M-3SDC-G1	00845384013396	3 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013396
L-8NSD-G1	00845384013402	3.2 mm Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013402
M-2SB-G1	00845384013426	2 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013426
S-25D-G1	00845384013440	2.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013440
S-15SD-G1	00845384013518	1.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013518
M-1R-G1	00845384013525	1.2 mm x 12.8 mm Fluted Router. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013525
S-9B-G1	00845384013549	9 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013549
L-7B-G1	00845384013556	7 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013556
SHD-7B-G1	00845384013563	7 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013563
M-7AC-G1	00845384013570	7 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013570
MHD-8NS-G1	00845384013358	3 mm Fluted Matchstick. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013358
L-5OV-G1	00845384013600	5 mm x 10 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013600
S-5B-C-G1	00845384013624	5 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013624
M-4OV-G1	00845384013631	4 mm x 8 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013631

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
L-4DX-G1	00845384013648	4 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013648
M-8NSD-G1	00845384013716	3.2 mm Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013716
A-CRN-M-G1	00845384013723	2 mm x 15.6 mm Fluted Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.	Anspach (Power Tools)	EA	 (01)00845384013723
M-8ND-G1	00845384013761	2.5 mm Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013761
P-CRN-M-G1	00845384013792	1.3 mm x 12.8 mm Fluted Router. Use with CRANI-P-G1, CRANI-P Attachments.	Anspach (Power Tools)	EA	 (01)00845384013792
XLHD-95DRM-G1	00845384013808	9.5 mm Fluted Drum. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013808
MHD-98B-G1	00845384013815	9.5 mm Boring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013815
S-8B-G1	00845384013822	8 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013822
S-7B-C-G1	00845384013853	7 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013853
MHD-6AC-G1	00845384013891	6 mm Fluted Acorn. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013891
M-5DRM-G1	00845384013907	5 mm x 8.4 mm Fluted Drum. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384013907
S-5B-2-G1	00845384013914	5 MM FLUTED BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384013914
S-4D-L-G1	00845384013938	4 MM DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384013938
SHD-8NS-G1	00845384013952	3 mm Fluted Matchstick. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384013952
S-3SBT-G1	00845384013969	3 mm Fluted Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013969
S-3SD-100-G1	00845384013983	3 mm Diamond Ball, 100/120 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384013983
S-3SB-C-G1	00845384014010	3 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014010
S-35SD-G1	00845384014034	3.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014034
S-35DC-G1	00845384014041	3.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014041
M-2D-G1	00845384014072	2 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014072

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-2SDCT-G1	00845384014089	2 mm Coarse Diamond Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014089
SHD-25DD-G1	00845384014119	25.4 mm Diamond Disc. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014119
SHD-25R-G1	00845384014126	2.15 mm x 25.4 mm Fluted Router. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014126
M-8N-18-G1	00845384014133	1.8 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014133
S-15SB-G1	00845384014140	1.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014140
S-15DC-G1	00845384014157	1.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014157
M-1R-4-G1	00845384014164	1.2 mm x 12.8 mm Fluted Router, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014164
M-6DC-G1	00845384014195	6 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014195
M-5B-A-G1	00845384014232	5 mm Fluted Ball, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014232
L-4BA-S-G1	00845384014300	4 mm x 8 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014300
S-4BT-G1	00845384014324	4 mm Fluted Ball, Tapered. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014324
M-4B-4-G1	00845384014348	4 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014348
MIA16-4B-G1	00845384014355	4 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384014355
S-4D-100-G1	00845384014362	4 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014362
LHD-LS9-5-G1	00845384014386	4.7 mm x 20 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014386
MIA16-8NS-G1	00845384014409	3 mm Fluted Matchstick. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384014409
S-3SDCT-G1	00845384014416	3 mm Coarse Diamond Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014416
LHD-LS9-35-G1	00845384014430	3.5 mm x 19.8 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014430
S-8NSD-G1	00845384014447	3.2 mm Diamond Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014447
S-2SBT-G1	00845384014454	2 mm Fluted Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014454

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-2SD-120-G1	00845384014461	2 mm Diamond Ball, 120/140 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014461
S-8ND-G1	00845384014508	2.5 mm Diamond Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014508
S-25SD-G1	00845384014515	2.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014515
S-25DC-G1	00845384014522	2.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014522
S-25SDC-G1	00845384014539	2.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384014539
XLHD-25R-G1	00845384014546	2.15 mm x 25.4 mm Fluted Router. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384014546
L-1SB-G1	00845384014553	1 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014553
M-1D-G1	00845384014577	1 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014577
MA15-8NS	00845384004615	3 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004615
M-6B-C-G1	00845384015222	6 mm Carbide Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015222
S-68DRMDX-G1	00845384015239	6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015239
S-5BA-G1	00845384015345	5 mm x 10 mm Fluted Barrel. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015345
S-5B-C-10F-G1	00845384015352	5 mm Carbide Fluted Ball, 10 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015352
L-4DRM-G1	00845384015376	4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015376
LHD-4B-G1	00845384015406	4 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015406
MIA16-4DC-G1	00845384015413	4 mm Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015413
L-4B-C-G1	00845384015437	4 mm Carbide Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015437
L-47DRM-G1	00845384015451	4.7 mm x 8 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015451
MHD-3DRMC-G1	00845384015468	3 mm x 9.5 mm Fluted Carbide Drum. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015468
M-3BA-A-G1	00845384015475	3 mm x 11.3 mm Fluted Barrel, 14 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015475

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MIA16-3SB-G1	00845384015512	3 mm Fluted Ball, Standard Length. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015512
M-3SB-2-G1	00845384015543	3 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015543
M-35SD-G1	00845384015574	3.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015574
S-2433TD-G1	00845384015628	2.4 mm x 3.3 mm Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015628
M-1DC-G1	00845384015659	1 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015659
MHD-97B-G1	00845384015673	12.6 mm Boring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015673
S-15DRMC-L-G1	00845384015697	1.5 mm x 7.5 mm Cylindrical Carbide Drum, Extends 25 mm. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015697
S-1203TD-G1	00845384015727	1.2 mm x 3 mm Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015727
SHD-1504TD-G1	00845384015741	1.15 mm Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015741
S-05SD-G1	00845384015758	0.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015758
L-9DRC-G1	00845384015765	9 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015765
L-8DRC-G1	00845384015796	8 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015796
L-8DRC-11-G1	00845384015802	8 mm x 11 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015802
XLHD-6AC-G1	00845384015819	6 mm Fluted Acorn. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015819
MIA16-6DX-G1	00845384015826	6 mm Extra Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015826
SHD-6DX-G1	00845384015833	6 mm Extra Coarse Diamond Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015833
S-62BE-G1	00845384015857	6.2 mm Fluted Bell, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015857
M-5B-2-G1	00845384015871	5 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015871
M-5B-12F-G1	00845384015888	5 mm Fluted Ball, 12 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015888
XLHD-5B-G1	00845384015895	5 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015895



Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-5DC-22-G1	00845384015925	5 MM COARSE DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384015925
M-4BA-A-G1	00845384015956	4 mm x 11 mm Fluted Barrel, 14 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015956
XLHD-4B-G1	00845384015970	4 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015970
S-3B-4-G1	00845384016014	3 mm Fluted Ball, 4-Series, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384016014
XLHD-3SB-G1	00845384016021	3 mm Fluted Ball, Standard Length. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384016021
S-3SDC-22-G1	00845384016052	3 MM COARSE DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384016052
M-35SDC-G1	00845384016069	3.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016069
M-25SDC-G1	00845384016113	2.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016113
S-8N-L-G1	00845384016120	2.3 MM FLUTED MATCHSTICK,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384016120
M-15SDC-G1	00845384016151	1.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016151
M-05SD-G1	00845384016182	0.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016182
MIA16-7B-G1	00845384016212	7 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384016212
M-4B-27-G1	00845384016229	4 mm Fluted Ball, Extends 27 mm. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016229
MEDIUM-G1	00845384016311	8 cm Medium Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016311
QD11-G1	00845384016380	11 cm QD Angle Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016380
MA-D20-G1	00845384016397	Minimal Access Angle Driver, G1	Anspach (Power Tools)	EA	 (01)00845384016397
S-4DX-20-G1	00845384016540	4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384016540
S-6DX-20-G1	00845384016557	6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384016557
M-8NS-ML-G1	00845384016564	3.2 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016564
M-14R-G1	00845384016571	1.4 mm x 12.8 mm Fluted Router. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016571

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
EG1A	00845384017134	G1 High Speed Electric Handpiece, Air Cooled	Anspach (Power Tools)	EA	 (01)00845384017134
SC3002	00845384017448	G1 Electric Console, With Irrigation	Anspach (Power Tools)	EA	 (01)00845384017448
OCM5-06SD	00845384017516	0.6 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017516
OCM5-08SD	00845384017530	0.8 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017530
OCM5-1SD	00845384017547	1 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017547
OCM5-15SD	00845384017554	1.5 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017554
OCM5-1SB	00845384017578	1 mm Fluted Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017578
OCM5-15SB	00845384017585	1.5 mm Fluted Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017585
OCM7-06SD	00845384017615	0.6 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017615
OCM7-1SD	00845384017646	1 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017646
OCM7-15SD	00845384017653	1.5 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017653
OCM7-2SD	00845384017660	2 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017660
OCM7-15SB	00845384017684	1.5 mm Fluted Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017684
OCM7-2SB	00845384017691	2 mm Fluted Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017691
M-6DC-2-G1	00845384015215	6 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015215
MHD-16CT-G1	00845384015246	6.7 mm Coring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015246
M-62DRM-G1	00845384015253	6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015253
L-58OV-G1	00845384015260	5 mm x 8 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015260
M-58OV-G1	00845384015277	5 mm x 8 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015277
LHD-5DRM-G1	00845384015284	5 mm x 8.4 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015284

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
L-56OV-G1	00845384015291	5 mm x 6 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015291
M-56OV-G1	00845384015307	5 mm x 6 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015307
LHD-5DRM12-G1	00845384015314	5 mm x 12 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015314
M-5OV-G1	00845384015321	5 mm x 10 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015321
MIA16-5OV-G1	00845384015338	5 mm X 10 mm Fluted Oval. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015338
L-5B-C-G1	00845384015369	5 mm Carbide Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015369
M-4OVD-G1	00845384015383	4 mm x 8 mm Diamond Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015383
S-4OVD-G1	00845384015390	4 mm x 8 mm Diamond Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015390
S-4B-C-10F-G1	00845384015420	4 mm Carbide Fluted Ball, 10 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015420
MHD-8NS-M-G1	00845384015482	3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015482
XLHD-8NS-G1	00845384015499	3 mm Fluted Matchstick. Use with XL-HD-G1, XL-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015499
S-3SB-4-G1	00845384015505	3 mm Fluted Ball, 4-Series, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015505
M-3SB-4-G1	00845384015529	3 mm Fluted Ball, 4-Series, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015529
L-3SB-4-G1	00845384015536	3 mm Fluted Ball, 4-Series, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015536
M-8NS-M-C-G1	00845384015550	3 mm Carbide Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015550
L-35DR-G1	00845384015567	3.5 mm x 8.4 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015567
S-35SDC-G1	00845384015581	3.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015581
LHD-47-5-G1	00845384015604	3.2 mm Fluted Bell. Use with LONG-HD-G1, LONG-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015604
M-25SD-G1	00845384015611	2.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015611
M-1SB-G1	00845384015635	1 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015635

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
M-1SDC-G1	00845384015642	1 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015642
S-1B-C-G1	00845384015666	1 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015666
L-10DRC-G1	00845384015680	10 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015680
S-15DRMC-G1	00845384015703	1.5 mm x 7.5 mm Cylindrical Carbide Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015703
M-15SD-G1	00845384015710	1.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015710
S-12D-G1	00845384015734	1.2 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015734
MHD-95DRM-G1	00845384015772	9.5 mm Fluted Drum. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384015772
L-8DX-G1	00845384015789	8 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015789
S-5B-4-G1	00845384015864	5 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015864
S-5D-2-G1	00845384015901	5 MM DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384015901
S-5DC-40-G1	00845384015918	5 mm Coarse Diamond Ball, 40/60 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015918
M-55OV-C-G1	00845384015932	5.5 mm x 10 mm Carbide Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015932
M-45DRMDX-G1	00845384015949	4 mm x 5 mm Extra Coarse Diamond Drum. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015949
M-4FD-G1	00845384015963	4 mm x 10 mm Diamond Pear Inverted. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015963
M-4AC-G1	00845384015987	4 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384015987
MIA16-4D-G1	00845384015994	4 mm Diamond Ball. Use with MIA16-G1, MIA16 Attachments.	Anspach (Power Tools)	EA	 (01)00845384015994
S-4DC-22-G1	00845384016007	4 MM COARSE DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.	Anspach (Power Tools)	EA	 (01)00845384016007
S-3SDC-50-G1	00845384016038	3 mm Coarse Diamond Ball, 50/60 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384016038
M-3DC-2-G1	00845384016045	3 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016045
S-2SB-4-G1	00845384016083	2 mm Fluted Ball, 4-Series, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384016083

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-2SB-C-8F-G1	00845384016106	2 mm Carbide Fluted Ball, Standard, 8 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384016106
S-8N-18-4-G1	00845384016137	1.8 mm Fluted Matchstick, 4- Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384016137
L-8N-18-G1	00845384016144	1.8 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016144
S-1R-4-G1	00845384016175	1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384016175
M-05D-G1	00845384016199	0.5 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016199
MHD-9B-G1	00845384016205	9 mm Fluted Ball. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384016205
M-4DX-20-G1	00845384016236	4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016236
M-5B-27-G1	00845384016243	5 mm Fluted Ball, Extends 27 mm. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384016243
ADG-10-G1	00845384016250	1.0 mm Twist Drill for 1.25 mm Screw. Use with ADG Attachment.	Anspach (Power Tools)	EA	 (01)00845384016250
ADG-11-G1	00845384016267	1.1 mm Twist Drill for 1.50 mm Screw. Use with ADG Attachment.	Anspach (Power Tools)	EA	 (01)00845384016267
ADG-13-G1	00845384016274	1.3 mm Twist Drill for 1.7 mm Screw. Use with ADG Attachment.	Anspach (Power Tools)	EA	 (01)00845384016274
ADG-155-G1	00845384016281	1.55 mm Twist Drill for 2.0 mm Screw. Use with ADG Attachment.	Anspach (Power Tools)	EA	 (01)00845384016281
OCM5-05SD	00845384017509	0.5 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017509
OCM5-07SD	00845384017523	0.7 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017523
OCM5-2SD	00845384017561	2 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017561
OCM5-2SB	00845384017592	2 mm Fluted Ball, 5.6 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017592
OCM7-05SD	00845384017608	0.5 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017608
OCM7-07SD	00845384017622	0.7 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017622
OCM7-08SD	00845384017639	0.8 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017639
OCM7-1SB	00845384017677	1 mm Fluted Ball, 7.3 cm. Use with OCM Attachment.	Anspach (Power Tools)	EA	 (01)00845384017677

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MA10-05SD	00845384004387	0.5 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004387
MA10-15SB	00845384004400	1.5 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004400
MA10-1SB	00845384004417	1 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004417
MA10-2SB	00845384004431	2 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004431
MA10-2SD	00845384004448	2 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004448
MA10-3SB	00845384004455	3 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004455
MA10-3SD	00845384004462	3 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004462
MA10-4D	00845384004479	4 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004479
MA10-8NS	00845384004509	3 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004509
MA10-8NSDC	00845384004516	3 mm Coarse Diamond Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004516
MA15-2SB	00845384004530	2 mm Fluted Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004530
MA10-08SD	00845384004394	0.8 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004394
MA10-25SB	00845384004424	2.5 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004424
MA10-8N	00845384004486	2.3 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004486
MA10-8N-18	00845384004493	1.8 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004493
MA15-15SD	00845384004523	1.5 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004523
MA15-2SD	00845384004547	2 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004547
MA15-3SB	00845384004554	3 mm Fluted Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004554
MA15-3SD	00845384004561	3 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004561
MA15-4D	00845384004578	4 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004578

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MA15-4DC	00845384004585	4 mm Coarse Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004585
MA15-8N	00845384004592	2.3 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004592
MA15-8N-18	00845384004608	1.8 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004608
MA15-8NSDC	00845384004622	3 mm Coarse Diamond Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384004622
MA-15C	00845384004325	Bearing Sleeve, 15cm Curved. Use with Minimal Access Attachments.	Anspach (Power Tools)	EA	 (01)00845384004325
MA-15S	00845384004332	Bearing Sleeve, 15cm Straight. Use with Minimal Access Attachments.	Anspach (Power Tools)	EA	 (01)00845384004332
S-2SB-HX-G1	00845384017790	ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384017790
S-2B-HX-G1	00845384017806	ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384017806
S-25SB-HX-G1	00845384017813	ANSPACH HELIX™ 2.5 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384017813
S-25B-HX-G1	00845384017820	ANSPACH HELIX™ 2.5 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384017820
S-3SB-HX-G1	00845384017837	ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384017837
S-3B-HX-G1	00845384017844	ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384017844
S-35SB-HX-G1	00845384017851	ANSPACH HELIX™ 3.5 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384017851
S-35B-HX-G1	00845384017868	ANSPACH HELIX™ 3.5 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384017868
S-4B-HX-G1	00845384017875	ANSPACH HELIX™ 4 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384017875
S-5B-HX-G1	00845384017882	ANSPACH HELIX™ 5 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384017882
S-6B-HX-G1	00845384017899	ANSPACH HELIX™ 6 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384017899
S-7B-HX-G1	00845384017905	ANSPACH HELIX™ 7 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384017905
M-2SB-HX-G1	00845384017967	ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384017967
M-2B-HX-G1	00845384017974	ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384017974

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
M-3SB-HX-G1	00845384018001	ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384018001
M-3B-HX-G1	00845384018018	ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384018018
M-4B-HX-G1	00845384018049	ANSPACH HELIX™ 4 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018049
M-5B-HX-G1	00845384018056	ANSPACH HELIX™ 5 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018056
M-6B-HX-G1	00845384018063	ANSPACH HELIX™ 6 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018063
M-7B-HX-G1	00845384018070	ANSPACH HELIX™ 7 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018070
L-2SB-HX-G1	00845384018131	ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384018131
L-2B-HX-G1	00845384018148	ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384018148
L-3SB-HX-G1	00845384018179	ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length	Anspach (Power Tools)	EA	 (01)00845384018179
L-3B-HX-G1	00845384018186	ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length	Anspach (Power Tools)	EA	 (01)00845384018186
L-4B-HX-G1	00845384018216	ANSPACH HELIX™ 4 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018216
L-5B-HX-G1	00845384018223	ANSPACH HELIX™ 5 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018223
L-6B-HX-G1	00845384018230	ANSPACH HELIX™ 6 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018230
L-7B-HX-G1	00845384018247	ANSPACH HELIX™ 7 mm Fluted Ball	Anspach (Power Tools)	EA	 (01)00845384018247
2000-01-001	07612334268570	KINCISE™ System Lithium-ion Battery	Anspach (Power Tools)	EA	 (01)07612334268570
HK-2100-02-FP	00845384012269	Shipping Plug, Red, for Autolube, 5pk (REPLACEMENT PART)	Anspach (Power Tools)	EA	 (01)00845384012269
AL-9152-00-FP	00845384012290	Oil Fill Cap for Autolube (REPLACEMENT PART)	Anspach (Power Tools)	EA	 (01)00845384012290
XM-CASE	00845384010784	XMax Sterilization Case and Tray	Anspach (Power Tools)	EA	 (01)00845384010784
HOSE-20-DISS	00845384002536	20 Ft Air Extension Hose, DISS Adapter	Anspach (Power Tools)	EA	 (01)00845384002536
MUFFLER-ASSY	00845384005599	REPLACEMENT MUFFLER ASSEMBLY FOR AUTOLUBE-III	Anspach (Power Tools)	EA	 (01)00845384005599



Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
E-FP-DIR	00845384011750	Electric Systems Foot Control With Direction Only	Anspach (Power Tools)	EA	 (01)00845384011750
MA-19ST	00845384011958	Bearing Sleeve, 19 cm Straight. Use with Minimal Access Attachments.	Anspach (Power Tools)	EA	 (01)00845384011958
E-FP-DIR/IRR	00845384011743	Electric Systems Foot Control With Direction and Irrigation	Anspach (Power Tools)	EA	 (01)00845384011743
OCM-G1	00845384017721	Otologic Curved Micro (OCM) Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384017721
SHORT-G1	00845384016298	5 cm Short Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016298
SHORT-HD-G1	00845384016304	5 cm Heavy Duty Short Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016304
LONG-G1	00845384016335	11 cm Long Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016335
MIA16-G1	00845384016359	16 cm Minimally Invasive Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016359
CSR60-G1	00845384016434	Perforator Driver, Hudson End, 60:1 Ratio, G1	Anspach (Power Tools)	EA	 (01)00845384016434
QD14-G1	00845384016458	14 cm QD Angle Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016458
QD11-S-G1	00845384016472	10.5 cm QD Angle Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016472
MEDIUM-HD-G1	00845384016328	8 cm Heavy Duty Medium Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016328
LONG-HD-G1	00845384016342	11 cm Heavy Duty Long Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016342
QD8-G1	00845384016373	8 cm QD Angle Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016373
QD14-S-G1	00845384016465	13.5 cm QD Angle Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016465
QD8-S-G1	00845384016489	7.5 cm QD Angle Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016489
SC3001	00845384017431	G1 Electric Console, Without Irrigation	Anspach (Power Tools)	EA	 (01)00845384017431
MA-10C	00845384004301	Bearing Sleeve, 10cm Curved. Use with Minimal Access Attachments.	Anspach (Power Tools)	EA	 (01)00845384004301
MA-10S	00845384004318	Bearing Sleeve, 10cm Straight. Use with Minimal Access Attachments.	Anspach (Power Tools)	EA	 (01)00845384004318
MA-15ST	00845384004349	Bearing Sleeve, 15 cm Straight Taper. Use with Minimal Access Attachments.	Anspach (Power Tools)	EA	 (01)00845384004349

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
XL-HD-G1	00845384016526	20.2 cm Heavy Duty X-Long Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016526
200003001	10603295525783	EMPHASYS™ KINCISE™ SYSTEM Straight Shell/Liner Impactor - Long	Anspach (Power Tools)	EA	 (01)10603295525783
200003002	10603295525813	EMPHASYS™ KINCISE™ System Offset Shell/Liner Impactor	Anspach (Power Tools)	EA	 (01)10603295525813
200003012	10603295525790	EMPHASYS™ KINCISE™ System Straight Shell/Liner Impactor - Short	Anspach (Power Tools)	EA	 (01)10603295525790
200003201	10603295525776	EMPHASYS™ KINCISE™ System Stem Impactor - Straight	Anspach (Power Tools)	EA	 (01)10603295525776
200003202	10603295525820	EMPHASYS™ KINCISE™ System Stem Impactor - Offset	Anspach (Power Tools)	EA	 (01)10603295525820
200002002	10603295525912	KINCISE™ System Primary Hip PINNACLE™ Straight Shell/Liner Impactor - Long	Anspach (Power Tools)	EA	 (01)10603295525912
200002003	10603295525905	KINCISE™ System Primary Hip PINNACLE™ Offset Shell/Liner Impactor	Anspach (Power Tools)	EA	 (01)10603295525905
200002005	10603295525899	KINCISE™ System Primary Hip PINNACLE™ Inclination Guide	Anspach (Power Tools)	EA	 (01)10603295525899
200002006	10603295525936	KINCISE™ System Primary Hip PINNACLE™ Version Guide	Anspach (Power Tools)	EA	 (01)10603295525936
200002012	10603295525929	KINCISE™ System Primary Hip PINNACLE™ Straight Shell/Liner Impactor - Short	Anspach (Power Tools)	EA	 (01)10603295525929
200002101	10603295525868	KINCISE™ System Primary Hip Femoral Broach Adapter - Curved	Anspach (Power Tools)	EA	 (01)10603295525868
200002102	10603295525943	KINCISE™ System Primary Hip Femoral Broach Adapter - Straight	Anspach (Power Tools)	EA	 (01)10603295525943
200002202	10603295525851	KINCISE™ System Primary Hip CORAIL™ TRI-LOCK™ Stem Impactor - Offset	Anspach (Power Tools)	EA	 (01)10603295525851
200002203	10603295525844	KINCISE™ System Primary Hip ACTIS™ Stem Impactor - Offset	Anspach (Power Tools)	EA	 (01)10603295525844
200002301	10603295525882	KINCISE™ System Primary Hip Femoral Head Impactor - Shaft	Anspach (Power Tools)	EA	 (01)10603295525882
200007008	07612334269119	KINCISE™ System ATTUNE™ Revision Broach Adapter	Anspach (Power Tools)	EA	 (01)07612334269119
200002020	07612334268655	KINCISE™ System Manual Handle	Anspach (Power Tools)	EA	 (01)07612334268655
200002212	07612334268730	KINCISE™ System Primary Hip CORAIL™ TRI-LOCK™ SUMMIT™ Stem Impactor- Straight	Anspach (Power Tools)	EA	 (01)07612334268730
2000-00-001	07612334268563	KINCISE™ System Automated Surgical Handpiece V2	Anspach (Power Tools)	EA	 (01)07612334268563

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
200002213	07612334268747	KINCISE™ System Primary Hip ACTIS™ Stem Impactor - Straight	Anspach (Power Tools)	EA	 (01)07612334268747
200002008	07612334268631	KINCISE™ System Primary Hip, Screwdriver, hexagonal, 8.0mm	Anspach (Power Tools)	EA	 (01)07612334268631
200004012	07612334268853	KINCISE™ System Primary Hip Threaded Femoral STEM Extractor - M6 X 1mm	Anspach (Power Tools)	EA	 (01)07612334268853
MIA16-5DRM	00845384016588	5 mm x 8.4 mm Fluted Drum.	Anspach (Power Tools)	EA	 (01)00845384016588
QD11-8ND	00845384006343	2.5 mm Diamond Matchstick. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006343
XL-HD	00845384010630	20.2 cm Heavy Duty Extra Long Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384010630
SC2100	00845384008606	eMax 2 Plus Console	Anspach (Power Tools)	EA	 (01)00845384008606
SHORT	00845384008798	5 cm Short Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384008798
SHORT-HD	00845384008804	5 cm Short Heavy Duty Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384008804
SC2101	00845384011972	eMax 2 Plus Console, Single Port with Irrigation	Anspach (Power Tools)	EA	 (01)00845384011972
SC2102	00845384011989	eMax 2 Plus Console, Single Port, No Irrigation	Anspach (Power Tools)	EA	 (01)00845384011989
CRANI-A-G1	00845384016410	15 mm Craniotome Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016410
CRANI-L-G1	00845384016427	25 mm Craniotome Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016427
OCM	00845384017493	Otologic Curved Micro (OCM) Attachment	Anspach (Power Tools)	EA	 (01)00845384017493
QD11-S	00845384006381	10.5 cm Angle Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384006381
QD14	00845384006398	14 cm Angle Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384006398
QD14-S	00845384006619	13.5 cm Angle Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384006619
QD8	00845384006626	8 cm Angle Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384006626
CRANI-A	00845384001720	6.5 cm Adult Craniotome Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001720
CRANI-P	00845384001775	6.5 cm Pediatric Craniotome Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001775

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
CSR60	00845384001782	Perforator Driver with Hudson End, 60:1 Ratio. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001782
LONG	00845384003571	11 cm Long Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384003571
QD11	00845384005926	11 cm Angle Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384005926
CRANI-P-G1	00845384016403	11.5 mm Craniotome Attachment, G1	Anspach (Power Tools)	EA	 (01)00845384016403
QD8-S	00845384007159	7.5 cm Angle Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384007159
ADG	00845384000228	7.2 cm Adjustable Drill Guide. Adjusts 3-6 mm increments. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384000228
CRANI-L	00845384001751	7.5 cm Large Craniotome Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001751
EMAX2-HC	00845384002031	eMax 2 and eMax 2 Plus Hand Control	Anspach (Power Tools)	EA	 (01)00845384002031
EMAX2PLUS	00845384002055	eMax 2 Plus Handpiece	Anspach (Power Tools)	EA	 (01)00845384002055
LONG-HD	00845384003595	12.4 cm Heavy Duty Long Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384003595
LONG-S	00845384003601	10.5 cm Long Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384003601
MA-D20	00845384004356	Minimal Access 20° Angle Driver. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384004356
MA-DRIVER	00845384004370	Minimal Access Straight Driver. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384004370
MEDIUM-HD	00845384004905	8 cm Medium Heavy Duty Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384004905
MIA16	00845384005070	16 cm Minimally Invasive Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384005070
MEDIUM	00845384004899	8 cm Medium Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384004899
S-SAW	00845384008521	Sagittal microSaw Attachment. Use with all Anspach Systems.	Anspach (Power Tools)	EA	 (01)00845384008521
SA-JACOBS	00845384008538	Small Attachment, Keyless Jacobs Chuck. Use with all Anspach Systems.	Anspach (Power Tools)	EA	 (01)00845384008538
XMAX	00845384010791	XMax Handpiece	Anspach (Power Tools)	EA	 (01)00845384010791
QD8-5D-2	00845384011545	5 mm Diamond Ball, 2 mm Shaft Exposure. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384011545

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
QD8-5B-C-10F	00845384011811	5 mm Carbide Fluted Ball, 10 Flutes. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384011811
QD11-4BA-A	00845384012016	4 mm x 11 mm Fluted Barrel, 14 Flutes. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384012016
MO-3105	00845384012061	18.5 mm x 9 mm Oscillating Micro Blade. Use with O-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384012061
MS-3105	00845384012092	18.5 mm x 9 mm Sagittal Micro Blade. Use with S-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384012092
QD11-5B-A	00845384012184	5 mm Fluted Ball, Less Aggressive. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384012184
QD14-5B-A	00845384012191	5 mm Fluted Ball, Less Aggressive. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384012191
SA-JLATCH	00845384008545	Small Attachment, J-Latch. Use with all Anspach Systems.	Anspach (Power Tools)	EA	 (01)00845384008545
QD14-4BA	00845384011101	4 mm x 8 mm Fluted Barrel. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384011101
MA19-4B	00845384011897	4 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves.	Anspach (Power Tools)	EA	 (01)00845384011897
MO-3225	00845384012078	31 mm x 9 mm Oscillating Micro Blade. Use with O-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384012078
MO-3515	00845384012085	42 mm x 13.3 mm Oscillating Micro Blade. Use with O-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384012085
MS-3225	00845384012108	31 mm x 9 mm Sagittal Micro Blade. Use with S-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384012108
MS-3515	00845384012115	42 mm x 13.3 mm Sagittal Micro Blade. Use with S-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384012115
QD11-4DX-20	00845384012351	4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384012351
L-5B-A-G1	00845384014249	5 mm Fluted Ball, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384014249
QD11-3SD	00845384005995	3 mm Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005995
QD11-5B	00845384006138	5 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006138
QD14-8NSDC	00845384006602	3.2 mm Coarse Diamond Matchstick. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006602
QD8-1SD	00845384006701	1 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006701
QD8-6B	00845384007050	6 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007050

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
QD11-4B	00845384006039	4 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006039
QD11-4D	00845384006053	4 mm Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006053
QD11-8N-18	00845384006336	1.8 mm Fluted Matchstick. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006336
QD14-5DC	00845384006527	5 mm Coarse Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006527
QD8-2SB	00845384006756	2 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006756
QD8-3SB	00845384006817	3 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006817
QD11-1SB	00845384005940	1 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005940
QD11-1SD	00845384005957	1 mm Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005957
QD11-3SB	00845384005988	3 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005988
QD11-4DC	00845384006060	4 mm Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006060
QD11-4OV	00845384006091	4 mm x 8 mm Fluted Oval. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006091
QD11-5DC	00845384006183	5 mm Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006183
QD11-5DRM	00845384006190	5 mm x 8.4 mm Fluted Drum. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006190
QD11-5DX	00845384006206	5 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006206
QD11-6BA-A	00845384006251	6 mm x 11.3 mm Fluted Barrell. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006251
QD11-6DC	00845384006275	6 mm Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006275
QD11-8NS-M	00845384006367	3 mm Fluted Matchstick, Less Aggressive. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006367
QD14-1SD	00845384006411	1 mm Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006411
QD11-3SDC	00845384006008	3 mm Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006008
QD14-2SD	00845384006428	2 mm Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006428

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
QD14-4D	00845384006473	4 mm Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006473
QD14-6B	00845384006534	6 mm Fluted Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006534
QD14-6D	00845384006541	6 mm Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006541
QD14-6DX	00845384006558	6 mm Extra Coarse Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006558
QD14-8N-18	00845384006572	1.8 mm Fluted Matchstick. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006572
QD14-8ND	00845384006589	2.5 mm Diamond Matchstick. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006589
QD14-8NS	00845384006596	3 mm Fluted Matchstick. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006596
QD8-05B	00845384006633	0.5 mm Fluted Ball, Extended Length. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006633
QD8-15SD	00845384006664	1.5 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006664
QD8-15SDC	00845384006671	1.5 mm Coarse Diamond Ball, 120/140 Grit. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006671
QD8-1R	00845384006688	1.4 mm x 12.8 mm Fluted Router. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006688
QD8-25SB	00845384006725	2.5 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006725
QD8-25SD	00845384006732	2.5 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006732
QD8-2SD	00845384006763	2 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006763
QD8-2SDC	00845384006787	2 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006787
QD8-35SDC	00845384006800	3.5 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006800
QD8-3SD-100	00845384006848	3 mm Diamond Ball, 100/120 Grit. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006848
QD8-4DC	00845384006893	4 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006893
QD8-5DX	00845384007005	5 mm Extra Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007005
QD8-6DC	00845384007081	6 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007081

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
QD8-6DX	00845384007098	6 mm Extra Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007098
QD8-7B	00845384007104	7 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007104
QD8-8N	00845384007111	2.3 mm Fluted Matchstick. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007111
QD8-8N-18	00845384007128	1.8 mm Fluted Matchstick. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007128
QD8-8ND	00845384007135	2.5 mm Diamond Matchstick. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007135
QD8-8NS	00845384007142	3 mm Fluted Matchstick. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007142
AUTOLUBE-III-20	00845384000402	Pneumatic Foot Control, 20 Ft Hose	Anspach (Power Tools)	EA	 (01)00845384000402
AUTOLUBE-III-MA7	00845384000464	Pneumatic Foot Control, MA7 Adapter	Anspach (Power Tools)	EA	 (01)00845384000464
CDA	00845384001676	6.8 cm Controlled Depth Attachment. Adjusts 1-4 mm increments. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001676
CDA-1R	00845384001683	1.2 mm x 12.8 mm Fluted Router. Use with CDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384001683
CRANI-L-R	00845384001768	7.5 cm Large Rotating Craniotome Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001768
LHD-6B-M	00845384003496	6 mm Fluted Ball. Use with LONG-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384003496
LS-3406	00845384003625	6 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003625
LS-3407	00845384003632	7 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003632
LS-3409	00845384003656	9 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003656
LS-3411	00845384003670	11 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003670
LS-3412	00845384003687	12 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003687
QD11-1R	00845384005933	1.4 mm x 12.8 mm Fluted Router. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005933
QD11-2SB	00845384005964	2 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005964
QD11-2SD	00845384005971	2 mm Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005971



Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
E-HC	00845384016595	Hand Control, Electric Handpiece EM	Anspach (Power Tools)	EA	 (01)00845384016595
QD11-4DX	00845384006084	4 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006084
QD11-4OVDC	00845384006114	4 mm x 8 mm Coarse Diamond Oval. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006114
QD11-5B-12F	00845384006145	5 mm Fluted Ball, 12 Flutes. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006145
QD11-5BA-A	00845384006169	5 mm x 11.3 mm Fluted Barrel. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006169
QD11-5D	00845384006176	5 mm Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006176
QD11-5OV	00845384006213	5 mm x 10 mm Fluted Oval. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006213
QD11-6B	00845384006244	6 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006244
QD11-6D	00845384006268	6 mm Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006268
QD11-6DX	00845384006282	6 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006282
QD11-7B	00845384006305	7 mm Fluted Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006305
QD11-8N	00845384006329	2.3 mm Fluted Matchstick. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006329
QD11-8NS	00845384006350	3 mm Fluted Matchstick. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006350
QD11-8NSDC	00845384006374	3.2 mm Coarse Diamond Matchstick. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006374
QD14-3SB	00845384006435	3 mm Fluted Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006435
QD14-3SD	00845384006442	3 mm Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006442
QD14-47DRM	00845384006459	4.7 mm x 8 mm Fluted Drum. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006459
QD14-4B	00845384006466	4 mm Fluted Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006466
QD14-4DC	00845384006480	4 mm Coarse Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006480
QD14-4OV	00845384006497	4 mm x 8 mm Fluted Oval. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006497

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
QD14-5B	00845384006503	5 mm Fluted Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006503
QD14-5D	00845384006510	5 mm Diamond Ball. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006510
QD14-8N	00845384006565	2.3 mm Fluted Matchstick. Use with QD14 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006565
QD8-05SD	00845384006640	0.5 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006640
QD8-15SB	00845384006657	1.5 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006657
QD8-1SB	00845384006695	1 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006695
QD8-25SDC	00845384006749	2.5 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006749
QD8-35SD	00845384006794	3.5 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006794
QD8-3SD	00845384006831	3 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006831
QD8-3SDC	00845384006855	3 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006855
QD8-4B	00845384006862	4 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006862
QD8-4D	00845384006886	4 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006886
QD8-4DX	00845384006916	4 mm Extra Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006916
QD8-4OV	00845384006923	4 mm x 8 mm Fluted Oval. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006923
QD8-5B	00845384006954	5 mm Fluted Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006954
QD8-5BA	00845384006978	5 mm x 10 mm Fluted Barrel. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006978
QD8-5D	00845384006985	5 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006985
QD8-5DC	00845384006992	5 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006992
QD8-5OV	00845384007012	5 mm x 10 mm Fluted Oval. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007012
QD8-6D	00845384007074	6 mm Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384007074

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
R-SAW	00845384007173	Reciprocating microSaw Attachment. Use with all Anspach Systems.	Anspach (Power Tools)	EA	 (01)00845384007173
AUTOLUBE-III	00845384000396	Pneumatic Foot Control	Anspach (Power Tools)	EA	 (01)00845384000396
AUTOLUBE-III-IRR	00845384000457	Pneumatic Foot Control for Irrigation System	Anspach (Power Tools)	EA	 (01)00845384000457
CRANI-A-01	00845384001737	6.5 cm Adult Craniotome, Thin Foot Plate Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001737
CRANI-A-R	00845384001744	6.5 cm Adult Rotating Craniotome Attachment. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001744
DRIVER	00845384001928	Keyless Driver. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384001928
LS-3405	00845384003618	5 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003618
LS-3408	00845384003649	8 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003649
LS-3410	00845384003663	10 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384003663
MO-3001	00845384005315	28.5 mm x 5.5 mm Oscillating Micro Blade. Use with O-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005315
MO-3003	00845384005339	21 mm x 5.5 mm Oscillating Micro Blade. Use with O-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005339
MO-3006	00845384005353	12 MM X 5.5 MM OSCILLATING MICRO BLADE. USE WITH O-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005353
MR-0500	00845384005384	6.6 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005384
MR-0560	00845384005414	14 MM, 13 TEETH/CM RECIPROCATING MICRO BLADE. USE WITH R-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005414
MR-0580	00845384005421	20 MM, TEETH/CM RECIPROCATING MICRO BLADE. USE WITH R-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005421
MR-0600	00845384005438	25.4 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005438
MR-14006	00845384005445	39.5 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005445
MS-3100C	00845384005483	41 mm x 14 mm Coarse Sagittal Saw Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384005483
MS-3101C	00845384005506	24 MM X 9.5 MM COARSE SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005506
MS-3102	00845384005513	24 MM X 4.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005513

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MS-3104	00845384005520	15.2 mm x 9.5 mm Sagittal Micro Blade. Use with S-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005520
MS-3240	00845384005568	41 mm x 9.5 mm Sagittal Saw Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384005568
O-SAW	00845384005612	Oscillating microSaw Attachment. Use with all Anspach Systems.	Anspach (Power Tools)	EA	 (01)00845384005612
MO-3002	00845384005322	34 MM X 10 MM OSCILLATING MICRO BLADE. USE WITH O-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005322
MO-3005	00845384005346	18.5 mm x 10 mm Oscillating Micro Blade. Use with O-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005346
MR-0520	00845384005391	22.9 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005391
MR-0540	00845384005407	25.1 mm, 14 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.	Anspach (Power Tools)	EA	 (01)00845384005407
MS-3101	00845384005490	24 MM X 9.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005490
MS-3106	00845384005537	24 MM X 5.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005537
MS-3108	00845384005544	33 MM X 4 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.	Anspach (Power Tools)	EA	 (01)00845384005544
MS-3231	00845384005551	41 mm x 19.5 mm Sagittal Saw Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws.	Anspach (Power Tools)	EA	 (01)00845384005551
SIL-15	00845384008897	3.2 mm Fluted Carbide Side Cutter. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008897
SIL-1510	00845384008903	1.55 mm x 10 mm Twist Drill. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008903
SIL-17-4C	00845384009016	4 mm Coarse Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009016
SIL-17-4CX	00845384009023	4 mm Extra Coarse Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009023
SIL-17-5	00845384009030	5 mm Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009030
SIL-2	00845384009122	2.15 mm x 25.4 mm Fluted Router. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009122
SIL-23	00845384009160	14.7 mm Coring Tool. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009160
SIL-24	00845384009177	6 mm Fluted Acorn. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009177
SIL-3-10	00845384009214	1.93 mm Suture Pass Drill / 1.17 eye. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009214

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
SIL-32	00845384009221	7.5 mm Fluted Acorn. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009221
SIL-38	00845384009238	9.2 mm Fluted Acorn. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009238
SIL-464-4	00845384009269	Twist Drill for 2.0 mm x 4 mm Screw. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009269
SIL-466-6	00845384009276	Twist Drill for 2.0 mm x 6 mm Screw. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009276
SIL-6	00845384009313	6 mm Fluted Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009313
SIL-8-18	00845384009351	1.8 mm Fluted Matchstick. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009351
SIL-14	00845384008873	25.4 mm Diamond Disc. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008873
SIL-DS-A	00845384009405	1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009405
TURQ-17-3	00845384009542	3 mm Diamond Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009542
TURQ-17-4	00845384009566	4 mm Diamond Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009566
TURQ-17-5C	00845384009603	5 mm Coarse Diamond Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009603
TURQ-17-6	00845384009627	6 mm Diamond Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009627
TURQ-406-6	00845384009672	Twist Drill for 1.25 mm x 6 mm Screw. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009672
TURQ-434-4	00845384009689	Twist Drill for 1.5 mm x 4 mm Screw. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009689
TURQ-5	00845384009702	5 mm Fluted Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009702
TURQ-6	00845384009719	6 mm Fluted Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009719
TURQ-L17-3	00845384009832	3 mm Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009832
TURQ-L17-4	00845384009856	4 mm Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009856
TURQ-L17-4C	00845384009863	4 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009863
TURQ-L17-5	00845384009887	5 mm Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009887

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
TURQ-L17-5C	00845384009894	5 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009894
TURQ-L17-6C	00845384009924	6 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009924
TURQ-L17-6CX	00845384009931	6 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009931
TURQ-L3	00845384009962	3 mm Fluted Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009962
TURQ-L6	00845384010012	6 mm Fluted Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010012
TURQ-L8	00845384010029	3 mm Fluted Matchstick. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010029
TURQ-L8-18	00845384010036	1.8 mm Fluted Matchstick. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010036
TURQ-L8-L	00845384010050	3 mm Fluted Matchstick, Extends 20.8 mm. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010050
TURQ-L8D-25	00845384010074	2.5 mm Diamond Matchstick. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010074
TURQ-L9-58	00845384010098	5 mm x 8.4 mm Fluted Drum. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010098
VIO-17-3	00845384010173	3 mm Diamond Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010173
VIO-17-4	00845384010197	4 mm Diamond Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010197
VIO-17-5	00845384010227	5 mm Diamond Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010227
VIO-17-6CX	00845384010272	6 mm Extra Coarse Diamond Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010272
VIO-2	00845384010289	2.15 mm x 25.4 mm Fluted Router. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010289
VIO-24	00845384010296	6 mm Fluted Acorn. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010296
VIO-2XL	00845384010319	3.05 mm x 38.2 mm Fluted Router. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010319
VIO-32	00845384010333	7.5 mm Fluted Acorn. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010333
VIO-38	00845384010340	9.2 mm Fluted Acorn. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010340
VIO-40-5	00845384010388	5 mm x 10 mm Fluted Oval. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010388

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
VIO-5	00845384010418	5 mm Fluted Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010418
VIO-6	00845384010425	6 mm Fluted Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010425
VIO-8	00845384010470	3 mm Fluted Matchstick. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010470
VIO-8-18	00845384010487	1.8 mm Fluted Matchstick. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010487
VIO-8-M	00845384010494	3 mm Fluted Matchstick, Less Aggressive. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010494
TURQ-L5	00845384010005	5 mm Fluted Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010005
SIL-0	00845384008828	1.12 mm x 6.35 mm Fluted Router. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008828
SIL-1	00845384008835	1.85 mm x 16 mm Fluted Router. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008835
SIL-10	00845384008859	9.5 mm Fluted Drum. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008859
SIL-14-17	00845384008880	17 mm Diamond Disc. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008880
SIL-16XL2	00845384008934	6.7 mm x 45 mm Coring Tool. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008934
SIL-17-3	00845384008989	3 mm Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384008989
SIL-17-4	00845384009009	4 mm Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009009
SIL-17-5CX	00845384009054	5 mm Extra Coarse Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009054
SIL-17-6	00845384009061	6 mm Diamond Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009061
SIL-2XL	00845384009191	3.05 mm x 38.2 mm Fluted Router. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009191
SIL-3	00845384009207	3 mm Fluted Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009207
SIL-39	00845384009245	5 mm Fluted Acorn. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009245
SIL-4	00845384009252	4 mm Fluted Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009252
SIL-47	00845384009283	6.2 mm Fluted Bell, Side Cut Only. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009283

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
SIL-5	00845384009290	5 mm Fluted Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009290
SIL-7	00845384009320	7 mm Fluted Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009320
SIL-7-9	00845384009337	9 mm Fluted Ball. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009337
SIL-8	00845384009344	3 mm Fluted Matchstick. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009344
SIL-9	00845384009382	6.4 mm Fluted Drum. Use with B-SILVER Attachment.	Anspach (Power Tools)	EA	 (01)00845384009382
TURQ-1	00845384009504	1.4 mm x 12.8 mm Fluted Router. Use with B-TURQUOISE, B-TURQ-X, or B-TURQ-CDA Attachments.	Anspach (Power Tools)	EA	 (01)00845384009504
TURQ-17-2	00845384009528	2 mm Diamond Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009528
TURQ-3	00845384009641	3 mm Fluted Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009641
TURQ-4	00845384009658	4 mm Fluted Ball. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009658
TURQ-436-6	00845384009696	Twist Drill for 1.5 mm x 6 mm Screw. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009696
TURQ-8	00845384009733	3 mm Fluted Matchstick. Use with B-TURQUOISE Attachment.	Anspach (Power Tools)	EA	 (01)00845384009733
TURQ-L1	00845384009788	1.4 mm x 12.8 mm Fluted Router. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009788
TURQ-L17-2	00845384009818	2 mm Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009818
TURQ-L17-3C	00845384009849	3 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009849
TURQ-L17-4CX	00845384009870	4 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009870
TURQ-L17-5CX	00845384009900	5 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009900
TURQ-L17-7CX	00845384009955	7 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009955
TURQ-L4	00845384009979	4 mm Fluted Ball. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384009979
TURQ-L8-23	00845384010043	2.3 mm Fluted Matchstick. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010043
TURQ-L8-M	00845384010067	3 mm Fluted Matchstick, Less Aggressive. Use with B-TURQ-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384010067



Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
VIO-3	00845384010326	3 mm Fluted Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010326
VIO-4	00845384010364	4 mm Fluted Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010364
VIO-40-4	00845384010371	4 mm x 8 mm Fluted Oval. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010371
VIO-7-2	00845384010456	2 mm Fluted Ball. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010456
VIO-87-5	00845384010500	5 mm x 10 mm Fluted Barrel. Use with B-VIOLET Attachment.	Anspach (Power Tools)	EA	 (01)00845384010500
EM-1961-11-FP	00845384012306	IV Pole for Console (REPLACEMENT PART)	Anspach (Power Tools)	EA	 (01)00845384012306
GREY-471-50	00845384002192	1.1 mm Twist Drill for 1.5 mm Screw. Use with B-GREY-ADG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002192
GRE-1	00845384002154	1.85 mm x 16 mm Fluted Router. Use with B-GREEN Attachments.	Anspach (Power Tools)	EA	 (01)00845384002154
RED-2	00845384007234	2.15 mm x 25.4 mm Fluted Router. Use with B-RED Attachment.	Anspach (Power Tools)	EA	 (01)00845384007234
RED-32	00845384007265	7.5 mm Fluted Acorn. Use with B-RED Attachment.	Anspach (Power Tools)	EA	 (01)00845384007265
RED-8	00845384007333	3 mm Fluted Matchstick. Use with B-RED Attachment.	Anspach (Power Tools)	EA	 (01)00845384007333
RED-9	00845384007340	6.4 mm Fluted Drum. Use with B-RED Attachment.	Anspach (Power Tools)	EA	 (01)00845384007340
AUTOLUBE-III-FG7	00845384000433	Pneumatic Foot Control, Foot Guard and MA7 Adapter	Anspach (Power Tools)	EA	 (01)00845384000433
BLA-15	00845384000945	3.2 mm Fluted Carbide Side Cutter. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000945
BLA-2	00845384000952	2.15 mm x 25.4 mm Fluted Router. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000952
BLA-51	00845384001027	6.4 mm Fluted Cylindrical Carbide. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384001027
BLU-32	00845384001294	7.5 mm Fluted Acorn. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001294
BLU-51	00845384001362	6.4 mm Fluted Cylindrical Carbide. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001362
BLU-8	00845384001409	3 mm Fluted Matchstick. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001409
BLU-8-18	00845384001416	. Use with B-BLUE-S Attachment.1.8 mm Fluted Matchstick	Anspach (Power Tools)	EA	 (01)00845384001416

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
BLU-8D-32C	00845384001447	3.7 mm Coarse Diamond Matchstick. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001447
BLU-9	00845384001454	6.4 mm Fluted Drum. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001454
BLU-9DCX	00845384001492	6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001492
GOL-2	00845384002130	2.5 mm x 25.4 mm Fluted Router. Use with B-GOLD Attachment.	Anspach (Power Tools)	EA	 (01)00845384002130
GOL-2S	00845384002147	2.47 mm x 30.3 mm Fluted Spiral Router. Use with B-GOLD Attachment.	Anspach (Power Tools)	EA	 (01)00845384002147
GREY-471-25	00845384002185	1.0 mm Twist Drill for 1.25 mm Screw. Use with B-GREY-ADG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002185
LONG-01	00845384003588	10.5 cm Long Attachment, Non-Tapered End. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384003588
S-62DRM-G1	00845384015840	6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384015840
BLA-1	00845384000907	1.85 mm x 16 mm Fluted Router. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000907
BLA-10	00845384000914	9.5 mm Fluted Drum. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000914
BLA-5	00845384001010	5 mm Fluted Ball. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384001010
BLA-9	00845384001072	6.4 mm Fluted Drum. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384001072
BLU-10	00845384001157	9.5 mm Fluted Drum. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001157
BLU-7	00845384001386	7 mm Fluted Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001386
BLU-8-M	00845384001423	3 mm Fluted Matchstick, Less Aggressive. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001423
BLU-8D-32	00845384001430	3.2 mm Diamond Matchstick. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001430
BLU-CS5	00845384001515	5 mm x 14 mm Fluted Drum, Side Cut Only. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001515
BLU-LS9-35	00845384001560	3.5 mm x 19.8 mm Fluted Drum. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001560
BLU-LS9-5	00845384001577	4.7 mm x 20 mm Fluted Drum. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001577
BLU-LS9-5E	00845384001584	4.7 mm x 20 mm Fluted Drum, Side Cut Only. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001584

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
GRE-1S	00845384002178	2.15 mm x 22 mm Fluted Spiral Router. Use with B-GREEN Attachments.	Anspach (Power Tools)	EA	 (01)00845384002178
GREY-MIA20-7	00845384002413	7 mm Fluted Ball. Use with B-GREY-MIA20 Attachment. Use with B-GREY-MIA20 Attachment.	Anspach (Power Tools)	EA	 (01)00845384002413
MRA-8S	00845384005476	2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384005476
GREY-MIA20-4	00845384002406	4 mm Fluted Ball. Use with B-GREY-MIA20 Attachment. Use with B-GREY-MIA20 Attachment.	Anspach (Power Tools)	EA	 (01)00845384002406
MRA-8L	00845384005452	2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-L Attachments.	Anspach (Power Tools)	EA	 (01)00845384005452
MRA-8M	00845384005469	2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-M Attachments.	Anspach (Power Tools)	EA	 (01)00845384005469
ORNG-1	00845384005704	11.1 mm Fluted Router. Use with ORANGE Attachment.	Anspach (Power Tools)	EA	 (01)00845384005704
ORNG-1275	00845384005711	1.2 mm x 7.5 mm Twist Drill. Use with ORANGE Attachment.	Anspach (Power Tools)	EA	 (01)00845384005711
ORNG-8-18	00845384005766	1.8 mm Fluted Matchstick. Use with ORANGE Attachment.	Anspach (Power Tools)	EA	 (01)00845384005766
HE-4005-10-FP	00845384012313	Power Cord, Hospital Grade, 10 Ft, for Console and Irrigation Pump (REPLACEMENT PART)	Anspach (Power Tools)	EA	 (01)00845384012313
16-3100-FP	00845384012276	Console Indicator Label (REPLACEMENT PART)	Anspach (Power Tools)	EA	 (01)00845384012276
45-0432-FP	00845384012320	Ferrite Broadband Clamp On, 9.00 mm, for Power Cord (REPLACEMENT PART)	Anspach (Power Tools)	EA	 (01)00845384012320
B-COLLECTOR-1	00845384000549	Bone Collector. Use with 3/16 in to 9/32 in (4.8 mm to 7.1 mm) internal diameter suction tubing.	Anspach (Power Tools)	EA	 (01)00845384000549
FILTER	00845384002109	Five Replacement Filters for AUTOLUBE-I	Anspach (Power Tools)	EA	 (01)00845384002109
FILTER-II	00845384002116	Five Replacement Filters for AUTOLUBE-II or AUTOLUBE-III	Anspach (Power Tools)	EA	 (01)00845384002116
1003-00-101	00845384018544	KINCISE 4-PORT BATTERY CHARGER	Anspach (Power Tools)	EA	 (01)00845384018544
SDCB	00845384017271	Small Diameter Cleaning Brush	Anspach (Power Tools)	EA	 (01)00845384017271
G1-BSKT-INS	00845384017462	G1 Cleaning and Sterilization Basket - Insert	Anspach (Power Tools)	EA	 (01)00845384017462
CSRSC	00845384001812	Shaft Storage Cover for XMax, microMax, and eMax System Perforator Drivers.	Anspach (Power Tools)	EA	 (01)00845384001812
ACB	00845384000211	Attachment Cleaning Brushes (One 7 in Brush and One 12 in Brush)	Anspach (Power Tools)	EA	 (01)00845384000211

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
G1-BSKT-BTM	00845384017455	G1 Cleaning and Sterilization Basket - Bottom	Anspach (Power Tools)	EA	 (01)00845384017455
EMAX2-TRAY	00845384002048	eMax 2 Sterilization Case and Tray	Anspach (Power Tools)	EA	 (01)00845384002048
G1-BSKT-LID	00845384017479	G1 Cleaning and Sterilization Basket - Lid	Anspach (Power Tools)	EA	 (01)00845384017479
G1-BSKT-SLV	00845384017486	G1 Cleaning and Sterilization Basket - Connector Sleeve	Anspach (Power Tools)	EA	 (01)00845384017486
OIL-II	00845384005636	Instrument Oil and One Replacement Filter for AUTOLUBE-II or AUTOLUBE- III	Anspach (Power Tools)	EA	 (01)00845384005636
IRR-TUBE-HF	00845384017202	Sterile Irrigation High Flow Tube and Clips	Anspach (Power Tools)	EA	 (01)00845384017202
HOSECLIPS-G1	00845384017714	G1 Irrigation Tube Hose Clips	Anspach (Power Tools)	EA	 (01)00845384017714
IRR-TUBE	00845384017196	Sterile Irrigation Tube and Clips	Anspach (Power Tools)	EA	 (01)00845384017196
IRR-CLIP-10	00845384002703	21.6 cm Irrigation Clip for 6 mm Diameter Tube. Use with QD8-G1, QD8-S-G1, SHORT-G1, SHORT Attachments.	Anspach (Power Tools)	EA	 (01)00845384002703
IRR-CLIP-60	00845384002758	31.8 cm Irrigation Clip for Tapered Tube Use with QD11, QD11-S, QD14, QD14-S, B-QD11, B-QD11-S, B-QD14, B-QD14-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384002758
IRR-CLIP-20	00845384002710	26.7 cm Irrigation Clip for Tapered Tube. Use with QD8, QD8-S, B-QD8, B-QD8-S Attachments.	Anspach (Power Tools)	EA	 (01)00845384002710
IRR-CLIP-30	00845384002727	21.6 cm Irrigation Clip for 8 mm Diameter Tube. Use with SHORT-HD-G1, SHORT-HD, B-SILVER Attachments.	Anspach (Power Tools)	EA	 (01)00845384002727
IRR-CLIP-40	00845384002734	26.7 cm Irrigation Clip for 8 mm Diameter Tube. Use with LONG-HD-G1, MEDIUM-HD-G1, LONG-HD, MEDIUM-HD, B-BLUE-S, B-VIOLET Attachments.	Anspach (Power Tools)	EA	 (01)00845384002734
IRR-CLIP-50	00845384002741	26.7 cm Irrigation Clip for 6 mm Diameter Tube. Use with LONG-G1, MEDIUM-G1, MIA16-G1, QD11-G1, QD11-S-G1, LONG, LONG-S, LONG-01, MEDIUM, MIA16, B-TURQ-L Attachments.	Anspach (Power Tools)	EA	 (01)00845384002741
1000-00-101	00845384018520	KINCISE AUTOMATED SURGICAL IMPACTOR	Anspach (Power Tools)	EA	 (01)00845384018520
1002-00-102	00845384018537	KINCISE RECHARGEABLE LI-ION BATTERY	Anspach (Power Tools)	EA	 (01)00845384018537
1010-01-101	00845384018551	KINCISE POSTERIOR BROACH ADAPTER	Anspach (Power Tools)	EA	 (01)00845384018551
1010-01-102	00845384018568	KINCISE ANTERIOR BROACH ADAPTER	Anspach (Power Tools)	EA	 (01)00845384018568
1011-01-101	00845384018575	KINCISE PINNACLE SHELL/LINER IMPACTOR	Anspach (Power Tools)	EA	 (01)00845384018575

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
1012-01-101	00845384018582	KINCISE BULLET TIP STEM INSERTER	Anspach (Power Tools)	EA	 (01)00845384018582
1013-00-101	00845384018612	KINCISE FEMORAL HEAD IMPACTOR	Anspach (Power Tools)	EA	 (01)00845384018612
1013-00-901	00845384018629	KINCISE FEM HEAD IMPACTOR, REPLACE CAP	Anspach (Power Tools)	EA	 (01)00845384018629
SCHRADER-F	00845384008613	Schrader Adapter, Female	Anspach (Power Tools)	EA	 (01)00845384008613
EX-BSKT-INS	00845384016663	EM XM Cleaning and Sterilization Basket - Insert	Anspach (Power Tools)	EA	 (01)00845384016663
EX-BSKT-LID	00845384016670	EM XM Cleaning and Sterilization Basket - Lid	Anspach (Power Tools)	EA	 (01)00845384016670
EX-BSKT-BTM	00845384016656	EM XM Cleaning and Sterilization Basket - Bottom	Anspach (Power Tools)	EA	 (01)00845384016656
B-OIL	00845384000662	Instrument Oil and One Replacement Filter for AUTOLUBE-I	Anspach (Power Tools)	EA	 (01)00845384000662
HOSE	00845384002475	20 Ft Air Extension Hose	Anspach (Power Tools)	EA	 (01)00845384002475
HOSE-15	00845384002512	15 Ft Air Extension Hose	Anspach (Power Tools)	EA	 (01)00845384002512
IMRI-S-8NS-M	00845384011194	3 mm Fluted Matchstick, Extends 8.9 mm, Less Aggressive. Use with IMRI-SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384011194
BLA-6	00845384001034	6 mm Fluted Ball. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384001034
BLA-8	00845384001065	3 mm Fluted Matchstick. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384001065
BLU-14	00845384001171	25.4 mm Diamond Disc. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001171
BLU-17-2	00845384001195	2 mm Diamond Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001195
BLU-17-6	00845384001232	6 mm Diamond Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001232
BLU-24	00845384001249	6 mm Fluted Acorn. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001249
BLU-39	00845384001317	5 mm Fluted Acorn. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001317
BLU-4	00845384001324	4 mm Fluted Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001324
BLU-40-55	00845384001331	5.5 mm x 10 mm Fluted Oval. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001331

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
BLU-5	00845384001355	5 mm Fluted Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001355
BLU-6	00845384001379	6 mm Fluted Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001379
BLA-24	00845384000969	6 mm Fluted Acorn. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000969
BLA-32	00845384000983	7.5 mm Fluted Acorn. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000983
BLA-38	00845384000990	9.2 mm Fluted Acorn. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384000990
BLA-7	00845384001041	7 mm Fluted Ball. Use with B-BLACK Attachment.	Anspach (Power Tools)	EA	 (01)00845384001041
BLU-1	00845384001140	1.85 mm x 16 mm Fluted Router. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001140
BLU-17-1	00845384001188	1 mm Diamond Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001188
BLU-17-3	00845384001201	3 mm Diamond Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001201
BLU-17-4	00845384001218	4 mm Diamond Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001218
BLU-17-5	00845384001225	5 mm Diamond Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001225
BLU-3	00845384001287	3 mm Fluted Ball. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001287
BLU-38	00845384001300	9.2 mm Fluted Acorn. Use with B-BLUE-S Attachment.	Anspach (Power Tools)	EA	 (01)00845384001300
IMRI-A-CRN	00845384002574	1.85 mm x 16 mm Fluted Router. Use with IMRI-A-CRN or IMRI-SHORT-HD Attachments.	Anspach (Power Tools)	EA	 (01)00845384002574
IMRI-S-4B	00845384002642	4 mm Fluted Ball. Use with IMRI-SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384002642
IMRI-SHD-6B	00845384002659	6 mm Fluted Ball. Use with IMRI-SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384002659
IMRI-SHORT-HD	00845384002680	5 cm Heavy Duty Short Attachment. Use with iMRI System Only	Anspach (Power Tools)	EA	 (01)00845384002680
MM-SAGITTAL	00845384005308	Sagittal Saw. Use with XMax, eMax Systems.	Anspach (Power Tools)	EA	 (01)00845384005308
IMRI-OIL	00845384002611	Synthetic Oil for iMRI Foot Control Only.	Anspach (Power Tools)	EA	 (01)00845384002611
IMRI-S-1004TD	00845384002628	1.0 mm x 4.0 mm Twist Drill with Depth Stop. Use with IMRI-SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384002628

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
IMRI-S-1R	00845384002635	1.4 mm x 12.8 mm Fluted Router. Use with IMRI-SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384002635
IMRI-SHORT	00845384002673	5 cm Short Attachment. Use with iMRI System Only	Anspach (Power Tools)	EA	 (01)00845384002673
P-CRN-4	00845384005797	1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with CRANI-P Attachment.	Anspach (Power Tools)	EA	 (01)00845384005797
L-2SB	00845384002901	2 mm Fluted Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002901
S-12D	00845384007401	1.2 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007401
S-5B	00845384008149	5 mm Fluted Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008149
A-CRN-S	00845384000198	2.15 mm x 22 mm Fluted Spiral Router. Use with CRANI-A Attachment.	Anspach (Power Tools)	EA	 (01)00845384000198
S-25DC	00845384007678	2.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007678
S-6DC	00845384008316	6 mm Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008316
M-8NSD	00845384004295	3.2 mm Diamond Matchstick. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004295
M-8N	00845384004257	2.3 mm Fluted Matchstick. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004257
M-8NS-M	00845384004288	3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004288
M-35SDC	00845384003922	3.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003922
M-5DC	00845384004141	5 mm Coarse Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004141
M-6B	00845384004165	6 mm Fluted Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004165
M-4DC	00845384004042	4 mm Coarse Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004042
M-4DX	00845384004059	4 mm Extra Coarse Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004059
M-4OV	00845384004073	4 mm x 8 mm Fluted Oval. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004073
M-5AC	00845384004080	5 mm Fluted Acorn. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004080
M-5B-4	00845384004110	5 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004110

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
M-6DX	00845384004219	6 mm Extra Coarse Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004219
M-6P	00845384004226	6 mm x 9 mm Fluted Pear. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004226
M-7B	00845384004240	7 mm Fluted Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004240
L-5B	00845384003069	5 mm Fluted Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003069
L-6D	00845384003175	6 mm Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003175
L-8N	00845384003274	2.3 mm Fluted Matchstick. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003274
L-8NS	00845384003298	3 mm Fluted Matchstick. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003298
L-4D	00845384003007	4 mm Diamond Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003007
L-3SDC	00845384002963	3 mm Coarse Diamond Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002963
L-4BA-S	00845384002994	4 mm x 8 mm Fluted Barrel. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002994
L-4OV	00845384003045	4 mm x 8 mm Fluted Oval. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003045
L-5AC	00845384003052	5 mm Fluted Acorn. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003052
L-5DC	00845384003090	5 mm Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003090
L-5DRC	00845384003106	5 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003106
L-5DRM	00845384003113	5 mm x 8.4 mm Fluted Drum. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003113
L-5DX	00845384003120	5 mm Extra Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003120
L-6DRC	00845384003199	6 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003199
L-7DRC	00845384003236	7 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003236
L-8NS-M	00845384003304	3 mm Fluted Matchstick, Less Aggressive. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003304
ORNG-33	00845384005728	10.5 mm Small Bone Burr. Use with ORANGE Attachment.	Anspach (Power Tools)	EA	 (01)00845384005728



Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
ORNG-35	00845384005735	2.3 mm Fluted Ball. Use with ORANGE Attachment.	Anspach (Power Tools)	EA	 (01)00845384005735
ORNG-36	00845384005742	2.9 mm Fluted Ball. Use with ORANGE Attachment.	Anspach (Power Tools)	EA	 (01)00845384005742
M-3D	00845384003946	3 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003946
M-1DC	00845384003779	1 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003779
M-2B	00845384003854	2 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003854
M-3SB	00845384003977	3 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003977
L-3SB	00845384002949	3 mm Fluted Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002949
M-1SB	00845384003809	1 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003809
M-1SD	00845384003816	1 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003816
M-25SD	00845384003830	2.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003830
M-25SDC	00845384003847	2.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003847
M-2DC	00845384003878	2 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003878
M-2SD	00845384003892	2 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003892
M-3B	00845384003939	3 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003939
M-3SB-2	00845384003984	3 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003984
M-3SD	00845384003991	3 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003991
M-3SDC	00845384004004	3 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004004
M-4B-4	00845384004028	4 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004028
M-4D	00845384004035	4 mm Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004035
L-10DRC	00845384002857	10 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002857

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MDA-8NSDC	00845384004707	3 mm Coarse Diamond Matchstick. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004707
MHD-15C	00845384004929	3.2 mm Fluted Carbide Side Cutter. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384004929
MHD-16CT	00845384004936	6.7 mm Coring Tool. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384004936
MHD-17DD	00845384004943	17 mm Diamond Disc. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384004943
MHD-25DD	00845384004967	25.4 mm Diamond Disc. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384004967
MHD-25R	00845384004974	2.15 mm x 25.4 mm Fluted Router. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384004974
MHD-8NS-M	00845384005032	3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384005032
MIA16-6B	00845384005124	6 mm Fluted Ball. Use with MIA16 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005124
MIA16-8NS	00845384005155	3 mm Fluted Matchstick. Use with MIA16 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005155
MOTOR-CASE	00845384005377	Handpiece Sterilization Case	Anspach (Power Tools)	EA	 (01)00845384005377
M-5B	00845384004097	5 mm Fluted Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004097
M-8NS	00845384004271	3 mm Fluted Matchstick. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004271
M-4FD	00845384004066	4 mm x 10 mm Diamond Pear Inverted. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004066
M-5B-2	00845384004103	5 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004103
M-5BA-20	00845384004127	5 mm x 20 mm Fluted Barrel. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004127
M-5D	00845384004134	5 mm Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004134
M-5OV	00845384004158	5 mm x 10 mm Fluted Oval. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004158
M-6B-4	00845384004172	6 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004172
M-6D	00845384004189	6 mm Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004189
M-6DC	00845384004196	6 mm Coarse Diamond Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004196

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
M-6DC-2	00845384004202	6 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004202
M-7AC	00845384004233	7 mm Fluted Acorn. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004233
M-8ND	00845384004264	2.5 mm Diamond Matchstick. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004264
L-5D	00845384003083	5 mm Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003083
L-7AC	00845384003212	7 mm Fluted Acorn. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003212
L-8ND	00845384003281	2.5 mm Diamond Matchstick. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003281
L-6B	00845384003151	6 mm Fluted Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003151
L-4DX	00845384003038	4 mm Extra Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003038
L-5BA	00845384003076	5 mm x 10 mm Fluted Barrel. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003076
L-5OV	00845384003137	5 mm x 10 mm Fluted Oval. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003137
L-68DRMDX	00845384003144	6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003144
L-6DC	00845384003182	6 mm Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003182
L-6DX	00845384003205	6 mm Extra Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003205
L-7B	00845384003229	7 mm Fluted Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003229
L-8DRC	00845384003250	8 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003250
L-4B	00845384002970	4 mm Fluted Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002970
L-4DC	00845384003014	4 mm Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003014
L-4DRM	00845384003021	4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003021
M-3DC	00845384003953	3 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003953
M-3DC-2	00845384003960	3 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003960

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
M-4B	00845384004011	4 mm Fluted Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384004011
N/REGULATOR	00845384005605	Nitrogen Regulator with Schrader	Anspach (Power Tools)	EA	 (01)00845384005605
P-CRN	00845384005780	1.4 mm x 12.8 mm Fluted Router. Use with CRANI-P Attachment.	Anspach (Power Tools)	EA	 (01)00845384005780
M-1B	00845384003755	1 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003755
M-1D	00845384003762	1 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003762
M-2D	00845384003861	2 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003861
M-1R	00845384003786	1.2 mm x 12.8 mm Fluted Router. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003786
M-1R-4	00845384003793	1.2 mm x 12.8 mm Fluted Router, 4-Series. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003793
M-1SDC	00845384003823	1 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003823
M-2SB	00845384003885	2 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003885
M-2SDC	00845384003908	2 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003908
M-35SD	00845384003915	3.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003915
L-2SD	00845384002925	2 mm Diamond Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002925
L-3SD	00845384002956	3 mm Diamond Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002956
MDA-3SD	00845384004677	3 mm Diamond Ball. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004677
MDA-4D	00845384004684	4 mm Diamond Ball. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004684
MDA-8N-18	00845384004691	1.8 mm Fluted Matchstick. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004691
MHD-19CT	00845384004950	9.9 mm Coring Tool. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384004950
MHD-6B	00845384005018	6 mm Fluted Ball. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384005018
MHD-8NS	00845384005025	3 mm Fluted Matchstick. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384005025

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
MIA16-4B	00845384005094	4 mm Fluted Ball. Use with MIA16 Attachment.	Anspach (Power Tools)	EA	 (01)00845384005094
L-1R	00845384002864	1.2 mm x 12.8 mm Fluted Router. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002864
L-1SB	00845384002888	1 mm Fluted Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002888
L-1SD	00845384002895	1 mm Diamond Ball, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384002895
MDA-3SB	00845384004660	3 mm Fluted Ball. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004660
MDA-2SB	00845384004646	2 mm Fluted Ball. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004646
MDA-2SD	00845384004653	2 mm Diamond Ball. Use with MDA Attachment.	Anspach (Power Tools)	EA	 (01)00845384004653
L-8NSDC	00845384003328	3.2 mm Coarse Diamond Matchstick. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003328
L-CRN	00845384003359	2.5 mm x 25.4 mm Fluted Router. Use with CRANI-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384003359
LHD-6B	00845384003489	6 mm Fluted Ball. Use with LONG-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384003489
LHD-8NS	00845384003519	3 mm Fluted Matchstick. Use with LONG-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384003519
LHD-LS9-5	00845384003557	4.7 mm x 20 mm Fluted Drum. Use with LONG-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384003557
M-05D	00845384003700	0.5 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003700
M-05SD	00845384003717	0.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003717
M-15SD	00845384003731	1.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003731
M-15SDC	00845384003748	1.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003748
ADG-11	00845384000242	1.1 mm Twist Drill for 1.50 mm Screw. Use with ADG Attachments.	Anspach (Power Tools)	EA	 (01)00845384000242
ADG-13	00845384000259	1.3 mm Twist Drill for 1.7 mm Screw. Use with ADG Attachments.	Anspach (Power Tools)	EA	 (01)00845384000259
ADG-155	00845384000266	1.55 mm Twist Drill for 2.0 mm Screw. Use with ADG Attachments.	Anspach (Power Tools)	EA	 (01)00845384000266
A-CRN-M	00845384000181	2 mm x 15.6 mm Fluted Router. Use with CRANI-A Attachment.	Anspach (Power Tools)	EA	 (01)00845384000181

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
QD8-4OVD	00845384006930	4 mm x 8 mm Diamond Oval. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006930
RED-17-55C	00845384007210	5.5 mm Coarse Diamond Ball. Use with B-RED Attachment.	Anspach (Power Tools)	EA	 (01)00845384007210
SHD-4840DS	00845384016618	4.8 mm x 4 mm Twist Drill with Depth Stop. Use with SHORTHD Attachment.	Anspach (Power Tools)	EA	 (01)00845384016618
QD11-7DX	00845384006312	7 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006312
S-5AC	00845384008132	5 mm Fluted Acorn. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008132
L-8NSD	00845384003311	3.2 mm Diamond Matchstick. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003311
L-9B	00845384003335	9 mm Fluted Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003335
L-9DRC	00845384003342	9 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384003342
L-CRN-S	00845384003366	2.47 mm x 30.3 mm Fluted Spiral Router. Use with CRANI-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384003366
M-15D	00845384003724	1.5 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384003724
A-CRN-4	00845384000174	1.85 mm x 16 mm Fluted Router, 4-Series. Use with CRANI-A Attachments.	Anspach (Power Tools)	EA	 (01)00845384000174
A-CRN-S-4	00845384000204	2.15 mm x 22 mm Fluted Spiral Router, 4-Series. Use with CRANI-A Attachment.	Anspach (Power Tools)	EA	 (01)00845384000204
ADG-10	00845384000235	1.0 mm Twist Drill for 1.25 mm Screw. Use with ADG Attachments.	Anspach (Power Tools)	EA	 (01)00845384000235
A-CRN	00845384000167	1.85 mm x 16 mm Fluted Router. Use with CRANI-A Attachments.	Anspach (Power Tools)	EA	 (01)00845384000167
QD11-4OVD	00845384006107	4 mm x 8 mm Diamond Oval. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006107
QD8-1SDC	00845384006718	1 mm Coarse Diamond Ball. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384006718
P-CRN-M	00845384005803	1.3 mm x 12.8 mm Fluted Router. Use with CRANI-P Attachment.	Anspach (Power Tools)	EA	 (01)00845384005803
S-4B	00845384008026	4 mm Fluted Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008026
S-4B-C	00845384008040	4 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008040
S-2D	00845384007739	2 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007739

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-3B	00845384007876	3 mm Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007876
S-3DC	00845384007913	3 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007913
S-3SD	00845384007975	3 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007975
S-25D	00845384007661	2.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007661
S-2DC	00845384007746	2 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007746
S-2B-C	00845384007722	2 mm Carbide Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007722
S-2SB-C	00845384007760	2 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007760
S-2SBT	00845384007777	2 mm Fluted Ball, Tapered, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007777
S-2SD-120	00845384007791	2 mm Diamond Ball, 120/140 Grit, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007791
S-35B	00845384007821	3.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007821
S-35SD	00845384007869	3.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007869
S-3SDC-50	00845384008002	3 mm Coarse Diamond Ball, 50/60 Grit, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008002
S-4D-L	00845384008095	4 mm Diamond Ball, Extends 27 mm. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008095
S-4OV	00845384008125	4 mm x 8 mm Fluted Oval. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008125
S-4D	00845384008071	4 mm Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008071
S-4DC	00845384008101	4 mm Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008101
S-4DX	00845384008118	4 mm Extra Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008118
S-4BT	00845384008064	4 mm Fluted Ball, Tapered. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008064
S-4D-100	00845384008088	4 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008088
S-2SD	00845384007784	2 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007784

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-4BL-C	00845384008057	4 mm Carbide Fluted Ball, Extends 27 mm. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008057
S-35DC	00845384007845	3.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007845
S-3D	00845384007906	3 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007906
S-25SB	00845384007685	2.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007685
S-25SD	00845384007692	2.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007692
S-25SDC	00845384007708	2.5 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007708
S-2B	00845384007715	2 mm Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007715
S-2SB	00845384007753	2 mm Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007753
S-2SDC	00845384007807	2 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007807
S-2SDCT	00845384007814	2 mm Coarse Diamond Ball, Tapered, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007814
S-35D	00845384007838	3.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007838
S-35SB	00845384007852	3.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007852
S-3B-C	00845384007890	3 mm Carbide Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007890
S-3SB	00845384007920	3 mm Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007920
S-3SB-C	00845384007944	3 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007944
S-3SBT	00845384007968	3 mm Fluted Ball, Tapered, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007968
S-3SD-100	00845384007982	3 mm Diamond Ball, 100/120 Grit, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007982
S-3SDC	00845384007999	3 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007999
S-3SDCT	00845384008019	3 mm Coarse Diamond Ball, Tapered, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008019
S-4B-4	00845384008033	4 mm Fluted Ball, 4-Series. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008033










Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-15SD	00845384007500	1.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007500
S-15B	00845384007456	1.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007456
S-05D	00845384007357	0.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007357
S-1254TD	00845384007395	Twist Drill for 1.25 mm x 4 mm Screw. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007395
S-1510TD	00845384007449	1.55 mm x 10 mm Fluted Twist Drill. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007449
S-15D	00845384007463	1.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007463
S-15DC	00845384007470	1.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007470
S-1B	00845384007524	1 mm Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007524
S-1DC	00845384007555	1 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007555
S-1R	00845384007562	1.4 mm x 12.8 mm Fluted Router. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007562
S-1SB	00845384007586	1 mm Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007586
S-2006TD	00845384007630	Twist Drill for 2.0 mm x 6 mm Screw. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007630
S-2433TD	00845384007647	2.4 mm x 3.3 mm Twist Drill. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007647
S-25B	00845384007654	2.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007654
S-1D	00845384007548	1 mm Diamond Ball, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007548
S-1SDC	00845384007616	1 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007616
S-06SD	00845384007364	0.6 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007364
S-08SD	00845384007371	0.8 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007371
S-1203TD	00845384007388	1.2 mm x 3 mm Twist Drill. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007388
S-1504TD	00845384007418	Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007418

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-1506TD	00845384007425	Twist Drill for 1.5 mm x 6 mm Screw. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007425
S-1506TD-M	00845384007432	1.5 mm x 6 mm Fluted Twist Drill. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007432
S-15SB	00845384007494	1.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007494
S-15SDC	00845384007517	1.5 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007517
S-1SD	00845384007609	1 mm Diamond Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007609
S-2004TD	00845384007623	Twist Drill for 2.0 mm x 4 mm Screw. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384007623
A-CRN-S-4-G1	00845384013457	2.15 mm x 22 mm Fluted Spiral Router, 4-Series. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.	Anspach (Power Tools)	EA	 (01)00845384013457
S-5DC-22	00845384011736	5 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384011736
QD11-3BA-A	00845384012009	3 mm x 11.3 mm Fluted Barrel, 14 Flutes. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384012009
L-58OV	00845384012030	5 mm x 8 mm Fluted Oval. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384012030
S-15DCT	00845384012153	1.5 mm Coarse Diamond Ball, Tapered, Extended Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384012153
XLHD-25R	00845384010647	2.15 mm x 25.4 mm Fluted Router. Use with XL-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384010647
QD11-45DRMDX	00845384011026	4 mm x 5 mm Extra Coarse Diamond Drum. Use with QD11 Attachment.	Anspach (Power Tools)	EA	 (01)00845384011026
L-6B-4	00845384011149	6 mm Fluted Ball, 4-Series. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011149
L-CRN-S-4	00845384011156	2.47 mm x 30.3 mm Fluted Spiral Router, 4 Series. Use with CRANI-L Attachment.	Anspach (Power Tools)	EA	 (01)00845384011156
M-3SB-4	00845384011163	3 mm Fluted Ball, 4 Series, Standard Length. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384011163
L-4B-C	00845384011200	4 mm Carbide Fluted Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011200
M-5B-C	00845384011569	5 mm Carbide Fluted Ball. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384011569
L-8NS-M-C	00845384011583	3 mm Carbide Fluted Matchstick, Less Aggressive. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011583
M-6DX-20	00845384011590	6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384011590

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-3SDC-22	00845384011712	3 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384011712
S-4DC-22	00845384011729	4 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384011729
S-8ND	00845384008460	2.5 mm Diamond Matchstick. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008460
S-8NSD	00845384008491	3.2 mm Diamond Matchstick. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008491
S-9B	00845384008514	9 mm Fluted Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008514
SHD-25R	00845384008651	2.15 mm x 25.4 mm Fluted Router. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008651
SHD-6DX	00845384008729	6 mm Extra Coarse Diamond Ball. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008729
SHD-8NS	00845384008767	3 mm Fluted Matchstick. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008767
SHD-9AC	00845384008774	9.2 mm Fluted Acorn. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008774
S-5B-C	00845384008170	5 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008170
S-5DC	00845384008200	5 mm Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008200
S-5DX	00845384008224	5 mm Extra Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008224
S-68DRMDC	00845384008231	6.8 mmx 10.6 mm Coarse Diamond Drum. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008231
S-68DRMDX	00845384008248	6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008248
S-6B-C	00845384008286	6 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008286
S-6IP	00845384008330	6 mm x 11.8 mm Fluted Pear, Inverted. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008330
S-6P	00845384008347	6 mm x 9 mm Fluted Pear. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008347
S-8B	00845384008415	8 mm Fluted Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008415
S-8N-18	00845384008446	1.8 mm Fluted Matchstick. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008446
S-8N-L	00845384008453	2.3 mm Fluted Matchstick, Extends 22 mm. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008453

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
L-3SB-4	00845384011118	3 mm Fluted Ball, 4-Series, Standard Length. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011118
L-4B-4	00845384011125	4 mm Fluted Ball, 4-Series. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011125
L-5B-4	00845384011132	5 mm Fluted Ball, 4-Series. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011132
S-2SB-4	00845384011170	2 mm Fluted Ball 4 Series, Standard Length. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384011170
S-8N-18-4	00845384011187	1.8 mm Fluted Matchstick, 4 Series. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384011187
L-8DX	00845384011255	8 mm Extra Coarse Diamond Ball. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384011255
QD8-5B-2	00845384011538	5 mm Fluted Ball, 2 mm Shaft Exposure. Use with QD8 Attachment.	Anspach (Power Tools)	EA	 (01)00845384011538
XLHD-95DRM	00845384010760	9.5 mm Fluted Drum. Use with XL-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384010760
L-56OV	00845384012023	5 mm x 6 mm Fluted Oval. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384012023
M-56OV	00845384012047	5 mm x 6 mm Fluted Oval. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384012047
M-58OV	00845384012054	5 mm x 8 mm Fluted Oval. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384012054
L-6DX-20	00845384012160	6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384012160
L-8BA	00845384012214	8 mm x 12.5 mm Fluted Barrel. Use with LONG Attachment.	Anspach (Power Tools)	EA	 (01)00845384012214
M-8BA	00845384012221	8 mm x 12.5 mm Fluted Barrel. Use with MEDIUM Attachment.	Anspach (Power Tools)	EA	 (01)00845384012221
S-4DX-20	00845384012368	4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384012368
S-6DX-20	00845384012375	6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384012375
MHD-9B	00845384012412	9 mm Fluted Ball. Use with MEDIUM-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384012412
SHD-7B	00845384008750	7 mm Fluted Ball. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008750
SHD-DS-A	00845384008781	1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008781
S-6B-4	00845384008279	6 mm Fluted Ball, 4-Series. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008279

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
S-6D	00845384008293	6 mm Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008293
S-6D-100	00845384008309	6 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008309
S-6DX	00845384008323	6 mm Extra Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008323
S-6PD	00845384008354	6 mm x 9 mm Diamond Pear. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008354
S-6R	00845384008361	1.12 mm x 6.35 mm Fluted Router. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008361
S-7B	00845384008378	7 mm Fluted Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008378
S-7IP	00845384008408	7 mm x 13.1 mm Fluted Pear, Inverted. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008408
S-8DC	00845384008422	8 mm Coarse Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008422
S-8N	00845384008439	2.3 mm Fluted Matchstick. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008439
S-8NS	00845384008477	3 mm Fluted Matchstick. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008477
S-8NS-M	00845384008484	3 mm Fluted Matchstick, Extends 8.9 mm, Less Aggressive. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008484
S-9AC	00845384008507	9.2 mm Fluted Acorn. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008507
SHD-1504TD	00845384008620	1.15 mm Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008620
SHD-17DD	00845384008637	17 mm Diamond Disc. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008637
SHD-25DD	00845384008644	25.4 mm Diamond Disc. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008644
SHD-3-10	00845384008668	1.93 mm Suture Pass Drill / 1.17 eye. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008668
SHD-5B	00845384008699	5 mm Fluted Ball. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008699
SHD-6AC	00845384008705	6 mm Fluted Acorn. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008705
SHD-6B	00845384008712	6 mm Fluted Ball. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008712
SHD-6R	00845384008736	1.12 mm x 6.35 mm Fluted Router. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008736

Product #	UDI-DI	Product Desc	Company	Unit of Measure	UDI Barcode
SHD-75AC	00845384008743	7.5 mm Fluted Acorn. Use with SHORT-HD Attachment.	Anspach (Power Tools)	EA	 (01)00845384008743
S-5B-12F	00845384008156	5 mm Fluted Ball, 12 Flutes. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008156
S-5B-4	00845384008163	5 mm Fluted Ball, 4-Series. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008163
S-5D	00845384008187	5 mm Diamond Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008187
S-5D-100	00845384008194	5 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008194
S-5DC-40	00845384008217	5 mm Coarse Diamond Ball, 40/60 Grit. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008217
S-6AC	00845384008255	6 mm Fluted Acorn. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008255
S-6B	00845384008262	6 mm Fluted Ball. Use with SHORT Attachment.	Anspach (Power Tools)	EA	 (01)00845384008262