

GTIN Report

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| 200002100 | 10886982348135 | KINCISE(TM) SYSTEM PRIMARY HIP ADAPTER CASE | Power Tools | EA |  (01)10886982348135 |
| RECEIVER-HC | 10886982335661 | Receiver for Wireless Hand Control, EG1A | Power Tools | EA |  (01)10886982335661 |
| WIRELESS-HC | 10886982335678 | Wireless Hand Control, EG1A | Power Tools | EA |  (01)10886982335678 |
| 68505009 | 10887587058832 | LID FOR INSTRUMENT TRAY FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587058832 |
| 03505011 | 10887587013367 | SCREWHOLDER INSERT FOR SCREWS 1.5 & 2.0MM DIA F/90° SCRWDRVR | Power Tools | EA |  (01)10887587013367 |
| 03505101 | 10887587013749 | 1.5/2.0MM CRUCIFORM SCRWDRVR SHAFT/SLF-RETAIN F/90°SCRWDRVR | Power Tools | EA |  (01)10887587013749 |
| 03000324S | 10887587009407 | SAW BLADE 14.5 X 4.0 X 0.6MM F/RECIP SAW | Power Tools | EA |  (01)10887587009407 |
| 03000132S | 10887587008776 | BURR PIN-SHAPED L Ø 2.1MM HEAD LENGTH 12MM | Power Tools | EA |  (01)10887587008776 |
| 68001650 | 10886982309655 | WASHING & STERILIZATION BASKET 1/1 UNIU(TM) MODULAR | Power Tools | EA |  (01)10886982309655 |
| 05003136S | 10886982131485 | SAW BLADE 90MM X 25.0MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131485 |
| 05000010 | 10887587024615 | STERRAD BATTERY FOR BATTERY POWERED DRIVER | Power Tools | EA |  (01)10887587024615 |
| 05002003S | 10886982130488 | SAW BLADE 95MM X 19MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130488 |
| 05003132S | 10886982131409 | SAW BLADE 90MM X 25.0MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131409 |
| 03000196S | 10886982065421 | BURR CIRCULAR LENGTH 28MM Ø 15.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065421 |
| 05003116S | 10886982131089 | SAW BLADE 90MM X 19.0MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131089 |
| 51308 | 10886982238603 | 1.5MM DRILL BIT/MINI QC/52MM | Power Tools | EA |  (01)10886982238603 |
| 03505121 | 10887587013800 | 1.5/2.0MM PLUSDRIVE SCRWDRV SHAFT/SLF-RETAIN F/90°SCRWDRVR | Power Tools | EA |  (01)10887587013800 |
| 03000309S | 10886982065650 | SAW BLADE 27 X 10 X 0.6MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065650 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000033S | 10886982064547 | BURR ROUND S Ø 1.5MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064547 |
| 511909S | 10886982238184 | RECIPROCATING SAW BLADE LGTH 55MM/CUT THK 0.85MM-STER | Power Tools | EA |  (01)10886982238184 |
| 05001088 | 10886982129093 | ADAPTOR DRAEGER/SYNTHES | Power Tools | EA |  (01)10886982129093 |
| 03000330S | 10887587009469 | SAW BLADE 33.5 X 6.4 X 0.6MM W/OFFSET DOWN F/RECIP SAW | Power Tools | EA |  (01)10887587009469 |
| 05003134S | 10886982131447 | SAW BLADE 90MM X 25.0MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131447 |
| 03000109S | 10886982064950 | BURR CIRCULAR HEAD LGTH 0.7MM Ø 25.0MM DIAMOND COATED/SM | Power Tools | EA |  (01)10886982064950 |
| 60550051 | 10886982249265 | INSERT TRAY FOR AIR PEN DRIVE GRAPHIC CASE | Power Tools | EA |  (01)10886982249265 |
| 03505005 | 10887587013312 | TURNING HANDLE F/90° SCRWDVR | Power Tools | EA |  (01)10887587013312 |
| 05001092 | 10886982129130 | ADAPTOR FOR MAINTENANCE SPRAY FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129130 |
| 511773 | 10886982237804 | TORQUE LIMITING ATTACHMENT 1.5NM/QUICK COUPLING | Power Tools | EA |  (01)10886982237804 |
| 03000015S | 10886982064462 | BURR ROUND S Ø 5.0MM | Power Tools | EA |  (01)10886982064462 |
| 05003100S | 10886982130761 | SAW BLADE 90MM X 12.5MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130761 |
| 05003103S | 10886982130822 | SAW BLADE 90MM X 12.5MM 1.07MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130822 |
| 03000197S | 10886982065438 | LINDEMANN REAMER LENGTH 53MM Ø 2.3MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065438 |
| 31075 | 10886982186959 | UNIVERSAL CHUCK 6MM | Power Tools | EA |  (01)10886982186959 |
| 03000138S | 10887587008837 | BURR NEURO L Ø 2.2MM HEAD LENGTH 3.7MM | Power Tools | EA |  (01)10887587008837 |
| 03000201S | 10887587009001 | BURR ROUND LENGTH 45MM Ø 3.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009001 |
| 690588 | 10886982254801 | ATTACHMENT TRAY ASSEMBLY F/MODULAR GRAPHIC CASE F/EPD | Power Tools | EA |  (01)10886982254801 |
| 03000101S | 10887587008622 | BURR INVERTED CONE M Ø 6.5MM HEAD LENGTH 6.1MM | Power Tools | EA |  (01)10887587008622 |
| 60550064 | 10886982249302 | INSERT TRAY FOR BATTERY CASE AND SHIELD/FOR SBDII CASE | Power Tools | EA |  (01)10886982249302 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000114S | 10887587008684 | LINDEMANN REAMER L Ø 2.3MM HEAD LENGTH 20.2MM | Power Tools | EA |  (01)10887587008684 |
| 03000235S | 10887587009285 | BURR ACORN-SHAPED L Ø 5.0MM HEAD LENGTH 6.7MM | Power Tools | EA |  (01)10887587009285 |
| 03000307S | 10886982065636 | SAW BLADE 15 X 16 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065636 |
| 03000182S | 10886982065285 | BURR CONICAL LENGTH 45MM Ø 6.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065285 |
| 05001082 | 10886982129031 | HAND SWITCH FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129031 |
| 03000017S | 10887587008318 | BURR ROUND L Ø 5.0MM | Power Tools | EA |  (01)10887587008318 |
| 03000190S | 10886982065360 | BURR TAPERED FISSURE LGTH 45MM Ø 2.1MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065360 |
| 05002101S | 10886982130549 | SAW BLADE 95MM X 25MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130549 |
| 03000187S | 10886982065339 | BURR PEAR-SHAPED LENGTH 28MM Ø 6.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065339 |
| 516322 | 10886982238740 | CONICAL BOLT FOR UNIVERSAL FEMORAL NAILS (10MM-12MM) | Power Tools | EA |  (01)10886982238740 |
| 511905S | 10886982238139 | RECIPROCATING SAW BLADE LGTH 80MM/CUT THK 1.05MM-STER | Power Tools | EA |  (01)10886982238139 |
| 03000302S | 10886982065582 | SAW BLADE 31 X 6.0 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065582 |
| 51305 | 10886982238597 | 1.5MM DRILL BIT/MINI QC/28MM | Power Tools | EA |  (01)10886982238597 |
| 03505044 | 10887587013503 | 1.5MM DIA DRILL BIT W/8MM STOP 15MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013503 |
| 03000137S | 10887587008820 | BURR NEURO M Ø 2.2MM HEAD LENGTH 3.7MM | Power Tools | EA |  (01)10887587008820 |
| 03000241S | 10887587009308 | BURR BARREL-SHAPED L Ø 4.0MM HEAD LENGTH 9.0MM | Power Tools | EA |  (01)10887587009308 |
| 05003127S | 10886982131300 | SAW BLADE 90MM X 19-9.5MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131300 |
| 51951D | 10886982239303 | DOUBLE AIR HOSE DISS FITTING 3 METERS | Power Tools | EA |  (01)10886982239303 |
| 397706 | 10886982201072 | HANDLE FOR AO REAMING COUPLER CONNECTION | Power Tools | EA |  (01)10886982201072 |
| 03000189S | 10886982065353 | BURR TAPERED FISSURE LGTH 31MM Ø 2.1MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065353 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 03000093S | 10887587008592 | BURR TAPERED FISSURE L Ø 2.6MM HEAD LENGTH 6.8MM | Power Tools | EA |  (01)10887587008592 |
| 05002303S | 10886982130686 | SAW BLADE 90MM X 19-12.5MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130686 |
| 05003139S | 10886982131546 | SAW BLADE 90MM X 25.0MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131546 |
| 03000161S | 10886982065148 | SWANSON BURR M Ø 5.0MM HEAD LENGTH 15.8MM | Power Tools | EA |  (01)10886982065148 |
| 519105S | 10886982238931 | SAW BLADE 20MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238931 |
| 03000185S | 10886982065315 | BURR PEAR-SHAPED LENGTH 45MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065315 |
| 05002501S | 10886982130747 | SAW BLADE 60MM X 25MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130747 |
| 03000043S | 10886982064615 | BURR ROUND M Ø 3.0MM DIAMOND- COATED | Power Tools | EA |  (01)10886982064615 |
| 03000079S | 10886982064820 | BURR PEAR-SHAPED S Ø 6.0MM HEAD LENGTH 9.7MM | Power Tools | EA |  (01)10886982064820 |
| 03000008S | 10887587008288 | BURR ROUND L Ø 2.5MM | Power Tools | EA |  (01)10887587008288 |
| 03000142S | 10886982065070 | DRILL BIT S Ø 1.0MM | Power Tools | EA |  (01)10886982065070 |
| 05003123S | 10886982131225 | SAW BLADE 90MM X 19-9.5MM 1.07MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131225 |
| 03000130S | 10887587008752 | BURR PIN-SHAPED S Ø 2.1MM HEAD LENGTH 12MM | Power Tools | EA |  (01)10887587008752 |
| 519230S | 10886982239198 | SAW BLADE 6MM WIDTH 25MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239198 |
| 306001 | 10886982185259 | CARRYING CASE F/COMPARTMENTAL PRESSURE MONITORING SYSTEM | Power Tools | EA |  (01)10886982185259 |
| 03000013S | 10886982064455 | BURR ROUND M Ø 4.0MM | Power Tools | EA |  (01)10886982064455 |
| 68001604 | 10886982251473 | LID FOR WASHING BASKET SIZE 1/2 | Power Tools | EA |  (01)10886982251473 |
| 03000128S | 10887587008738 | BURR PIN-SHAPED M Ø 1.4MM HEAD LENGTH 6.0MM | Power Tools | EA |  (01)10887587008738 |
| 03000004S | 10886982064394 | BURR ROUND M Ø 1.5MM | Power Tools | EA |  (01)10886982064394 |
| 03000144S | 10886982065087 | DRILL BIT S Ø 1.1MM | Power Tools | EA |  (01)10886982065087 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000181S | 10886982065278 | BURR CONICAL LENGTH 28MM Ø 6.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065278 |
| 511907S | 10886982238160 | RECIPROCATING SAW BLADE LGTH 55MM/CUT THK 1.05MM-STER | Power Tools | EA |  (01)10886982238160 |
| 519114S | 10886982239013 | SAW BLADE 19MM WIDTH 95MM/1.25MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239013 |
| 05002401S | 10886982130723 | SAW BLADE 85MM X 25MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130723 |
| 03000304S | 10886982065605 | SAW BLADE 15 X 10 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065605 |
| 03000032S | 10887587008349 | BURR ROUND L Ø 1.0MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008349 |
| 03000034S | 10886982064554 | BURR ROUND M Ø 1.5MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064554 |
| 51951S | 10886982239334 | DOUBLE AIR HOSE SCHRADER STEM 3 METERS | Power Tools | EA |  (01)10886982239334 |
| 03000103S | 10886982064912 | BURR DRUM-SHAPED S Ø 6.0MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10886982064912 |
| 69057804 | 10887587059860 | DIVIDER KIT F/MODULE INSERT FOR EPD MODULAR GRAPHIC CASE | Power Tools | EA |  (01)10887587059860 |
| 05003130S | 10886982131362 | SAW BLADE 90MM X 25.0MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131362 |
| 03505003 | 10887587013299 | SHAFT FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587013299 |
| 03000048S | 10886982064646 | BURR ROUND S Ø 4.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064646 |
| 03000082S | 10886982064844 | BURR BARREL-SHAPED S Ø 5.0MM HEAD LENGTH 10MM | Power Tools | EA |  (01)10886982064844 |
| 03000019S | 10886982064493 | BURR ROUND M Ø 6.5MM | Power Tools | EA |  (01)10886982064493 |
| 03000226S | 10887587009254 | BURR CIRCULAR LENGTH 28MM Ø 15.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009254 |
| 03000191S | 10886982065377 | BURR TAPERED FISSURE LGTH 31MM Ø 3.2MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065377 |
| 03000053S | 10887587008417 | BURR ROUND L Ø 5.0MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008417 |
| 03000300S | 10886982065568 | SAW BLADE 18 X 4.0 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065568 |
| 03000045S | 10886982064622 | BURR ROUND S Ø 3.5MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064622 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 05001042 | 10886982128607 | 45° DRILLING ATTACHMENT MINI QC FOR PEN DRIVE | Power Tools | EA |  (01)10886982128607 |
| 532043S | 10886982240811 | SAW BLADE 16MM WIDTH 10MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240811 |
| 03000139S | 10887587008844 | BURR NEURO S Ø 2.9MM HEAD LENGTH 3.8MM | Power Tools | EA |  (01)10887587008844 |
| 03000247S | 10887587009322 | BURR DRUM-SHAPED L Ø 4.7MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10887587009322 |
| 51950D | 10886982239242 | DOUBLE AIR HOSE DISS FITTING 2 METERS | Power Tools | EA |  (01)10886982239242 |
| 05003126S | 10886982131287 | SAW BLADE 90MM X 19-9.5MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131287 |
| 05001043 | 10886982128621 | 45° DRILLING ATTACHMENT J-LATCH COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982128621 |
| 519210S | 10886982239174 | SAW BLADE 27MM WIDTH 70MM/1.2MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239174 |
| 05001083 | 10886982129048 | DOUBLE AIR HOSE FOR AIR PEN DRIVE 3 METERS | Power Tools | EA |  (01)10886982129048 |
| 03000326S | 10887587009421 | SAW BLADE 27 X 6.4 X 0.6MM F/RECIP SAW | Power Tools | EA |  (01)10887587009421 |
| 03000050S | 10887587008400 | BURR ROUND L Ø 4.0MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008400 |
| 689507 | 10886982251770 | LID FOR VARIO CASE-FULL SIZE | Power Tools | EA |  (01)10886982251770 |
| 519250S | 10886982239211 | SAW BLADE 14MM WIDTH 25MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239211 |
| 03000102S | 10887587008639 | BURR INVERTED CONE L Ø 6.5MM HEAD LENGTH 6.1MM | Power Tools | EA |  (01)10887587008639 |
| 05001087 | 10886982129086 | ADAPTOR SCHRADER/SYNTHES | Power Tools | EA |  (01)10886982129086 |
| 03000123S | 10886982065063 | SWANSON BURR L Ø 4.0MM HEAD LENGTH 12.7MM | Power Tools | EA |  (01)10886982065063 |
| 03000231S | 10886982065452 | BURR ROUND M Ø 2.0MM | Power Tools | EA |  (01)10886982065452 |
| 03000250S | 10887587009353 | BURR PIN-SHAPED L Ø 3.0MM HEAD LENGTH 19.5MM | Power Tools | EA |  (01)10887587009353 |
| 05002103S | 10886982130563 | SAW BLADE 95MM X 25MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130563 |
| 05002002S | 10886982130471 | SAW BLADE 95MM X 19MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130471 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| 03000301S | 10886982065575 | SAW BLADE 15 X 6.0 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065575 |
| 05003114S | 10886982131041 | SAW BLADE 90MM X 19.0MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131041 |
| 03000107S | 10886982064943 | BURR DRUM-SHAPED M Ø 9.1MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10886982064943 |
| 03000018S | 10886982064486 | BURR ROUND S Ø 6.5MM | Power Tools | EA |  (01)10886982064486 |
| 03000023S | 10887587008332 | BURR ROUND L Ø 8.0MM | Power Tools | EA |  (01)10887587008332 |
| 519100S | 10886982238870 | SAW BLADE 27MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238870 |
| 03505008 | 10887587013343 | GEAR FOR SCREWDRIVER 90° | Power Tools | EA |  (01)10887587013343 |
| 05001051 | 10886982128782 | DURA GUARD-SHORT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128782 |
| 51950S | 10886982239273 | DOUBLE AIR HOSE SCHRADER STEM 2 METERS | Power Tools | EA |  (01)10886982239273 |
| 03000011S | 10887587008295 | BURR ROUND L Ø 3.0MM | Power Tools | EA |  (01)10887587008295 |
| 530200 | 10886982239785 | BATTERY FOR POWER DRIVE | Power Tools | EA |  (01)10886982239785 |
| 519104S | 10886982238917 | SAW BLADE 10MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238917 |
| 68001602 | 10886982251459 | LID FOR WASHING BASKET FULL SIZE 1/1 | Power Tools | EA |  (01)10886982251459 |
| 03000184S | 10886982065308 | BURR PEAR-SHAPED LENGTH 28MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065308 |
| 03000117S | 10886982065001 | SWANSON BURR L Ø 2.0MM HEAD LENGTH 6.3MM | Power Tools | EA |  (01)10886982065001 |
| 03000081S | 10887587008493 | BURR PEAR-SHAPED L Ø 6.0MM HEAD LENGTH 9.7MM | Power Tools | EA |  (01)10887587008493 |
| 51951 | 10886982239297 | DOUBLE AIR HOSE SYNTHES STEM 3 METERS | Power Tools | EA |  (01)10886982239297 |
| 60505004 | 10887587057927 | MINI MODULE F/1.5MM INSTRUMENT TRAY FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587057927 |
| 0500000701S | 10887587024578 | BATTERY PACK-STERILE FOR BATTERY POWERED DRIVER | Power Tools | EA |  (01)10887587024578 |
| 03000178S | 10886982065247 | BURR CONICAL LENGTH 28MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065247 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 03000075S | 10887587008479 | BURR EGG-SHAPED L Ø 5.5MM HEAD LENGTH 10MM | Power Tools | EA |  (01)10887587008479 |
| 03000339S | 10887587009544 | SAW BLADE 9.2X7.3X0.6MM RIGHT IBO F/RECIP SAW | Power Tools | EA |  (01)10887587009544 |
| 690580 | 10886982254726 | GRAPHIC CASE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982254726 |
| 03000216S | 10887587009155 | BURR PEAR-SHAPED LENGTH 24MM Ø 6.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009155 |
| 511414 | 10886982237491 | 3.2MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237491 |
| 03000111S | 10886982064974 | BURR CIRCULAR HEAD LGTH 0.7MM Ø 25.0MM DIAMOND COATED/LONG | Power Tools | EA |  (01)10886982064974 |
| 03000218S | 10887587009179 | BURR PEAR-SHAPED LENGTH 45MM Ø 6.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009179 |
| 03000099S | 10887587008615 | BURR CYLINDRICAL FISSURE L Ø 3.0MM HEAD LENGTH 16MM | Power Tools | EA |  (01)10887587008615 |
| 03000238S | 10887587009292 | BURR PEAR-SHAPED L Ø 4.0MM HEAD LENGTH 6.9MM | Power Tools | EA |  (01)10887587009292 |
| 690589 | 10886982254818 | LID FOR MODULAR GRAPHIC CASE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982254818 |
| 60550200 | 10886982249548 | SM GRAPHIC CASE F/SDBII/W/LRG OSCILLATING SAW ATTCHMT/CMPLT | Power Tools | EA |  (01)10886982249548 |
| 03000124S | 10887587008691 | BURR CRANIAL S Ø 1.8MM HEAD LENGTH 11MM | Power Tools | EA |  (01)10887587008691 |
| 519170S | 10886982239112 | SAW BLADE 27MM WIDTH 70MM/0.8MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239112 |
| 305840 | 10887587033266 | GRAPHIC CASE FOR BATTERY POWERED DRIVER | Power Tools | EA |  (01)10887587033266 |
| 51303 | 10886982238580 | 1.1MM DRILL BIT/MINI QC/45MM | Power Tools | EA |  (01)10886982238580 |
| 03000208S | 10887587009070 | BURR CONICAL LENGTH 28MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009070 |
| 03000363S | 10887587009643 | RASP LARGE FOR PEN DRIVE | Power Tools | EA |  (01)10887587009643 |
| 05003120S | 10886982131164 | SAW BLADE 90MM X 19-9.5MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131164 |
| 03000194S | 10886982065407 | BURR CIRCULAR LENGTH 28MM Ø 10.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065407 |
| 05002302S | 10886982130679 | SAW BLADE 90MM X 19-12.5MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130679 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| 511405 | 10886982237439 | RADIOLUCENT HANDLE FOR DRILL SLEEVES | Power Tools | EA |  (01)10886982237439 |
| 03000104S | 10886982064929 | BURR DRUM-SHAPED M Ø 6.0MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10886982064929 |
| 05001185 | 10886982129581 | IRRIGATION NOZZLE FOR EPD AND APD FOR USE WITH 05.001.183 | Power Tools | EA |  (01)10886982129581 |
| 03505032 | 10887587013442 | 1.1MM DIA DRILL BIT W/8MM STOP 15MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013442 |
| 530681 | 10886982240101 | BATTERY CASING WITH LOCK FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240101 |
| 511412 | 10886982237477 | 2.5MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237477 |
| 60550017 | 10886982249111 | INSERT TRAY FOR TWO SMALL BATTERY DRIVE HANDPIECES | Power Tools | EA |  (01)10886982249111 |
| 03000306S | 10886982065629 | SAW BLADE 22 X 12 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065629 |
| 05002004S | 10886982130495 | SAW BLADE 95MM X 19MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130495 |
| 511770 | 10886982237743 | TORQUE LIMITING ATTACHMENT 1.5NM | Power Tools | EA |  (01)10886982237743 |
| 03000113S | 10887587008677 | LINDEMANN REAMER M Ø 2.3MM HEAD LENGTH 20.2MM | Power Tools | EA |  (01)10887587008677 |
| 60550060 | 10886982249289 | GRAPHIC CASE BASE FOR SMALL BATTERY DRIVE II SET/WITH LID | Power Tools | EA |  (01)10886982249289 |
| 03000129S | 10887587008745 | BURR PIN-SHAPED L Ø 1.4MM HEAD LENGTH 6.0MM | Power Tools | EA |  (01)10887587008745 |
| 532062S | 10886982240958 | SAW BLADE 10MM WIDTH 25MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240958 |
| 68001610 | 10886982251503 | WASHING MACHINE BASKET F/ SMALL BATTERY DRIVE SYSTEM | Power Tools | EA |  (01)10886982251503 |
| 03000040S | 10886982064592 | BURR ROUND M Ø 2.5MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064592 |
| 03000100S | 10886982064905 | BURR INVERTED CONE S Ø 6.5MM HEAD LENGTH 6.1MM | Power Tools | EA |  (01)10886982064905 |
| 03000315S | 10886982065711 | SAW BLADE 43.0MMX20.0MMX0.6MM FOR SAGITTAL SAW-STERILE | Power Tools | EA |  (01)10886982065711 |
| 03000007S | 10886982064417 | BURR ROUND M Ø 2.5MM | Power Tools | EA |  (01)10886982064417 |
| 6055001202 | 10886982249067 | ATTACHMENT RACK PLATE FOR SMALL BATTERY DRV GRAPHIC CASE | Power Tools | EA |  (01)10886982249067 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| 511785 | 10886982237989 | REDUCTION DRIVE UNIT | Power Tools | EA |  (01)10886982237989 |
| 357181 | 10886982195906 | FEMORAL NAIL DRIVING ADAPTOR | Power Tools | EA |  (01)10886982195906 |
| 511915S | 10886982238245 | RECIP SAW BLADE FOR 511.904 LGTH 40MM/CUT THK 1.10MM-STER | Power Tools | EA |  (01)10886982238245 |
| 03505041 | 10887587013497 | 1.5MM DIA DRILL BIT W/6MM STOP 13MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013497 |
| 532047S | 10886982240897 | SAW BLADE 6MM WIDTH 30MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240897 |
| 05001090 | 10886982129116 | IRRIGATION FLOW CONTROL UNIT FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129116 |
| 6800000798 | 10887587058801 | SUPPORT FOR CUTTING TOOLS | Power Tools | EA |  (01)10887587058801 |
| 05003106S | 10886982130884 | SAW BLADE 90MM X 12.5MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130884 |
| 03000209S | 10887587009087 | BURR CONICAL LENGTH 45MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009087 |
| 03000073S | 10886982064783 | BURR EGG-SHAPED S Ø 5.5MM HEAD LENGTH 10MM | Power Tools | EA |  (01)10886982064783 |
| 519103S | 10886982238894 | SAW BLADE 10MM WIDTH 25MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238894 |
| 03000172S | 10886982065186 | BURR ROUND LENGTH 45MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065186 |
| 03000090S | 10887587008561 | BURR TAPERED FISSURE L Ø 2.3MM HEAD LENGTH 5.2MM | Power Tools | EA |  (01)10887587008561 |
| 03000054S | 10886982064684 | BURR ROUND S Ø 6.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064684 |
| 03000035S | 10887587008356 | BURR ROUND L Ø 1.5MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008356 |
| 690578 | 10886982254702 | MODULE INSERT 4 COMPARTMENTS F/MODULAR GRAPHIC CASE F/EPD | Power Tools | EA |  (01)10886982254702 |
| 60550210 | 10886982249579 | SMALL GRAPHIC CASE FOR SBDII COMPLETE | Power Tools | EA |  (01)10886982249579 |
| 03505010 | 10887587013350 | SCREWHOLDER F/90° SCREWDRIVER WITHOUT INSERT | Power Tools | EA |  (01)10887587013350 |
| 03000221S | 10887587009209 | BURR TAPERED FISSURE LGTH 31MM Ø 3.2MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009209 |
| 03000176S | 10886982065223 | BURR EGG-SHAPED LENGTH 45MM Ø 8.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065223 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 690597 | 10886982254931 | TWO LEVEL MODULAR GRAPHIC CASE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982254931 |
| 532004 | 10886982240361 | BATTERY INSERTION SHIELD | Power Tools | EA |  (01)10886982240361 |
| 03000112S | 10887587008660 | LINDEMANN REAMER S Ø 2.3MM HEAD LENGTH 20.2MM | Power Tools | EA |  (01)10887587008660 |
| 03000153S | 10887587008929 | DRILL BIT M Ø 2.5MM | Power Tools | EA |  (01)10887587008929 |
| 530411 | 10886982239860 | MONITOR FOR COMPARTMENTAL PRESSURE MONITORING SYSTEM | Power Tools | EA |  (01)10886982239860 |
| 03000210S | 10887587009094 | BURR CONICAL LENGTH 24MM Ø 6.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009094 |
| 03505030 | 10887587013435 | 1.1MM DIA DRILL BIT W/4MM STOP 11MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013435 |
| 05003122S | 10886982131201 | SAW BLADE 90MM X 19-9.5MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131201 |
| 03000200S | 10887587008998 | BURR ROUND LENGTH 28MM Ø 3.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587008998 |
| 03000064S | 10886982064738 | BURR ACORN-SHAPED M Ø 7.5MM HEAD LENGTH 9.5MM | Power Tools | EA |  (01)10886982064738 |
| 60550033 | 10886982249203 | INSERT TRAY F/COMPACT AIR DRV II & POWER DRV GRAPHIC CASE | Power Tools | EA |  (01)10886982249203 |
| 532041S | 10886982240774 | SAW BLADE 6MM WIDTH 10MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240774 |
| 51950 | 10886982239235 | DOUBLE AIR HOSE SYNTHES STEM 2 METERS | Power Tools | EA |  (01)10886982239235 |
| 60505003 | 10887587057910 | INSTRUMENT TRAY FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587057910 |
| 530412 | 10886982239884 | PROBE FOR COMPARTMENTAL PRESSURE MONITORING SYSTEM | Power Tools | EA |  (01)10886982239884 |
| 03505047 | 10887587013510 | 1.5MM DIA DRILL BIT W/12MM STP 19MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013510 |
| 519116S | 10886982239037 | SAW BLADE 19MM WIDTH 95MM/1.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239037 |
| 511413 | 10886982237484 | 2.7MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237484 |
| 05002001S | 10886982130464 | SAW BLADE 95MM X 19MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130464 |
| 05001227 | 10886982130099 | LID FOR BATTERY HANDPIECE MODULAR F/TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130099 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000078S | 10887587008486 | BURR PEAR-SHAPED L Ø 5.0MM HEAD LENGTH 8.3MM | Power Tools | EA |  (01)10887587008486 |
| 03000074S | 10886982064790 | BURR EGG-SHAPED M Ø 5.5MM HEAD LENGTH 10MM | Power Tools | EA |  (01)10886982064790 |
| 03000234S | 10886982065476 | BURR ACORN-SHAPED M Ø 5.0MM HEAD LENGTH 6.7MM | Power Tools | EA |  (01)10886982065476 |
| 03000031S | 10886982064530 | BURR ROUND M Ø 1.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064530 |
| 532046S | 10886982240873 | SAW BLADE 12MM WIDTH 20MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240873 |
| 03000131S | 10887587008769 | BURR PIN-SHAPED M Ø 2.1MM HEAD LENGTH 12MM | Power Tools | EA |  (01)10887587008769 |
| 03000308S | 10886982065643 | SAW BLADE 27 X 6.0 X 0.6MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065643 |
| 532048S | 10886982240910 | SAW BLADE 10MM WIDTH 30MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240910 |
| 05002201S | 10886982130617 | SAW BLADE 90MM X 12.5MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130617 |
| 03000203S | 10887587009025 | BURR EGG-SHAPED LENGTH 28MM Ø 7.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009025 |
| 60550050 | 10886982249258 | THREE LEVEL GRAPHIC CASE FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982249258 |
| 397705 | 10886982201065 | HANDLE QC FOR COMPACT AIR DRIVE | Power Tools | EA |  (01)10886982201065 |
| 03000118S | 10886982065018 | SWANSON BURR S Ø 3.0MM HEAD LENGTH 9.7MM | Power Tools | EA |  (01)10886982065018 |
| 03000325S | 10887587009414 | SAW BLADE 25 X 5.5 X 0.6MM F/RHINOPLASTY F/RECIP SAW | Power Tools | EA |  (01)10887587009414 |
| 03000041S | 10887587008370 | BURR ROUND L Ø 2.5MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008370 |
| 31535 | 10886982189318 | 3.5MM THREE-FLUTED DRILL BIT QC/110MM | Power Tools | EA |  (01)10886982189318 |
| 05003102S | 10886982130808 | SAW BLADE 90MM X 12.5MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130808 |
| 03000135S | 10887587008806 | BURR NEURO L Ø 1.7MM HEAD LENGTH 2.3MM | Power Tools | EA |  (01)10887587008806 |
| 530280 | 10886982239822 | BATTERY CASING FOR POWER DRIVE | Power Tools | EA |  (01)10886982239822 |
| 03000065S | 10887587008448 | BURR ACORN-SHAPED L Ø 7.5MM HEAD LENGTH 9.5MM | Power Tools | EA |  (01)10887587008448 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 690587 | 10886982254795 | INSERT TRAY FOR 60,000 RPM PEN F/MODULAR GRAPHIC CASE F/EPD | Power Tools | EA |  (01)10886982254795 |
| 03000343S | 10887587009582 | SAW BLADE 105 DEG ANGLED 12.0 X 4.5 X 0.4MM/SHAFT 70MM | Power Tools | EA |  (01)10887587009582 |
| 532064S | 10886982240996 | SAW BLADE 10MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240996 |
| 60550032 | 10886982249197 | ATTACHMENT RACK F/COMPACT AIR DRV & POWER DRV GRAPHIC CASE | Power Tools | EA |  (01)10886982249197 |
| 03000202S | 10887587009018 | BURR ROUND LENGTH 45MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009018 |
| 03000335S | 10887587009506 | SAW BLADE 27 X 6.4/2.9 X 0.6MM TRAPEZOID LONG F/RECIP SAW | Power Tools | EA |  (01)10887587009506 |
| 03000213S | 10887587009124 | BURR PEAR-SHAPED LENGTH 23MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009124 |
| 03000334S | 10887587009490 | SAW BLADE 20 X 6.4/2.9 X 0.6MM TRAPEZOID LONG F/RECIP SAW | Power Tools | EA |  (01)10887587009490 |
| 03000183S | 10886982065292 | BURR PEAR-SHAPED LENGTH 23MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065292 |
| 03000068S | 10887587008455 | BURR ACORN-SHAPED L Ø 9.0MM HEAD LENGTH 11.4MM | Power Tools | EA |  (01)10887587008455 |
| 511406 | 10886982237446 | 3.2MM DRILL SLEEVE | Power Tools | EA |  (01)10886982237446 |
| 03000091S | 10887587008578 | BURR TAPERED FISSURE S Ø 2.6MM HEAD LENGTH 6.8MM | Power Tools | EA |  (01)10887587008578 |
| 05001000 | 10886982128133 | STANDARD CONSOLE W/IRRIGATION FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128133 |
| 03000328S | 10887587009445 | SAW BLADE 33.5 X 6.4 X 0.6MM F/RECIP SAW | Power Tools | EA |  (01)10887587009445 |
| 05001091 | 10886982129123 | SEAL NIPPLE F/DOUBLE AIR HOSE FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129123 |
| 05003133S | 10886982131423 | SAW BLADE 90MM X 25.0MM 1.07MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131423 |
| 510161 | 10886982237217 | LARGE QUICK COUPLING | Power Tools | EA |  (01)10886982237217 |
| 03000061S | 10886982064714 | BURR ACORN-SHAPED M Ø 6.0MM HEAD LENGTH 8.0MM | Power Tools | EA |  (01)10886982064714 |
| 03000332S | 10887587009483 | SAW BLADE 33.5 X 6.4 X 0.6MM W/OFFSET LEFT F/RECIP SAW | Power Tools | EA |  (01)10887587009483 |
| 03000125S | 10887587008707 | BURR CRANIAL M Ø 2.2MM HEAD LENGTH 16MM | Power Tools | EA |  (01)10887587008707 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 05003104S | 10886982130846 | SAW BLADE 90MM X 12.5MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130846 |
| 03000051S | 10886982064660 | BURR ROUND S Ø 5.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064660 |
| 60505006 | 10887587057941 | MINI MODULE F/2.4MM INSTRUMENT TRAY FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587057941 |
| 60550052 | 10886982249272 | LID FOR GRAPHIC CASE FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982249272 |
| 05003112S | 10886982131003 | SAW BLADE 90MM X 19.0MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131003 |
| 03000174S | 10886982065209 | BURR EGG-SHAPED LENGTH 45MM Ø 7.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065209 |
| 51953 | 10886982239358 | DOUBLE AIR HOSE SYNTHES STEM 5 METERS | Power Tools | EA |  (01)10886982239358 |
| 03000085S | 10887587008516 | BURR TAPERED FISSURE S Ø 1.6MM HEAD LENGTH 4.5MM | Power Tools | EA |  (01)10887587008516 |
| 05001064 | 10886982128874 | ADAPTOR F/MAINTENANCE UNIT F/ XL & XXL ATTACH FOR PEN DRIVE | Power Tools | EA |  (01)10886982128874 |
| 03000179S | 10886982065254 | BURR CONICAL LENGTH 45MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065254 |
| 03000108S | 10887587008653 | BURR DRUM-SHAPED L Ø 9.1MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10887587008653 |
| 03505120 | 10887587013794 | 1.3MM PLUSDRIVE SCRWDVR SHAFT SLF-RETAIN F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013794 |
| 03000052S | 10886982064677 | BURR ROUND M Ø 5.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064677 |
| 03000036S | 10886982064561 | BURR ROUND S Ø 2.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064561 |
| 03000056S | 10887587008424 | BURR ROUND L Ø 6.0MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008424 |
| 03000106S | 10886982064936 | BURR DRUM-SHAPED S Ø 9.1MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10886982064936 |
| 03000244S | 10887587009315 | BURR BARREL-SHAPED L Ø 6.0MM HEAD LENGTH 11MM | Power Tools | EA |  (01)10887587009315 |
| 03000087S | 10887587008530 | BURR TAPERED FISSURE L Ø 1.6MM HEAD LENGTH 4.5MM | Power Tools | EA |  (01)10887587008530 |
| 51953S | 10886982239396 | DOUBLE AIR HOSE SCHRADER STEM 5 METERS | Power Tools | EA |  (01)10886982239396 |
| 03000245S | 10886982065544 | BURR DRUM-SHAPED S Ø 4.7MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10886982065544 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000121S | 10886982065049 | SWANSON BURR S Ø 4.0MM HEAD LENGTH 12.7MM | Power Tools | EA |  (01)10886982065049 |
| 03000246S | 10886982065551 | BURR DRUM-SHAPED M Ø 4.7MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10886982065551 |
| 530413 | 10886982239914 | CABLE FOR COMPARTMENTAL PRESSURE MONITORING SYSTEM | Power Tools | EA |  (01)10886982239914 |
| 03000010S | 10886982064431 | BURR ROUND M Ø 3.0MM | Power Tools | EA |  (01)10886982064431 |
| 60550031 | 10886982249180 | LID FOR COMPACT AIR DRIVE II SET GRAPHIC CASE | Power Tools | EA |  (01)10886982249180 |
| 05003137S | 10886982131508 | SAW BLADE 90MM X 25.0MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131508 |
| 03505057 | 10887587013541 | 1.8MM DIA DRILL BIT W/12MM STP 19MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013541 |
| 68001654 | 10886982309686 | INSERT TRAY, WASHING BASKET UNIU(TM) | Power Tools | EA |  (01)10886982309686 |
| 532061S | 10886982240934 | SAW BLADE 6MM WIDTH 25MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240934 |
| 03000204S | 10887587009032 | BURR EGG-SHAPED LENGTH 45MM Ø 7.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009032 |
| 690579 | 10886982254719 | MODULE INSERT 2 COMPARTMENTS F/MODULAR GRAPHIC CASE F/EPD | Power Tools | EA |  (01)10886982254719 |
| 511411 | 10886982237460 | 2.0MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237460 |
| 68001606 | 10886982251497 | WASHING BASKET/FULL SIZE 1/1 FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982251497 |
| 532132 | 10886982241207 | SMALL BATTERY DRIVE CASING F/ 14.4V LITHIUM ION BATTERY | Power Tools | EA |  (01)10886982241207 |
| 03000088S | 10887587008547 | BURR TAPERED FISSURE S Ø 2.3MM HEAD LENGTH 5.2MM | Power Tools | EA |  (01)10887587008547 |
| 05002301S | 10886982130662 | SAW BLADE 90MM X 19-12.5MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130662 |
| 05001108 | 10886982129307 | LIGHT ADAPTOR F/SMALL BATTERY DRIVE F/ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982129307 |
| 05002405S | 10886982130730 | SAW BLADE 90MM X 12.5MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130730 |
| 03000126S | 10887587008714 | BURR CRANIAL L Ø 3.0MM HEAD LENGTH 25MM | Power Tools | EA |  (01)10887587008714 |
| 519113S | 10886982239006 | SAW BLADE 18MM WIDTH 70MM/1.2MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239006 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| 05003117S | 10886982131102 | SAW BLADE 90MM X 19.0MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131102 |
| 05001110 | 10886982129321 | DRILL ATTACHMENT HEXAGONAL FOR PEN DRIVE | Power Tools | EA |  (01)10886982129321 |
| 03000136S | 10887587008813 | BURR NEURO S Ø 2.2MM HEAD LENGTH 3.7MM | Power Tools | EA |  (01)10887587008813 |
| 03000222S | 10887587009216 | BURR TAPERED FISSURE LGTH 45MM Ø 3.2MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009216 |
| 05003110S | 10886982130969 | SAW BLADE 90MM X 19.0MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130969 |
| 03000323S | 10887587009391 | SAW BLADE 14 X 6.4 X 0.6 MM F/RECIP SAW | Power Tools | EA |  (01)10887587009391 |
| 03000063S | 10886982064721 | BURR ACORN-SHAPED S Ø 7.5MM HEAD LENGTH 9.5MM | Power Tools | EA |  (01)10886982064721 |
| 03000364S | 10886982065759 | BROACH FOR PEN DRIVE/SMALL PROXIMAL 19X4.5X4.5MM-STER | Power Tools | EA |  (01)10886982065759 |
| 03000215S | 10887587009148 | BURR PEAR-SHAPED LENGTH 45MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009148 |
| 514001 | 10887587056937 | 90 DEG SCREWDRIVER HANDLE | Power Tools | EA |  (01)10887587056937 |
| 03000236S | 10886982065483 | BURR PEAR-SHAPED S Ø 4.0MM HEAD LENGTH 6.9MM | Power Tools | EA |  (01)10886982065483 |
| 511415 | 10886982237507 | 3.5MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237507 |
| 03000217S | 10887587009162 | BURR PEAR-SHAPED LENGTH 28MM Ø 6.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009162 |
| 60550067 | 10886982249326 | INSERT TRAY FOR TWO SMALL BATTERY DRIVE II HANDPIECES | Power Tools | EA |  (01)10886982249326 |
| 03000084S | 10887587008509 | BURR BARREL-SHAPED L Ø 5.0MM HEAD LENGTH 10MM | Power Tools | EA |  (01)10887587008509 |
| 532063S | 10886982240972 | SAW BLADE 14MM WIDTH 25MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240972 |
| 03000072S | 10887587008462 | BURR EGG-SHAPED L Ø 4.0MM HEAD LENGTH 8.0MM | Power Tools | EA |  (01)10887587008462 |
| 03000140S | 10887587008851 | BURR NEURO M Ø 2.9MM HEAD LENGTH 3.8MM | Power Tools | EA |  (01)10887587008851 |
| 60550061 | 10886982249296 | LID FOR SMALL BATTERY DRIVE II GRAPHIC CASE/REPLACEMENT | Power Tools | EA |  (01)10886982249296 |
| 0500117801S | 10887587025605 | IRRIGATION TUBE SET SINGLE PACK-STERILE | Power Tools | EA |  (01)10887587025605 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000242S | 10886982065520 | BURR BARREL-SHAPED S Ø 6.0MM HEAD LENGTH 11MM | Power Tools | EA |  (01)10886982065520 |
| 03000248S | 10887587009339 | BURR PIN-SHAPED S Ø 3.0MM HEAD LENGTH 19.5MM | Power Tools | EA |  (01)10887587009339 |
| 03000188S | 10886982065346 | BURR PEAR-SHAPED LENGTH 45MM Ø 6.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065346 |
| 511418 | 10886982237538 | 4.5MM THREE-FLUTED RADIOLOGENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237538 |
| 05001215 | 10886982129857 | TORQUE LIMITING ATTACHMENT 1.5NM/FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129857 |
| 03000115S | 10886982064981 | SWANSON BURR S Ø 2.0MM HEAD LENGTH 6.3MM | Power Tools | EA |  (01)10886982064981 |
| 03000002S | 10887587008264 | BURR ROUND L Ø 1.0MM | Power Tools | EA |  (01)10887587008264 |
| 511416 | 10886982237514 | 3.6MM THREE-FLUTED RADIOLOGENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237514 |
| 03000070S | 10886982064769 | BURR EGG-SHAPED S Ø 4.0MM HEAD LENGTH 8.0MM | Power Tools | EA |  (01)10886982064769 |
| 60550013 | 10886982249074 | INSERT TRAY FOR 12V BATTERY CASINGS | Power Tools | EA |  (01)10886982249074 |
| 03000060S | 10886982064707 | BURR ACORN-SHAPED S Ø 6.0MM HEAD LENGTH 8.0MM | Power Tools | EA |  (01)10886982064707 |
| 03000205S | 10887587009049 | BURR EGG-SHAPED LENGTH 28MM Ø 8.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009049 |
| 05001105 | 10886982129284 | PNEUMATIC CONNECTION SCHRADER COUPLING FOR 05.001.099 | Power Tools | EA |  (01)10886982129284 |
| 03000020S | 10887587008325 | BURR ROUND L Ø 6.5MM | Power Tools | EA |  (01)10887587008325 |
| 516320 | 10886982238733 | CONICAL BOLT FOR UNIVERSAL TIBIAL NAILS (10MM-14MM) | Power Tools | EA |  (01)10886982238733 |
| 03000340S | 10887587009551 | SAW BLADE 105 DEG ANGLED 7.0 X 12 X 0.4MM/SHAFT 70MM | Power Tools | EA |  (01)10887587009551 |
| 51301 | 10886982238573 | 1.1MM DRILL BIT/MINI QC/28MM | Power Tools | EA |  (01)10886982238573 |
| 03505007 | 10887587013336 | GEAR COVER FOR SCREWDRIVER 90° | Power Tools | EA |  (01)10887587013336 |
| 60550030 | 10886982249173 | GRAPHIC CASE BASE ASSEMBLY FOR COMPACT AIR DRIVE II SET | Power Tools | EA |  (01)10886982249173 |
| 03505103 | 10887587013756 | 2.4MM CRUCIFORM SCRWDVR SHAFT SLF-RETAIN F/90°SCREWDRIVER | Power Tools | EA |  (01)10887587013756 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 519106S | 10886982238955 | SAW BLADE 19MM WIDTH 70MM/1.0MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238955 |
| 05001085 | 10886982129062 | ANGLED COUPLING FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129062 |
| 357601 | 10886982196569 | DRIVING CAP | Power Tools | EA |  (01)10886982196569 |
| 05002106S | 10886982130594 | SAW BLADE 95MM X 25MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130594 |
| 03000207S | 10887587009063 | BURR CONICAL LENGTH 23MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009063 |
| 03000232S | 10887587009278 | BURR ROUND L Ø 2.0MM | Power Tools | EA |  (01)10887587009278 |
| 03000012S | 10886982064448 | BURR ROUND S Ø 4.0MM | Power Tools | EA |  (01)10886982064448 |
| 51314 | 10886982238634 | 2.0MM DRILL BIT/MINI QC/67MM | Power Tools | EA |  (01)10886982238634 |
| 03000214S | 10887587009131 | BURR PEAR-SHAPED LENGTH 28MM Ø 5.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009131 |
| 03000076S | 10886982064806 | BURR PEAR-SHAPED S Ø 5.0MM HEAD LENGTH 8.3MM | Power Tools | EA |  (01)10886982064806 |
| 03000365S | 10886982065766 | BROACH FOR PEN DRIVE/SMALL DISTAL 16X6X6MM-STER | Power Tools | EA |  (01)10886982065766 |
| 05003113S | 10886982131027 | SAW BLADE 90MM X 19.0MM 1.07MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131027 |
| 68001651 | 10886982309662 | WASHING & STERILIZATION BASKET 1/2 UNIU(TM) RECIPROCATING | Power Tools | EA |  (01)10886982309662 |
| 05002007S | 10886982130525 | SAW BLADE 95MM X 19MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130525 |
| 03000001S | 10886982064370 | BURR ROUND M Ø 1.0MM | Power Tools | EA |  (01)10886982064370 |
| 60550014 | 10886982249081 | INSERT TRAY FOR 14.4V BATTERY CASINGS | Power Tools | EA |  (01)10886982249081 |
| 05002102S | 10886982130556 | SAW BLADE 95MM X 25MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130556 |
| 03000322S | 10887587009384 | SAW BLADE 7.0 X 4.0 X 0.6MM F/RECIP SAW | Power Tools | EA |  (01)10887587009384 |
| 60550010 | 10886982249036 | BASE ASSEMBLY FOR SMALL BATTERY DRIVE GRAPHIC CASE | Power Tools | EA |  (01)10886982249036 |
| 690596 | 10886982254924 | SINGLE LVL MODULAR GRAPHIC CSE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982254924 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 03000320S | 10887587009360 | SAW BLADE 13 X 6.4/2.9 X 0.6MM TRAPEZOID F/RECIP SAW | Power Tools | EA |  (01)10887587009360 |
| 514012 | 10887587056975 | SPRAY NOZZLE FOR 90 DEG SCREWDRIVER | Power Tools | EA |  (01)10887587056975 |
| 530790 | 10886982240255 | QUICK COUPLING FOR K-WIRES FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240255 |
| 03000331S | 10887587009476 | SAW BLADE 33.5 X 6.4 X 0.6MM W/OFFSET RIGHT F/RECIP SAW | Power Tools | EA |  (01)10887587009476 |
| 511771 | 10886982237774 | TORQUE LIMITING ATTACHMENT 4NM | Power Tools | EA |  (01)10886982237774 |
| 03000177S | 10886982065230 | BURR CONICAL LENGTH 23MM Ø 5.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065230 |
| 03000022S | 10886982064516 | BURR ROUND M Ø 8.0MM | Power Tools | EA |  (01)10886982064516 |
| 511776 | 10886982237866 | TORQUE LIMITING ATTACHMENT 0.8NM/QUICK COUPLING | Power Tools | EA |  (01)10886982237866 |
| 03000220S | 10887587009193 | BURR TAPERED FISSURE LGTH 45MM Ø 2.1MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009193 |
| 03000206S | 10887587009056 | BURR EGG-SHAPED LENGTH 45MM Ø 8.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009056 |
| 357221 | 10886982195920 | FEMORAL NAIL HAMMER GUIDE | Power Tools | EA |  (01)10886982195920 |
| 03000362S | 10887587009636 | RASP SMALL FOR PEN DRIVE | Power Tools | EA |  (01)10887587009636 |
| 03000336S | 10887587009513 | SAW BLADE 13 X 3 X 0.4MM THIN F/RECIP SAW | Power Tools | EA |  (01)10887587009513 |
| 03000095S | 10886982064875 | BURR CYLINDRICAL FISSURE M Ø 1.6MM HEAD LENGTH 4.3MM | Power Tools | EA |  (01)10886982064875 |
| 03000047S | 10887587008394 | BURR ROUND L Ø 3.5MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008394 |
| 03000249S | 10887587009346 | BURR PIN-SHAPED M Ø 3.0MM HEAD LENGTH 19.5MM | Power Tools | EA |  (01)10887587009346 |
| 511417 | 10886982237521 | 4.0MM THREE-FLUTED RADIOLOGENT DRILL BIT/BRAD POINT/150MM | Power Tools | EA |  (01)10886982237521 |
| 03000361S | 10887587009629 | RASP LARGE CROSSCUT FOR PEN DRIVE | Power Tools | EA |  (01)10887587009629 |
| 03000046S | 10886982064639 | BURR ROUND M Ø 3.5MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064639 |
| 68001605 | 10886982251480 | WASHING MACHINE BASKET F/2 TRS HANDPIECES/FULL SIZE | Power Tools | EA |  (01)10886982251480 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 03000360S | 10887587009612 | RASP SMALL CROSSCUT FOR PEN DRIVE | Power Tools | EA |  (01)10887587009612 |
| 60550012 | 10886982249050 | ATTACHMENT RACK FOR SMALL BATTERY DRIVE GRAPHIC CASE | Power Tools | EA |  (01)10886982249050 |
| 03000039S | 10886982064585 | BURR ROUND S Ø 2.5MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064585 |
| 03000337S | 10887587009520 | SAW BLADE 20 X 3 X 0.4MM THIN F/RECIP SAW | Power Tools | EA |  (01)10887587009520 |
| 03000329S | 10887587009452 | SAW BLADE 34.5X5.0/2.5X0.6MM CRESCENT-SHAPED F/RECIP SAW | Power Tools | EA |  (01)10887587009452 |
| 03000116S | 10886982064998 | SWANSON BURR M Ø 2.0MM HEAD LENGTH 6.3MM | Power Tools | EA |  (01)10886982064998 |
| 05002204S | 10886982130648 | SAW BLADE 90MM X 12.5MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130648 |
| 03000000S | 10886982064363 | BURR ROUND S Ø 1.0MM | Power Tools | EA |  (01)10886982064363 |
| 68001630 | 10886982251527 | WASHING MACHINE BASKET FOR SMALL ELECTRIC DRIVE | Power Tools | EA |  (01)10886982251527 |
| 519108S | 10886982238979 | SAW BLADE 25MM WIDTH 95MM/0.9MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238979 |
| 05002005S | 10886982130501 | SAW BLADE 95MM X 19MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130501 |
| 532104 | 10886982241184 | BATTERY INSERTION SHIELD FOR 532.132 | Power Tools | EA |  (01)10886982241184 |
| 511432 | 10886982237552 | 4.0MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/105MM | Power Tools | EA |  (01)10886982237552 |
| 03000066S | 10886982064745 | BURR ACORN-SHAPED S Ø 9.0MM HEAD LENGTH 11.4MM | Power Tools | EA |  (01)10886982064745 |
| 530650 | 10886982240064 | BATTERY INSERTION SHIELD FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240064 |
| 05001223 | 10886982130013 | SAGITTAL SAW ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130013 |
| 03000009S | 10886982064424 | BURR ROUND S Ø 3.0MM | Power Tools | EA |  (01)10886982064424 |
| 03000160S | 10886982065131 | SWANSON BURR S Ø 5.0MM HEAD LENGTH 15.8MM | Power Tools | EA |  (01)10886982065131 |
| 03000341S | 10887587009568 | SAW BLADE 105 DEG ANGLED 12.0 X 11.5 X 0.4MM/SHAFT 70MM | Power Tools | EA |  (01)10887587009568 |
| 51319 | 10886982238658 | 2.7MM DRILL BIT/MINI QC/67MM | Power Tools | EA |  (01)10886982238658 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 532066S | 10886982241030 | SAW BLADE 20MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982241030 |
| 511914S | 10886982238221 | RECIP SAW BLADE DOUBLE-SIDED LGTH 68MM/CUT THK 0.80MM-STER | Power Tools | EA |  (01)10886982238221 |
| 05505003 | 10887587025902 | INSTRUMENT FOR REMOVAL OF INSERTS FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587025902 |
| 532044S | 10886982240835 | SAW BLADE 4MM WIDTH 15MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240835 |
| 05002304S | 10886982130693 | SAW BLADE 90MM X 19-12.5MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130693 |
| 03000193S | 10886982065391 | BURR CIRCULAR LENGTH 28MM Ø 8.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065391 |
| 35116 | 10886982193735 | FLEXIBLE SHAFT CONNECTOR FOR USE WITH HAND DRILL | Power Tools | EA |  (01)10886982193735 |
| 60505005 | 10887587057934 | MINI MODULE F/2.0MM INSTRUMENT TRAY FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587057934 |
| 03000080S | 10886982064837 | BURR PEAR-SHAPED M Ø 6.0MM HEAD LENGTH 9.7MM | Power Tools | EA |  (01)10886982064837 |
| 357341 | 10886982195975 | SPIRAL BLADE CONNECTING SCREW | Power Tools | EA |  (01)10886982195975 |
| 68001600 | 10886982251442 | WASHING MACHINE BASKET FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982251442 |
| 03000098S | 10886982064899 | BURR CYLINDRICAL FISSURE M Ø 3.0MM HEAD LENGTH 16MM | Power Tools | EA |  (01)10886982064899 |
| 03000037S | 10886982064578 | BURR ROUND M Ø 2.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064578 |
| 03505054 | 10887587013534 | 1.8MM DIA DRILL BIT W/8MM STOP 15MM LENGTH F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013534 |
| 03000005S | 10887587008271 | BURR ROUND L Ø 1.5MM | Power Tools | EA |  (01)10887587008271 |
| 03000230S | 10886982065445 | BURR ROUND S Ø 2.0MM | Power Tools | EA |  (01)10886982065445 |
| 05001052 | 10886982128799 | DURA GUARD-MEDIUM FOR PEN DRIVE | Power Tools | EA |  (01)10886982128799 |
| 511913S | 10886982238214 | RECIP SAW BLADE DOUBLE-SIDED LGTH 68MM/CUT THK 1.00MM-STER | Power Tools | EA |  (01)10886982238214 |
| 519115S | 10886982239020 | SAW BLADE 25MM WIDTH 95MM/1.25MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239020 |
| 03000170S | 10886982065162 | BURR ROUND LENGTH 28MM Ø 3.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065162 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 03000006S | 10886982064400 | BURR ROUND S Ø 2.5MM | Power Tools | EA |  (01)10886982064400 |
| 511431 | 10886982237545 | 3.2MM THREE-FLUTED RADIOLUCENT DRILL BIT/BRAD POINT/105MM | Power Tools | EA |  (01)10886982237545 |
| 03000195S | 10886982065414 | BURR CIRCULAR LENGTH 28MM Ø 12.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065414 |
| 51953D | 10886982239365 | DOUBLE AIR HOSE DISS FITTING 5 METERS | Power Tools | EA |  (01)10886982239365 |
| 03000243S | 10886982065537 | BURR BARREL-SHAPED M Ø 6.0MM HEAD LENGTH 11MM | Power Tools | EA |  (01)10886982065537 |
| 03000016S | 10886982064479 | BURR ROUND M Ø 5.0MM | Power Tools | EA |  (01)10886982064479 |
| 03505006 | 10887587013329 | DRIVESHAFT FOR SCREWDRIVER 90° | Power Tools | EA |  (01)10887587013329 |
| 532003 | 10886982240347 | SMALL BATTERY DRIVE 12V BATTERY | Power Tools | EA |  (01)10886982240347 |
| 03000105S | 10887587008646 | BURR DRUM-SHAPED L Ø 6.0MM HEAD LENGTH 7.9MM | Power Tools | EA |  (01)10887587008646 |
| 05001089 | 10886982129109 | ADAPTOR F/MAINTENANCE STATION FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129109 |
| 03505012 | 10887587013374 | SCREWHOLDER INSERT FOR SCREWS 2.4MM DIA FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587013374 |
| 03000141S | 10887587008868 | BURR NEURO L Ø 2.9MM HEAD LENGTH 3.8MM | Power Tools | EA |  (01)10887587008868 |
| 530620 | 10886982240026 | BATTERY FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240026 |
| 05002104S | 10886982130570 | SAW BLADE 95MM X 25MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130570 |
| 03000086S | 10887587008523 | BURR TAPERED FISSURE M Ø 1.6MM HEAD LENGTH 4.5MM | Power Tools | EA |  (01)10887587008523 |
| 519150S | 10886982239099 | SAW BLADE 14MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239099 |
| 532002 | 10886982240323 | SMALL BATTERY DRIVE CASING FOR 12V BATTERY | Power Tools | EA |  (01)10886982240323 |
| 511774 | 10886982237835 | TORQUE LIMITING ATTACHMENT 4NM FOR AO REAMING COUPLER | Power Tools | EA |  (01)10886982237835 |
| 03000321S | 10887587009377 | SAW BLADE 20 X 6.4/2.9 X 0.6MM TRAPEZOID F/RECIP SAW | Power Tools | EA |  (01)10887587009377 |
| 03000239S | 10886982065506 | BURR BARREL-SHAPED S Ø 4.0MM HEAD LENGTH 9.0MM | Power Tools | EA |  (01)10886982065506 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 05001086 | 10886982129079 | PROTECTIVE CAP F/AIR PEN DRIVE | Power Tools | EA |  (01)10886982129079 |
| 03000049S | 10886982064653 | BURR ROUND M Ø 4.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064653 |
| 03000030S | 10886982064523 | BURR ROUND S Ø 1.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064523 |
| 690586 | 10886982254788 | THREE LVL MODULAR GRAPHIC CASE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982254788 |
| 05003129S | 10886982131348 | SAW BLADE 90MM X 19-9.5MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131348 |
| 03000310S | 10886982065667 | SAW BLADE 27 X 14 X 0.6MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065667 |
| 03000305S | 10886982065612 | SAW BLADE 31 X 10 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065612 |
| 05001216 | 10886982129871 | TORQUE LIMITING ATTACHMENT 4.0NM/FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129871 |
| 519200S | 10886982239150 | SAW BLADE 27MM WIDTH 70MM/1.0MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239150 |
| 03505004 | 10887587013305 | HANDLE FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587013305 |
| 03000119S | 10886982065025 | SWANSON BURR M Ø 3.0MM HEAD LENGTH 9.7MM | Power Tools | EA |  (01)10886982065025 |
| 51313 | 10886982238627 | 2.0MM DRILL BIT/MINI QC/52MM | Power Tools | EA |  (01)10886982238627 |
| 05001186 | 10886982129598 | QUICK COUPLING FOR K-WIRES 0.6MM - 3.2MM FOR SED | Power Tools | EA |  (01)10886982129598 |
| 519107S | 10886982238962 | SAW BLADE 19MM WIDTH 95MM/0.9MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982238962 |
| 03000096S | 10887587008608 | BURR CYLINDRICAL FISSURE L Ø 1.6MM HEAD LENGTH 4.3MM | Power Tools | EA |  (01)10887587008608 |
| 05003107S | 10886982130907 | SAW BLADE 90MM X 12.5MM 1.37MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130907 |
| 05001020 | 10886982128300 | CABLE 2M TO CONSOLE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128300 |
| 03000003S | 10886982064387 | BURR ROUND S Ø 1.5MM | Power Tools | EA |  (01)10886982064387 |
| 05003119S | 10886982131140 | SAW BLADE 90MM X 19.0MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131140 |
| 05002203S | 10886982130631 | SAW BLADE 90MM X 12.5MM 1.27MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130631 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000110S | 10886982064967 | BURR CIRCULAR HEAD LGTH 0.7MM Ø 25.0MM DIAMOND COATED/MED | Power Tools | EA |  (01)10886982064967 |
| 31537S | 10886982189349 | 3.5MM THREE-FLUTED DRILL BIT QC/195MM-STERILE | Power Tools | EA |  (01)10886982189349 |
| 03000067S | 10886982064752 | BURR ACORN-SHAPED M Ø 9.0MM HEAD LENGTH 11.4MM | Power Tools | EA |  (01)10886982064752 |
| 532010 | 10886982240385 | SMALL BATTERY DRIVE | Power Tools | EA |  (01)10886982240385 |
| 31537 | 10886982189332 | 3.5MM THREE-FLUTED DRILL BIT QC/195MM | Power Tools | EA |  (01)10886982189332 |
| 519118S | 10886982239051 | SAW BLADE 12.5MM WIDTH 90MM/0.9MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239051 |
| 03000212S | 10887587009117 | BURR CONICAL LENGTH 45MM Ø 6.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009117 |
| 03000186S | 10886982065322 | BURR PEAR-SHAPED LENGTH 24MM Ø 6.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065322 |
| 05001053 | 10886982128805 | DURA GUARD-LONG FOR PEN DRIVE | Power Tools | EA |  (01)10886982128805 |
| 03000044S | 10887587008387 | BURR ROUND L Ø 3.0MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008387 |
| 03000342S | 10887587009575 | SAW BLADE 105 DEG ANGLED 12.0 X 9.5 X 0.4MM/SHAFT 70MM | Power Tools | EA |  (01)10887587009575 |
| 03000240S | 10886982065513 | BURR BARREL-SHAPED M Ø 4.0MM HEAD LENGTH 9.0MM | Power Tools | EA |  (01)10886982065513 |
| 03505111 | 10887587013770 | 1.5MM STARDRIVE SCRWDVR SHAFT SLF-RETAIN F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013770 |
| 03000314S | 10886982065704 | SAW BLADE 18 X 2.5 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065704 |
| 05002305S | 10886982130709 | SAW BLADE 90MM X 19-12.5MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130709 |
| 60550066 | 10886982249319 | INSERT TRAY FOR SBDII HANDPIECE & RADIOLOGIC DRIVE | Power Tools | EA |  (01)10886982249319 |
| 03000055S | 10886982064691 | BURR ROUND M Ø 6.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064691 |
| 05002006S | 10886982130518 | SAW BLADE 80MM X 19MM 0.89MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130518 |
| 05003124S | 10886982131249 | SAW BLADE 90MM X 19-9.5MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982131249 |
| 03000134S | 10887587008790 | BURR NEURO M Ø 1.7MM HEAD LENGTH 2.3MM | Power Tools | EA |  (01)10887587008790 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 532045S | 10886982240859 | SAW BLADE 8MM WIDTH 20MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240859 |
| 03000224S | 10887587009230 | BURR CIRCULAR LENGTH 28MM Ø 10.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009230 |
| 05001017 | 10886982128287 | FOOT SWITCH-2 PEDALS FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128287 |
| 05003109S | 10886982130945 | SAW BLADE 90MM X 12.5MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130945 |
| 03000092S | 10887587008585 | BURR TAPERED FISSURE M Ø 2.6MM HEAD LENGTH 6.8MM | Power Tools | EA |  (01)10887587008585 |
| 03000180S | 10886982065261 | BURR CONICAL LENGTH 24MM Ø 6.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065261 |
| 03000338S | 10887587009537 | SAW BLADE 9.2X7.3X0.6MM LEFT IBO F/RECIP SAW | Power Tools | EA |  (01)10887587009537 |
| 03000162S | 10886982065155 | SWANSON BURR L Ø 5.0MM HEAD LENGTH 15.8MM | Power Tools | EA |  (01)10886982065155 |
| 03000077S | 10886982064813 | BURR PEAR-SHAPED M Ø 5.0MM HEAD LENGTH 8.3MM | Power Tools | EA |  (01)10886982064813 |
| 03000038S | 10887587008363 | BURR ROUND L Ø 2.0MM DIAMOND-COATED | Power Tools | EA |  (01)10887587008363 |
| 03000071S | 10886982064776 | BURR EGG-SHAPED M Ø 4.0MM HEAD LENGTH 8.0MM | Power Tools | EA |  (01)10886982064776 |
| 03505112 | 10887587013787 | 2.0MM STARDRIVE SCRWDRVR SHAFT SLF-RETAIN F/90° SCREWDRIVER | Power Tools | EA |  (01)10887587013787 |
| 03000219S | 10887587009186 | BURR TAPERED FISSURE LGTH 31MM Ø 2.1MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009186 |
| 03000014S | 10887587008301 | BURR ROUND L Ø 4.0MM | Power Tools | EA |  (01)10887587008301 |
| 03000227S | 10887587009261 | LINDEMANN REAMER LENGTH 53MM Ø 2.3MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009261 |
| 03000097S | 10886982064882 | BURR CYLINDRICAL FISSURE S Ø 3.0MM HEAD LENGTH 16MM | Power Tools | EA |  (01)10886982064882 |
| 03000021S | 10886982064509 | BURR ROUND S Ø 8.0MM | Power Tools | EA |  (01)10886982064509 |
| 03000120S | 10886982065032 | SWANSON BURR L Ø 3.0MM HEAD LENGTH 9.7MM | Power Tools | EA |  (01)10886982065032 |
| 511912S | 10886982238207 | RECIP SAW BLADE DOUBLE-SIDED LGTH 68MM/CUT THK 1.10MM-STER | Power Tools | EA |  (01)10886982238207 |
| 690583 | 10886982254757 | INSERT TRAY FOR 60,000 RPM PEN FOR EPD GRAPHIC CASE | Power Tools | EA |  (01)10886982254757 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 03000062S | 10887587008431 | BURR ACORN-SHAPED L Ø 6.0MM HEAD LENGTH 8.0MM | Power Tools | EA |  (01)10887587008431 |
| 03000122S | 10886982065056 | SWANSON BURR M Ø 4.0MM HEAD LENGTH 12.7MM | Power Tools | EA |  (01)10886982065056 |
| 03000327S | 10887587009438 | SAW BLADE 27 X 6.4/2.9 X 0.6MM TRAPEZOID F/RECIP SAW | Power Tools | EA |  (01)10887587009438 |
| 05001084 | 10886982129055 | DOUBLE AIR HOSE FOR AIR PEN DRIVE 5 METERS | Power Tools | EA |  (01)10886982129055 |
| 03000211S | 10887587009100 | BURR CONICAL LENGTH 28MM Ø 6.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009100 |
| 03000192S | 10886982065384 | BURR TAPERED FISSURE LGTH 45MM Ø 3.2MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065384 |
| 03000233S | 10886982065469 | BURR ACORN-SHAPED S Ø 5.0MM HEAD LENGTH 6.7MM | Power Tools | EA |  (01)10886982065469 |
| 03000175S | 10886982065216 | BURR EGG-SHAPED LENGTH 28MM Ø 8.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065216 |
| 03000225S | 10887587009247 | BURR CIRCULAR LENGTH 28MM Ø 12.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009247 |
| 03000146S | 10886982065094 | DRILL BIT S Ø 1.3MM | Power Tools | EA |  (01)10886982065094 |
| 03000042S | 10886982064608 | BURR ROUND S Ø 3.0MM DIAMOND-COATED | Power Tools | EA |  (01)10886982064608 |
| 03000173S | 10886982065193 | BURR EGG-SHAPED LENGTH 28MM Ø 7.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065193 |
| 03000237S | 10886982065490 | BURR PEAR-SHAPED M Ø 4.0MM HEAD LENGTH 6.9MM | Power Tools | EA |  (01)10886982065490 |
| 516331 | 10886982238788 | TIBIAL NAIL DRIVING ADAPTOR | Power Tools | EA |  (01)10886982238788 |
| 03000303S | 10886982065599 | SAW BLADE 22 X 8.0 X 0.38MM F/SAGITTAL SAW | Power Tools | EA |  (01)10886982065599 |
| 05002105S | 10886982130587 | SAW BLADE 95MM X 25MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130587 |
| 532067S | 10886982241054 | SAW BLADE 27MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982241054 |
| 05002202S | 10886982130624 | SAW BLADE 90MM X 12.5MM 1.19MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130624 |
| 532042S | 10886982240798 | SAW BLADE 10MM WIDTH 10MM/0.4MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982240798 |
| 03000094S | 10886982064868 | BURR CYLINDRICAL FISSURE S Ø 1.6MM HEAD LENGTH 4.3MM | Power Tools | EA |  (01)10886982064868 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| 03000133S | 10887587008783 | BURR NEURO S Ø 1.7MM HEAD LENGTH 2.3MM | Power Tools | EA |  (01)10887587008783 |
| 68001620 | 10886982251510 | WASHING BASKET/FULL SIZE 1/1 FOR BATTERY POWER LINE II SET | Power Tools | EA |  (01)10886982251510 |
| 511906S | 10886982238146 | RECIPROCATING SAW BLADE LGTH 70MM/CUT THK 1.27MM-STER | Power Tools | EA |  (01)10886982238146 |
| 03000171S | 10886982065179 | BURR ROUND LENGTH 45MM Ø 3.0MM W/MINI QUICK COUPLING | Power Tools | EA |  (01)10886982065179 |
| 60550015 | 10886982249098 | INSERT TRAY FOR SMALL BATTERY DRIVE ADAPTOR FOR EPD | Power Tools | EA |  (01)10886982249098 |
| 03000089S | 10887587008554 | BURR TAPERED FISSURE M Ø 2.3MM HEAD LENGTH 5.2MM | Power Tools | EA |  (01)10887587008554 |
| 532065S | 10886982241016 | SAW BLADE 14MM WIDTH 50MM/0.6MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982241016 |
| 519190S | 10886982239136 | SAW BLADE 50MM WIDTH 70MM/0.8MM CUT THICKNESS-STER | Power Tools | EA |  (01)10886982239136 |
| 530680 | 10886982240088 | BATTERY CASING FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240088 |
| 05001081 | 10886982129017 | FOOT SWITCH FOR AIR PEN DRIVE | Power Tools | EA |  (01)10886982129017 |
| 03000223S | 10887587009223 | BURR CIRCULAR LENGTH 28MM Ø 8.0MM W/J-LATCH COUPLING | Power Tools | EA |  (01)10887587009223 |
| 05002205S | 10886982130655 | SAW BLADE 90MM X 12.5MM 1.47MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130655 |
| 03000083S | 10886982064851 | BURR BARREL-SHAPED M Ø 5.0MM HEAD LENGTH 10MM | Power Tools | EA |  (01)10886982064851 |
| 05002306S | 10886982130716 | SAW BLADE 90MM X 19-12.5MM 1.00MM CUT THICKNESS-STERILE | Power Tools | EA |  (01)10886982130716 |
| 03000127S | 10887587008721 | BURR PIN-SHAPED S Ø 1.4MM HEAD LENGTH 6.0MM | Power Tools | EA |  (01)10887587008721 |
| 51279 | 10886982238566 | SAW BLADE 8MM WIDTH 18MM LENGTH/0.25MM THICK | Power Tools | EA |  (01)10886982238566 |
| 532062 | 10886982240941 | SAW BLADE 10MM WIDTH 25MM/0.6MM CUT THICKNESS | Power Tools | EA |  (01)10886982240941 |
| 532066 | 10886982241023 | SAW BLADE 20MM WIDTH 50MM/0.6MM CUT THICKNESS | Power Tools | EA |  (01)10886982241023 |
| 519106 | 10886982238948 | SAW BLADE 19MM WIDTH 70MM/1.0MM CUT THICKNESS | Power Tools | EA |  (01)10886982238948 |
| 5304000698 | 10887587057026 | POWER CORD | Power Tools | EA |  (01)10887587057026 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|--|-------------|-----------------|---|
| 51278 | 10886982238559 | SAW BLADE 8MM WIDTH 13MM LENGTH/0.25MM THICK | Power Tools | EA |  (01)10886982238559 |
| 51255 | 10886982238528 | SAW BLADE FOR 512.50 26MM/0.65MM CUT THICKNESS | Power Tools | EA |  (01)10886982238528 |
| 519170 | 10886982239105 | SAW BLADE 27MM WIDTH 70MM/0.8MM CUT THICKNESS | Power Tools | EA |  (01)10886982239105 |
| 532048 | 10886982240903 | SAW BLADE 10MM WIDTH 30MM/0.4MM CUT THICKNESS | Power Tools | EA |  (01)10886982240903 |
| 532047 | 10886982240880 | SAW BLADE 6MM WIDTH 30MM/0.4MM CUT THICKNESS | Power Tools | EA |  (01)10886982240880 |
| 532061 | 10886982240927 | SAW BLADE 6MM WIDTH 25MM/0.6MM CUT THICKNESS | Power Tools | EA |  (01)10886982240927 |
| 532065 | 10886982241009 | SAW BLADE 14MM WIDTH 50MM/0.6MM CUT THICKNESS | Power Tools | EA |  (01)10886982241009 |
| 519105 | 10886982238924 | SAW BLADE 20MM WIDTH 50MM/0.6MM CUT THICKNESS | Power Tools | EA |  (01)10886982238924 |
| HE-4005-10-FP | 00845384012313 | Power Cord, Hospital Grade, 10 Ft, for Console and Irrigation Pump (REPLACEMENT PART) | Power Tools | EA |  (01)00845384012313 |
| 16-3100-FP | 00845384012276 | Console Indicator Label (REPLACEMENT PART) | Power Tools | EA |  (01)00845384012276 |
| 45-0432-FP | 00845384012320 | Ferrite Broadband Clamp On, 9.00 mm, for Power Cord (REPLACEMENT PART) | Power Tools | EA |  (01)00845384012320 |
| A-CRN-S-4-G1 | 00845384013457 | 2.15 mm x 22 mm Fluted Spiral Router, 4-Series. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Power Tools | EA |  (01)00845384013457 |
| B-COLLECTOR-1 | 00845384000549 | Bone Collector. Use with 3/16 in to 9/32 in (4.8 mm to 7.1 mm) internal diameter suction tubing. | Power Tools | EA |  (01)00845384000549 |
| FILTER | 00845384002109 | Five Replacement Filters for AUTOLUBE-I | Power Tools | EA |  (01)00845384002109 |
| FILTER-II | 00845384002116 | Five Replacement Filters for AUTOLUBE-II or AUTOLUBE-III | Power Tools | EA |  (01)00845384002116 |
| 200003001 | 07612334268761 | EMPHASYS™ KINCISE™ SYSTEM Straight Shell/Liner Impactor - Long | Power Tools | EA |  (01)07612334268761 |
| 200003002 | 07612334268778 | EMPHASYS™ KINCISE™ System Offset Shell/Liner Impactor | Power Tools | EA |  (01)07612334268778 |
| 200003012 | 07612334268785 | EMPHASYS™ KINCISE™ System Straight Shell/Liner Impactor - Short | Power Tools | EA |  (01)07612334268785 |
| 200003201 | 07612334268792 | EMPHASYS™ KINCISE™ System Stem Impactor - Straight | Power Tools | EA |  (01)07612334268792 |
| 200003202 | 07612334268808 | EMPHASYS™ KINCISE™ System Stem Impactor - Offset | Power Tools | EA |  (01)07612334268808 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 200002002 | 07612334268594 | KINCISE™ System Primary Hip PINNACLE™ Straight Shell/Liner Impactor - Long | Power Tools | EA |  (01)07612334268594 |
| 200002003 | 07612334268600 | KINCISE™ System Primary Hip PINNACLE™ Offset Shell/Liner Impactor | Power Tools | EA |  (01)07612334268600 |
| 200002005 | 07612334268617 | KINCISE™ System Primary Hip PINNACLE™ Inclination Guide | Power Tools | EA |  (01)07612334268617 |
| 200002006 | 07612334268624 | KINCISE™ System Primary Hip PINNACLE™ Version Guide | Power Tools | EA |  (01)07612334268624 |
| 200002012 | 07612334268648 | KINCISE™ System Primary Hip PINNACLE™ Straight Shell/Liner Impactor - Short | Power Tools | EA |  (01)07612334268648 |
| 200002101 | 07612334268686 | KINCISE™ System Primary Hip Femoral Broach Adapter - Curved | Power Tools | EA |  (01)07612334268686 |
| 200002102 | 07612334268693 | KINCISE™ System Primary Hip Femoral Broach Adapter - Straight | Power Tools | EA |  (01)07612334268693 |
| 200002202 | 07612334268716 | KINCISE™ System Primary Hip CORAIL™ TRI-LOCK™ Stem Impactor - Offset | Power Tools | EA |  (01)07612334268716 |
| 200002203 | 07612334268723 | KINCISE™ System Primary Hip ACTIS™ Stem Impactor - Offset | Power Tools | EA |  (01)07612334268723 |
| 200002301 | 07612334268754 | KINCISE™ System Primary Hip Femoral Head Impactor - Shaft | Power Tools | EA |  (01)07612334268754 |
| 03000158S | 10887587008974 | DRILL BIT WIRE-PASS S Ø 2.0MM HEAD LENGTH 7.0MM | Power Tools | EA |  (01)10887587008974 |
| 03000313S | 10886982065698 | SAW BLADE 30 X 17.9 X 0.6MM CRESCENTIC F/OSCILLATING SAW | Power Tools | EA |  (01)10886982065698 |
| 532018 | 10886982240521 | HUDSON REDUCTION DRIVE UNIT | Power Tools | EA |  (01)10886982240521 |
| 511761 | 10886982237729 | LARGE QUICK COUPLING | Power Tools | EA |  (01)10886982237729 |
| 05001175 | 10886982129512 | SMALL ELECTRIC DRIVE | Power Tools | EA |  (01)10886982129512 |
| 511615 | 10886982237613 | AIR RECIPROCATOR | Power Tools | EA |  (01)10886982237613 |
| 05000008 | 10887587024585 | HAND PIECE FOR BATTERY POWERED DRIVER | Power Tools | EA |  (01)10887587024585 |
| 68001655 | 10886982344526 | WASHING & STERILIZATION BASKET 1/1,FOR 2 UNIUM(TM) MODULAR H | Power Tools | EA |  (01)10886982344526 |
| 03000145S | 10887587008882 | DRILL BIT M Ø 1.1MM | Power Tools | EA |  (01)10887587008882 |
| 05001104 | 10886982129277 | PNEUMATIC CONNECTION DISS COUPLING FOR 05.001.099 | Power Tools | EA |  (01)10886982129277 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|----------------|-----------------|---|
| 532092S | 10886982241139 | SAW BLADE PARALLEL 12MM/25MM/ 2.5MM SHORTEN 45 DEG CUT-STER | Power Tools | EA |  (01)10886982241139 |
| 68001657 | 10886982344533 | WASHING & STERILIZATION BASKET 1/3, UNUM(TM) MODULAR | Power Tools | EA |  (01)10886982344533 |
| 05505002 | 10887587025896 | SPRAY ADAPTOR FOR 90° SCREWDRIVER | Power Tools | EA |  (01)10887587025896 |
| 532017 | 10886982240507 | AO REDUCTION DRIVE UNIT | Power Tools | EA |  (01)10886982240507 |
| 532020 | 10886982240569 | MODIFIED TRINKLE REDUCTION DRIVE UNIT | Power Tools | EA |  (01)10886982240569 |
| 03000312S | 10886982065681 | SAW BLADE 25 X 16.3 X 0.6MM CRESCENTIC F/OSCILLATING SAW | Power Tools | EA |  (01)10886982065681 |
| 200000101 | 10886982348111 | KINCISE(TM) SYSTEM SURGICAL HANDPIECE CASE | Power Tools | EA |  (01)10886982348111 |
| 51809 | 10886982238818 | REPLACEMENT KEY FOR OSCILLATING BONE SAW | Power Tools | EA |  (01)10886982238818 |
| 511407 | 10886982237453 | 2.7MM DRILL SLEEVE | Power Tools | EA |  (01)10886982237453 |
| 532032 | 10886982240712 | SMALL BATTERY DRIVE CASING FOR 14.4V BATTERY | Power Tools | EA |  (01)10886982240712 |
| 511610 | 10886982237590 | AIR OSCILLATOR | Power Tools | EA |  (01)10886982237590 |
| 68001652 | 10886982309693 | LID, WASHING & STERILIZATION BASKET 1/2 | Power Tools | EA |  (01)10886982309693 |
| 532094S | 10886982241153 | SAW BLADE PARALLEL 12MM/25MM/ 4MM SHORTENING 45 DEG CUT-STER | Power Tools | EA |  (01)10886982241153 |
| 03000150S | 10886982065117 | DRILL BIT S Ø 2.0MM | Power Tools | EA |  (01)10886982065117 |
| 532085S | 10886982241115 | SAW BLADE PARALLEL 12MM/25MM/ 5MM SHORTENING 90 DEG CUT-STER | Power Tools | EA |  (01)10886982241115 |
| 68001625 | 10886982258458 | WASHING BASKET SIZE 1/2 FOR BATTERY POWER LINE II | Power Tools | EA |  (01)10886982258458 |
| 68001659 | 10886982344540 | LID, WASHING & STERILIZATION BASKET, 1/3 | Power Tools | EA |  (01)10886982344540 |
| 03000311S | 10886982065674 | SAW BLADE 26.5 X 13.3 X 0.6MM CRESCENTIC F/OSCILLATING SAW | Power Tools | EA |  (01)10886982065674 |
| 03000159S | 10887587008981 | DRILL BIT WIRE-PASS M Ø 2.0MM HEAD LENGTH 7.0MM | Power Tools | EA |  (01)10887587008981 |
| 532081S | 10886982241078 | SAW BLADE PARALLEL 12MM/25MM/ 2MM SHORTENING 90 DEG CUT-STER | Power Tools | EA |  (01)10886982241078 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 03000316S | 10886982065728 | SAW BLADE 30 X 21.9 X 0.6MM CRESCENTIC F/OSCILLATING SAW | Power Tools | EA |  (01)10886982065728 |
| 532084S | 10886982241108 | SAW BLADE PARALLEL 12MM/25MM/ 4MM SHORTENING 90 DEG CUT-STER | Power Tools | EA |  (01)10886982241108 |
| 03000154S | 10887587008936 | DRILL BIT WIRE-PASS S Ø 1.1MM HEAD LENGTH 5.0MM | Power Tools | EA |  (01)10887587008936 |
| 03000317 | 10886982065735 | SAW BLADE 22.0X8.0X0.4MM FOR SAGITTAL SAW | Power Tools | EA |  (01)10886982065735 |
| 532110 | 10886982241191 | SMALL BATTERY DRIVE II | Power Tools | EA |  (01)10886982241191 |
| 532093S | 10886982241146 | SAW BLADE PARALLEL 12MM/25MM/ 3MM SHORTENING 45 DEG CUT-STER | Power Tools | EA |  (01)10886982241146 |
| 532091S | 10886982241122 | SAW BLADE PARALLEL 12MM/25MM/ 2MM SHORTENING 45 DEG CUT-STER | Power Tools | EA |  (01)10886982241122 |
| 03000149S | 10887587008905 | DRILL BIT M Ø 1.5MM | Power Tools | EA |  (01)10887587008905 |
| 532083S | 10886982241092 | SAW BLADE PARALLEL 12MM/25MM/ 3MM SHORTENING 90 DEG CUT-STER | Power Tools | EA |  (01)10886982241092 |
| 03000148S | 10886982065100 | DRILL BIT S Ø 1.5MM | Power Tools | EA |  (01)10886982065100 |
| 03000155S | 10887587008943 | DRILL BIT WIRE-PASS M Ø 1.1MM HEAD LENGTH 5.0MM | Power Tools | EA |  (01)10887587008943 |
| 31090 | 10886982187079 | MINI QUICK COUPLING CHUCK | Power Tools | EA |  (01)10886982187079 |
| 03000143S | 10887587008875 | DRILL BIT M Ø 1.0MM | Power Tools | EA |  (01)10887587008875 |
| 68001653 | 10886982309679 | LID, WASHING & STERILIZATION BASKET 1/1 | Power Tools | EA |  (01)10886982309679 |
| 532019 | 10886982240545 | TRINKLE REDUCTION DRIVE UNIT | Power Tools | EA |  (01)10886982240545 |
| 03000152S | 10886982065124 | DRILL BIT S Ø 2.5MM | Power Tools | EA |  (01)10886982065124 |
| 35116J | 10886982193742 | FLEXIBLE SHAFT CONNECTOR FOR USE WITH JACOBS CHUCK | Power Tools | EA |  (01)10886982193742 |
| 03000156S | 10887587008950 | DRILL BIT WIRE-PASS S Ø 1.5MM HEAD LENGTH 7.0MM | Power Tools | EA |  (01)10887587008950 |
| 03000157S | 10887587008967 | DRILL BIT WIRE-PASS M Ø 1.5MM HEAD LENGTH 7.0MM | Power Tools | EA |  (01)10887587008967 |
| 03000151S | 10887587008912 | DRILL BIT M Ø 2.0MM | Power Tools | EA |  (01)10887587008912 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 51801 | 10886982238795 | OSCILLATING BONE SAW DOUBLE HOSE CONNECTOR | Power Tools | EA |  (01)10886982238795 |
| 200000201 | 10886982348128 | KINCISE(TM) SYSTEM STERILIZATION CASE LID | Power Tools | EA |  (01)10886982348128 |
| 511784 | 10886982237965 | TRINKLE ADAPTER | Power Tools | EA |  (01)10886982237965 |
| 03000147S | 10887587008899 | DRILL BIT M Ø 1.3MM | Power Tools | EA |  (01)10887587008899 |
| 532082S | 10886982241085 | SAW BLADE PARALLEL 12MM/25MM/ 2.5MM SHORTEN 90 DEG CUT-STER | Power Tools | EA |  (01)10886982241085 |
| 532095S | 10886982241160 | SAW BLADE PARALLEL 12MM/25MM/ 5MM SHORTENING 45 DEG CUT-STER | Power Tools | EA |  (01)10886982241160 |
| 05001080 | 10886982128997 | AIR PEN DRIVE | Power Tools | EA |  (01)10886982128997 |
| 530782 | 10886982240224 | HUDSON REAMING ATTACHMENT FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240224 |
| 05001035 | 10886982128485 | 90DEG DRILL ATTACHMENT-SHORT MQC FOR PEN DRIVE | Power Tools | EA |  (01)10886982128485 |
| 31093K | 10886982187109 | REPLACEMENT KEY FOR SMALL CHUCK WITH KEY | Power Tools | EA |  (01)10886982187109 |
| 05001074 | 10886982128959 | HANDHOLD FOR TOOL CHANGE FOR PEN DRIVE ATTACHMENTS | Power Tools | EA |  (01)10886982128959 |
| 511782 | 10886982237927 | HUDSON ADAPTER | Power Tools | EA |  (01)10886982237927 |
| 05001099 | 10886982129215 | MAINTENANCE STATION FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982129215 |
| 05001030 | 10886982128430 | DRILL ATTACHMENT MQC FOR PEN DRIVE | Power Tools | EA |  (01)10886982128430 |
| 05001188 | 10886982309600 | QC FOR KIRSCHNER WIRES Ø 0.6 TO 3.2 MM, UNIUM(TM) | Power Tools | EA |  (01)10886982309600 |
| 530794 | 10886982240293 | TRINKLE DRILLING ATTACHMENT FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240293 |
| 05001201 | 10886982129611 | BATTERY HANDPIECE/MODULAR FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129611 |
| 05001094 | 10886982129147 | MAINTENANCE KIT FOR EPD MAINTENANCE STATION | Power Tools | EA |  (01)10886982129147 |
| 05001002 | 10886982128164 | BASIC CONSOLE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128164 |
| 05001049 | 10886982128744 | BURR ATTACHMENT-MEDIUM-ANGLED FOR PEN DRIVE | Power Tools | EA |  (01)10886982128744 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 05001228 | 10886982130112 | SLOT COVERS - 3 PK/FOR UNIVERSAL BATTERY CHARGER II | Power Tools | EA |  (01)10886982130112 |
| 03000393 | 10886982065971 | CRESCENTIC SAW BLADE 21MM RADIUS/45MM X 0.6MM | Power Tools | EA |  (01)10886982065971 |
| 511791 | 10886982238016 | QUICK COUPLING FOR K-WIRES | Power Tools | EA |  (01)10886982238016 |
| 05001027 | 10886982128393 | SEAL NIPPLE FOR CABLES FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128393 |
| 532023 | 10886982240644 | OSCILLATING SAW ATTACHMENT II FOR SMALL BATTERY DRIVE | Power Tools | EA |  (01)10886982240644 |
| 05001032 | 10886982128454 | DRILL ATTACHMENT AO COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982128454 |
| 05001063 | 10886982128867 | BURR ATTACHMENT/XL/ANGLED FOR PEN DRIVE | Power Tools | EA |  (01)10886982128867 |
| 05001102 | 10886982129253 | ADAPTOR FOR MAINTENANCE SPRAY FOR EPD ATTACHMENTS | Power Tools | EA |  (01)10886982129253 |
| 05001045 | 10886982128669 | BURR ATTACHMENT-SHORT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128669 |
| 510191 | 10886982237255 | REPLACEMENT KEY FOR TRS CHUCK | Power Tools | EA |  (01)10886982237255 |
| 03000394 | 10886982065988 | CRESCENTIC SAW BLADE 24MM RADIUS/45MM X 0.6MM | Power Tools | EA |  (01)10886982065988 |
| 05001241 | 10886982130167 | LID FOR RECON SAGITTAL SAW FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130167 |
| 05001252 | 10886982130228 | SMALL CHUCK WITH KEY DRILLING SPEED | Power Tools | EA |  (01)10886982130228 |
| 05001120 | 10886982129345 | DRILL ATTACHMENT W/JACOBS CHUCK FOR PEN DRIVE | Power Tools | EA |  (01)10886982129345 |
| 05001006 | 10886982128188 | STANDARD CONSOLE-W/IRRIGATION W/O TORQUE-LIMITING-F/EPD | Power Tools | EA |  (01)10886982128188 |
| 530792 | 10886982240279 | HUDSON DRILLING ATTACHMENT FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240279 |
| 05001095 | 10886982129154 | OIL DISPENSER WITH SYNTHES OIL FOR PEN DRIVE | Power Tools | EA |  (01)10886982129154 |
| 05001010 | 10886982128201 | ELECTRIC PEN DRIVE 60,000 RPM | Power Tools | EA |  (01)10886982128201 |
| 05001253 | 10886982130242 | LARGE CHUCK WITH KEY DRILLING SPEED | Power Tools | EA |  (01)10886982130242 |
| 05001207 | 10886982129734 | CHUCK WITH KEY/REAM SPEED FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129734 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 05001037 | 10886982128515 | K-WIRE ATTACHMENT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128515 |
| 05001250 | 10886982130174 | AO/ASIF QUICK COUPLING FOR DRILL BITS | Power Tools | EA |  (01)10886982130174 |
| 05001220 | 10886982129956 | TRINKLE REAMING ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129956 |
| 05001021 | 10886982128324 | CABLE 4M TO CONSOLE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128324 |
| 05001101 | 10886982129246 | ADAPTOR FOR MAINTENANCE SPRAY FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982129246 |
| 05001071 | 10886982128935 | IRRIGATION NOZZLE FOR EPD RECIPROCATING SAW ATTACHMENT | Power Tools | EA |  (01)10886982128935 |
| 05001075 | 10886982128966 | CLEANING BRUSH FOR WIRE DRIVER FOR PEN DRIVE | Power Tools | EA |  (01)10886982128966 |
| 05001123 | 10886982129383 | DRILL/BURR ATTACHMENT FOR 2.35MM SHAFTS | Power Tools | EA |  (01)10886982129383 |
| 05001066 | 10886982128898 | IRRIGATION NOZZLE-SHORT FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128898 |
| 05001212 | 10886982129796 | QUICK COUPLING FOR K-WIRES FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129796 |
| 530795 | 10886982240309 | LARGE MODIFIED TRINKLE REAMING ATTACH FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240309 |
| 05001103 | 10886982129260 | ADAPTOR FOR INTRA-COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982129260 |
| 31093 | 10886982187086 | SMALL CHUCK WITH KEY | Power Tools | EA |  (01)10886982187086 |
| 05001603 | 10886982309563 | UNIUM(TM) STERILE COVER | Power Tools | EA |  (01)10886982309563 |
| 530780 | 10886982240217 | AO/ASIF® REAMING ATTACHMENT FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240217 |
| 05001065 | 10886982128881 | IRRIGATION NOZZLE FOR 05.001.063 FOR PEN DRIVE | Power Tools | EA |  (01)10886982128881 |
| 530731 | 10886982240163 | CHUCK-KEYLESS FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240163 |
| 05001050 | 10886982128768 | BURR ATTACHMENT-LONG-ANGLED FOR PEN DRIVE | Power Tools | EA |  (01)10886982128768 |
| 05001028 | 10886982128409 | SCREW ATTACHMENT AO COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982128409 |
| 05001182 | 10886982129550 | SAW ATTACHMENT/90 DEGREE ANGLED FOR EPD AND APD | Power Tools | EA |  (01)10886982129550 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 05001257 | 10886982309617 | AO/ASIF QC FOR REAMING, SBD II / UNIUM(TM) | Power Tools | EA |  (01)10886982309617 |
| 05001251 | 10886982130204 | AO SCREW ATTACHMENT | Power Tools | EA |  (01)10886982130204 |
| 51173 | 10886982237668 | JACOBS CHUCK WITH KEY | Power Tools | EA |  (01)10886982237668 |
| 530760 | 10886982240200 | LARGE QUICK COUPLING FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240200 |
| 05001187 | 10886982129604 | BURR ATTACHMENT FOR SED | Power Tools | EA |  (01)10886982129604 |
| 530705 | 10886982240125 | BATTERY REAMER/DRILL II | Power Tools | EA |  (01)10886982240125 |
| 03000392 | 10886982065964 | CRESCENTIC SAW BLADE 18MM RADIUS/45MM X 0.6MM | Power Tools | EA |  (01)10886982065964 |
| 05001068 | 10886982128911 | IRRIGATION NOZZLE-LONG FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128911 |
| 05001098 | 10886982129208 | MAINTENANCE SPRAY FOR PEN DRIVE | Power Tools | EA |  (01)10886982129208 |
| 532024 | 10886982312723 | CLEANING BRUSH, FOR OSC ATTACHMENT 532.023 | Power Tools | EA |  (01)10886982312723 |
| 05001259 | 10886982309631 | TRINKLE QUICK COUPLING, SBD II / UNIUM(TM) | Power Tools | EA |  (01)10886982309631 |
| 530715 | 10886982240149 | BATTERY RECIPROCATOR II | Power Tools | EA |  (01)10886982240149 |
| 05001039 | 10886982128553 | SAGITTAL SAW ATTACHMENT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128553 |
| 05001016 | 10886982128263 | FOOT SWITCH-1 PEDAL FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128263 |
| 05001128 | 10886982292469 | DRILL/BURR ATTACHMENT 16-1 STRAIGHT-ROUND SHAFT- EPD/APD | Power Tools | EA |  (01)10886982292469 |
| 05001048 | 10886982128720 | BURR ATTACHMENT-SHORT-ANGLED FOR PEN DRIVE | Power Tools | EA |  (01)10886982128720 |
| 05001217 | 10886982129895 | HUDSON DRILLING ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129895 |
| 05001184 | 10886982129574 | IRRIGATION NOZZLE FOR EPD AND APD FOR USE WITH 05.001.182 | Power Tools | EA |  (01)10886982129574 |
| 05001213 | 10886982129819 | LARGE QUICK COUPLING FOR DRILL BITS FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129819 |
| 532021 | 10886982240583 | SAGITTAL SAW ATTACHMENT | Power Tools | EA |  (01)10886982240583 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| 05001602 | 10886982309556 | UNIUM(TM) POWER UNIT | Power Tools | EA |  (01)10886982309556 |
| 511777 | 10886982237897 | TORQUE LIMITING ATTACHMENT 0.4NM | Power Tools | EA |  (01)10886982237897 |
| 03000395 | 10886982065995 | CRESCENTIC SAW BLADE 27MM RADIUS/50MM X 0.6MM | Power Tools | EA |  (01)10886982065995 |
| 03000396 | 10886982066008 | CRESCENTIC SAW BLADE 30MM RADIUS/50MM X 0.6MM | Power Tools | EA |  (01)10886982066008 |
| 03000391 | 10886982065957 | CRESCENTIC SAW BLADE 15MM RADIUS/45MM X 0.6MM | Power Tools | EA |  (01)10886982065957 |
| 05001204 | 10886982129666 | UNIVERSAL BATTERY CHARGER II | Power Tools | EA |  (01)10886982129666 |
| 05001183 | 10886982129567 | SAW ATTACHMENT/IN-LINE FOR EPD AND APD | Power Tools | EA |  (01)10886982129567 |
| 05001022 | 10886982128348 | CABLE FOOT SWITCH TO CONSOLE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128348 |
| 530796 | 10886982240316 | QUICK COUPLING FOR PINS Ø3.2MM | Power Tools | EA |  (01)10886982240316 |
| 05001221 | 10886982129970 | MODIFIED TRINKLE DRILL ATTACH FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129970 |
| 05001036 | 10886982128492 | 90DEG DRILL ATTACHMENT-LONG MQC FOR PEN DRIVE | Power Tools | EA |  (01)10886982128492 |
| 05001612 | 10886982309594 | UNIUM(TM) TOP FOR STERNUM FOR RECIP SAW HANDPIECE | Power Tools | EA |  (01)10886982309594 |
| 530730 | 10886982240156 | CHUCK WITH KEY FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240156 |
| 05001263 | 10886982344519 | TRINKLE QUICK COUPLING, MODIFIED, DRILL, UNIUM(TM) | Power Tools | EA |  (01)10886982344519 |
| 05001226 | 10886982130075 | ADAPTOR FOR RADIOLUCENT DRIVE FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130075 |
| 511801 | 10886982238054 | OSCILLATING SAW ATTACHMENT II | Power Tools | EA |  (01)10886982238054 |
| 511701 | 10886982237644 | COMPACT AIR DRIVE II | Power Tools | EA |  (01)10886982237644 |
| 05001076 | 10886982128973 | IRRIGATION NOZZLE FOR EPD FOR PERFORATOR 05.001.054 | Power Tools | EA |  (01)10886982128973 |
| 511902 | 10886982238078 | RECIPROCATING SAW ATTACHMENT | Power Tools | EA |  (01)10886982238078 |
| 05001219 | 10886982129932 | TRINKLE DRILLING ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129932 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 511904 | 10886982238115 | STERNUM TOP FOR RECIPROCATING SAW ATTACHMENT | Power Tools | EA |  (01)10886982238115 |
| 05001040 | 10886982128577 | RECIPROCATING SAW ATTACHMENT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128577 |
| 05001047 | 10886982128706 | BURR ATTACHMENT-LONG FOR PEN DRIVE | Power Tools | EA |  (01)10886982128706 |
| 05001059 | 10886982128836 | CRANIOTOME ATTACHMENT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128836 |
| 05001122 | 10886982129376 | IRRIGATION NOZZLE XXL FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982129376 |
| 51997 | 10886982239594 | DEPUY SYNTHES SPECIAL OIL, 40 ML | Power Tools | EA |  (01)10886982239594 |
| 05001012 | 10886982128249 | HAND SWITCH FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128249 |
| 51180 | 10886982238030 | OSCILLATING SAW ATTACHMENT | Power Tools | EA |  (01)10886982238030 |
| 05001611 | 10886982309587 | UNIUM(TM) RECIPROCATING SAW HANDPIECE | Power Tools | EA |  (01)10886982309587 |
| 511783 | 10886982237941 | MODIFIED TRINKLE ADAPTOR | Power Tools | EA |  (01)10886982237941 |
| 05001055 | 10886982128829 | BURR ATTACHMENT-XXLONG ANGLED FOR PEN DRIVE | Power Tools | EA |  (01)10886982128829 |
| 530791 | 10886982240262 | QUICK COUPLING FOR K-WIRES AND PINS Ø1.5 - 4.0MM | Power Tools | EA |  (01)10886982240262 |
| 05001224 | 10886982130037 | SAGITTAL SAW ATTACHMENT/LONG FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130037 |
| 05001067 | 10886982128904 | IRRIGATION NOZZLE-MEDIUM FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128904 |
| 51130 | 10886982237385 | RADIOLUCENT DRIVE MARK II | Power Tools | EA |  (01)10886982237385 |
| 05001203 | 10886982129659 | INSERTION SHIELD FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129659 |
| 532027 | 10886982240682 | REPLACEMENT KEY FOR SAW ATTACHMENT 532.026 | Power Tools | EA |  (01)10886982240682 |
| 530732 | 10886982240170 | CHUCK WITH KEY-REAM SPEED FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240170 |
| 530784 | 10886982240248 | TRINKLE REAMING ATTACHMENT FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240248 |
| 530660 | 10886982240071 | INSERTION SHIELD FOR BATTERY POWER LINE II | Power Tools | EA |  (01)10886982240071 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 532012 | 10886982240439 | STRYKER J-LATCH COUPLING | Power Tools | EA |  (01)10886982240439 |
| 05001202 | 10886982129635 | POWER MODULE FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129635 |
| 05001208 | 10886982129758 | CHUCK/KEYLESS/DRILL SPEED FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129758 |
| 05001046 | 10886982128683 | BURR ATTACHMENT-MEDIUM FOR PEN DRIVE | Power Tools | EA |  (01)10886982128683 |
| 33849 | 10886982193513 | LARGE QUICK COUPLING | Power Tools | EA |  (01)10886982193513 |
| 05001218 | 10886982129918 | HUDSON REAMING ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129918 |
| 05001078 | 10886982258830 | LUBRICANT FOR ANSPACH SYSTEMS | Power Tools | EA |  (01)10886982258830 |
| 05001034 | 10886982128478 | SCREW ATTACHMENT MQC FOR PEN DRIVE | Power Tools | EA |  (01)10886982128478 |
| 516101 | 10886982238726 | CLEANING BRUSH | Power Tools | EA |  (01)10886982238726 |
| 05001033 | 10886982128461 | 45DEG OSCILLATING DRILL ATTACHMENT MQC FOR PEN DRIVE | Power Tools | EA |  (01)10886982128461 |
| 530783 | 10886982240231 | MODIFIED TRINKLE REAMING ATTACHMENT F/BATTERY POWER LN | Power Tools | EA |  (01)10886982240231 |
| 530710 | 10886982240132 | BATTERY OSCILLATOR II | Power Tools | EA |  (01)10886982240132 |
| 532022 | 10886982240613 | QUICK COUPLING FOR K-WIRES | Power Tools | EA |  (01)10886982240613 |
| 51120 | 10886982237354 | OSCILLATING DRILL ATTACHMENT | Power Tools | EA |  (01)10886982237354 |
| 05001205 | 10886982129697 | AO QUICK COUPLING F/DRILL BITS FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129697 |
| 05001214 | 10886982129833 | AO SCREW ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129833 |
| 530690 | 10886982240118 | BATTERY CASING FOR BATTERY POWER LINE II | Power Tools | EA |  (01)10886982240118 |
| 05001225 | 10886982130051 | RECIPROCATING SAW ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130051 |
| 05001258 | 10886982309624 | HUDSON QC FOR REAMING, SBD II / UNIU(TM) | Power Tools | EA |  (01)10886982309624 |
| 530750 | 10886982240194 | QUICK COUPLING FOR DRILL BITS FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240194 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| 05001044 | 10886982128645 | 45° DRILLING ATTACHMENT AO/ASIF COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982128645 |
| 05001240 | 10886982130150 | RECON SAGITTAL SAW WITH KEY FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130150 |
| 03000390 | 10886982065940 | CRESCENTIC SAW BLADE 12MM RADIUS/45MM X 0.6MM | Power Tools | EA |  (01)10886982065940 |
| 51940 | 10886982239228 | CLEANING BRUSH FOR HANDPIECE AND ATTACHMENT CANNULATIONS | Power Tools | EA |  (01)10886982239228 |
| 05001038 | 10886982128539 | OSCILLATING SAW ATTACHMENT FOR PEN DRIVE | Power Tools | EA |  (01)10886982128539 |
| 51020 | 10886982237262 | RIGHT ANGLE DRIVE | Power Tools | EA |  (01)10886982237262 |
| 05001262 | 10886982344502 | SQUARE QUICK COUPLING, TAP/SCREW, SBDII/UNIUM(TM) | Power Tools | EA |  (01)10886982344502 |
| 05001121 | 10886982129369 | GUIDE FOR K-WIRES F/PEN DRIVE FOR OSCILLATING SAW ATTACHMENT | Power Tools | EA |  (01)10886982129369 |
| 05001210 | 10886982129772 | AO REAMING ATTACHMENT FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129772 |
| 05001231 | 10886982130143 | LID FOR HANDPIECE/MODULAR FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982130143 |
| 51175 | 10886982237705 | QUICK COUPLING INSERT FOR DRILL BITS | Power Tools | EA |  (01)10886982237705 |
| 05001031 | 10886982128447 | DRILL ATTACHMENT J-LATCH COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982128447 |
| 05001254 | 10886982130273 | LARGE CHUCK WITH KEY REAMING SPEED | Power Tools | EA |  (01)10886982130273 |
| 532011 | 10886982240415 | MINI QUICK COUPLING | Power Tools | EA |  (01)10886982240415 |
| 05001180 | 10886982129543 | IRRIGATION NOZZLE F/PEN DRIVE F/PERFORATOR W/HUDSON COUPLING | Power Tools | EA |  (01)10886982129543 |
| 532015 | 10886982240477 | LARGE QUICK COUPLING | Power Tools | EA |  (01)10886982240477 |
| 05001601 | 10886982309549 | UNIUM(TM) MODULAR HANDPIECE | Power Tools | EA |  (01)10886982309549 |
| 05001070 | 10886982128928 | IRRIGATION NOZZLE FOR EPD SAGITTAL SAW ATTACHMENT | Power Tools | EA |  (01)10886982128928 |
| 532031 | 10886982240699 | ADAPTOR FOR RADIO LUCENT DRIVE | Power Tools | EA |  (01)10886982240699 |
| 05001206 | 10886982129710 | CHUCK WITH KEY/DRILL SPEED FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129710 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| 511786 | 10886982238009 | REDUCTION DRIVE UNIT WITH REVERSE | Power Tools | EA |  (01)10886982238009 |
| 05001261 | 10886982344496 | SQUARE QUICK COUPLING, FOR DRILLING, SBDII/UNIUM(TM) | Power Tools | EA |  (01)10886982344496 |
| 530793 | 10886982240286 | MODIFIED TRINKLE DRILLING ATTACH FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240286 |
| 05001177 | 10886982129529 | PERFORATOR WITH HUDSON COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982129529 |
| 530741 | 10886982240187 | ADAPTOR FOR RADIOLUCENT DRIVE FOR BATTERY POWER LINE | Power Tools | EA |  (01)10886982240187 |
| 05001604 | 10886982309570 | UNIUM(TM) ADAPTER FOR UBC II | Power Tools | EA |  (01)10886982309570 |
| 05001229 | 10886982130129 | REPLACEMENT KEY FOR TRS SAGITTAL SAW ATTACH/LONG | Power Tools | EA |  (01)10886982130129 |
| 511731 | 10886982237682 | JACOBS CHUCK-KEYLESS | Power Tools | EA |  (01)10886982237682 |
| 530630 | 10886982240057 | BATTERY FOR BATTERY POWER LINE II | Power Tools | EA |  (01)10886982240057 |
| 532026 | 10886982240651 | OSCILLATING SAW ATTCHMT/LARGE W/KEY FOR SMALL BATTERY DRIVE | Power Tools | EA |  (01)10886982240651 |
| 05001029 | 10886982128423 | SCREW ATTACHMENT HEX COUPLING FOR PEN DRIVE | Power Tools | EA |  (01)10886982128423 |
| 05001111 | 10886982129338 | IRRIGATION NOZZLE FOR EPD HEX DRILLING ATTACHMENT | Power Tools | EA |  (01)10886982129338 |
| 532103 | 10886982241177 | SMALL BATTERY DRIVE 14.4 VOLT LITHIUM ION BATTERY | Power Tools | EA |  (01)10886982241177 |
| 05001260 | 10886982309648 | TRINKLE QUICK COUPLING, MODIFIED, SBD II / UNIUM(TM) | Power Tools | EA |  (01)10886982309648 |
| 05001222 | 10886982129994 | MODIFIED TRINKLE REAM ATTACH FOR TRAUMA RECON SYSTEM | Power Tools | EA |  (01)10886982129994 |
| 05001025 | 10886982128362 | CABLE 3M TO CONSOLE FOR ELECTRIC PEN DRIVE | Power Tools | EA |  (01)10886982128362 |
| S-15SDC-G1 | 00845384014621 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014621 |
| S-06SD-G1 | 00845384014645 | 0.6 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014645 |
| M-6P-G1 | 00845384014706 | 6 mm x 9 mm Fluted Pear. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014706 |
| S-6IP-G1 | 00845384014713 | 6 mm x 11.8 mm Fluted Pear, Inverted. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014713 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| M-6AC-G1 | 00845384014720 | 6 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014720 |
| S-6D-100-G1 | 00845384014737 | 6 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014737 |
| XLHD-51C-G1 | 00845384014775 | 6.4 mm Cylindrical Carbide. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384014775 |
| L-5DRC-G1 | 00845384014799 | 5 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014799 |
| M-5BA-A-G1 | 00845384014805 | 5 mm x 11.3 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014805 |
| S-5OV-G1 | 00845384014812 | 5 mm x 10 mm Fluted Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014812 |
| L-5BA-G1 | 00845384014829 | 5 mm x 10 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014829 |
| S-5D-100-G1 | 00845384014836 | 5 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014836 |
| XLHD-55DC-G1 | 00845384014867 | 5.5 mm Coarse Diamond Ball. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384014867 |
| L-4OV-G1 | 00845384014874 | 4 mm x 8 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014874 |
| M-4OVDC-G1 | 00845384014881 | 4 mm x 8 mm Coarse Diamond Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014881 |
| S-4DRM-G1 | 00845384014898 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014898 |
| XLHD-8NS-M-G1 | 00845384014904 | 3 mm Fluted Matchstick, Less Aggressive. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384014904 |
| M-8NSDC-G1 | 00845384014911 | 3.2 mm Coarse Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014911 |
| M-1B-G1 | 00845384014942 | 1 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014942 |
| L-1SD-G1 | 00845384014959 | 1 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014959 |
| M-15D-G1 | 00845384014973 | 1.5 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014973 |
| S-15DCT-G1 | 00845384014980 | 1.5 mm Coarse Diamond Ball, Tapered, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014980 |
| S-08SD-G1 | 00845384014997 | 0.8 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014997 |
| S-1254TD-G1 | 00845384015000 | Twist Drill for 1.25 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015000 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|---|-------------|-----------------|---|
| XLHD-9B-G1 | 00845384015017 | 9 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015017 |
| MHD-19CT-G1 | 00845384015024 | 9.9 mm Coring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015024 |
| LHD-95DRM-G1 | 00845384015031 | 9.5 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384015031 |
| L-7DRC-G1 | 00845384015048 | 7 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015048 |
| L-7DRC-11-G1 | 00845384015062 | 7 mm x 11 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015062 |
| XLHD-7B-G1 | 00845384015079 | 7 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015079 |
| M-7DX-G1 | 00845384015086 | 7 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015086 |
| S-6PD-G1 | 00845384015130 | 6 mm x 9 mm Diamond Pear. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015130 |
| L-6B-4-G1 | 00845384015154 | 6 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015154 |
| S-6B-4-G1 | 00845384015161 | 6 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015161 |
| MHD-6B-G1 | 00845384015185 | 6 mm Fluted Ball. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015185 |
| XLHD-6B-G1 | 00845384015192 | 6 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015192 |
| MIA16-6DC-G1 | 00845384015208 | 6 mm Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015208 |
| MA19-2SB | 00845384011859 | 2 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011859 |
| MA19-2SD | 00845384011866 | 2 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011866 |
| MA19-3SB | 00845384011873 | 3 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011873 |
| MA19-4D | 00845384011903 | 4 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011903 |
| MA19-8NS | 00845384011934 | 3 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011934 |
| MA19-8NSDC | 00845384011941 | 3 mm Coarse Diamond Matchstick, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011941 |
| S-6B-G1 | 00845384012429 | 6 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012429 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| S-5B-G1 | 00845384012436 | 5 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012436 |
| M-5B-G1 | 00845384012450 | 5 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012450 |
| S-4B-G1 | 00845384012467 | 4 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012467 |
| L-4B-G1 | 00845384012481 | 4 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384012481 |
| S-4DC-G1 | 00845384012504 | 4 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012504 |
| S-3SB-G1 | 00845384012559 | 3 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012559 |
| S-3B-G1 | 00845384012566 | 3 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012566 |
| S-3D-G1 | 00845384012573 | 3 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012573 |
| A-CRN-G1 | 00845384012603 | 1.85 mm x 16 mm Fluted Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Power Tools | EA |  (01)00845384012603 |
| S-1510TD-G1 | 00845384012610 | 1.55 mm x 10 mm Fluted Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012610 |
| S-1R-G1 | 00845384012627 | 1.4 mm x 12.8 mm Fluted Router. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012627 |
| P-CRN-G1 | 00845384012634 | 1.4 mm x 12.8 mm Fluted Router. Use with CRANI-P-G1, CRANI-P Attachments. | Power Tools | EA |  (01)00845384012634 |
| S-6R-G1 | 00845384012641 | 1.12 mm x 6.35 mm Fluted Router. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012641 |
| M-6B-G1 | 00845384012665 | 6 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012665 |
| S-6AC-G1 | 00845384012672 | 6 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012672 |
| M-5D-G1 | 00845384012702 | 5 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012702 |
| M-8NS-M-G1 | 00845384012740 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012740 |
| S-3SD-G1 | 00845384012771 | 3 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012771 |
| S-3DC-G1 | 00845384012795 | 3 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012795 |
| S-2SD-G1 | 00845384012825 | 2 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012825 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| S-2SDC-G1 | 00845384012832 | 2 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012832 |
| S-1D-G1 | 00845384012863 | 1 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012863 |
| S-15D-G1 | 00845384012870 | 1.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012870 |
| S-9AC-G1 | 00845384012900 | 9.2 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012900 |
| SHD-9AC-G1 | 00845384012917 | 9.2 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384012917 |
| L-6B-G1 | 00845384012948 | 6 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384012948 |
| SHD-6AC-G1 | 00845384012962 | 6 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384012962 |
| S-6D-G1 | 00845384012993 | 6 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012993 |
| M-6D-G1 | 00845384013006 | 6 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013006 |
| L-5D-G1 | 00845384013020 | 5 mm Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013020 |
| L-4D-G1 | 00845384013068 | 4 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013068 |
| S-8NS-M-G1 | 00845384013082 | 3 MM FLUTED MATCHSTICK, LESS AGGRESSIVE. USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384013082 |
| L-8ND-G1 | 00845384013129 | 2.5 mm Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013129 |
| L-8N-G1 | 00845384013143 | 2.3 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013143 |
| S-1B-G1 | 00845384013174 | 1 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013174 |
| S-1DC-G1 | 00845384013181 | 1 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013181 |
| S-8N-18-G1 | 00845384013198 | 1.8 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013198 |
| S-1506TD-G1 | 00845384013211 | Twist Drill for 1.5 mm x 6 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013211 |
| L-9B-G1 | 00845384013228 | 9 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013228 |
| M-6B-4-G1 | 00845384013242 | 6 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013242 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| M-5B-4-G1 | 00845384013297 | 5 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013297 |
| SHD-5B-G1 | 00845384013303 | 5 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013303 |
| L-5AC-G1 | 00845384013310 | 5 mm Fluted Acorn. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013310 |
| S-5AC-G1 | 00845384013327 | 5 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013327 |
| L-5DX-G1 | 00845384013334 | 5 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013334 |
| S-4B-4-G1 | 00845384013341 | 4 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013341 |
| L-3SB-G1 | 00845384013365 | 3 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013365 |
| M-3B-G1 | 00845384013372 | 3 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013372 |
| L-3SD-G1 | 00845384013389 | 3 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013389 |
| L-8NSDC-G1 | 00845384013419 | 3.2 mm Coarse Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013419 |
| M-2SD-G1 | 00845384013433 | 2 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013433 |
| S-1SB-G1 | 00845384013464 | 1 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013464 |
| S-1SD-G1 | 00845384013471 | 1 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013471 |
| S-1SDC-G1 | 00845384013488 | 1 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013488 |
| SHD-DS-A-G1 | 00845384013495 | 1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap max. 60,000 RPM. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013495 |
| S-15B-G1 | 00845384013501 | 1.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013501 |
| S-05D-G1 | 00845384013532 | 0.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013532 |
| LHD-6AC-G1 | 00845384013587 | 6 mm Fluted Acorn. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384013587 |
| L-6D-G1 | 00845384013594 | 6 mm Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013594 |
| M-5AC-G1 | 00845384013617 | 5 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013617 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|---|-------------|-----------------|---|
| L-4DC-G1 | 00845384013655 | 4 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14-S Attachments. | Power Tools | EA |  (01)00845384013655 |
| S-4BL-C-G1 | 00845384013662 | 4 MM CARBIDE FLUTED BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384013662 |
| S-4B-C-G1 | 00845384013679 | 4 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013679 |
| S-3B-C-G1 | 00845384013686 | 3 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013686 |
| S-35B-G1 | 00845384013693 | 3.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013693 |
| S-35D-G1 | 00845384013709 | 3.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013709 |
| L-2SD-G1 | 00845384013730 | 2 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013730 |
| M-2SDC-G1 | 00845384013747 | 2 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013747 |
| S-25SB-G1 | 00845384013754 | 2.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013754 |
| SHD-3-10-G1 | 00845384013778 | 1.93 mm Suture Pass Drill / 1.17 eye. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013778 |
| P-CRN-4-G1 | 00845384013785 | 1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with CRANI-P-G1, CRANI-P Attachments. | Power Tools | EA |  (01)00845384013785 |
| LHD-7B-G1 | 00845384013839 | 7 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384013839 |
| L-7AC-G1 | 00845384013846 | 7 mm Fluted Acorn. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013846 |
| L-6DRC-G1 | 00845384013860 | 6 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013860 |
| SHD-6B-G1 | 00845384013877 | 6 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013877 |
| LHD-6B-G1 | 00845384013884 | 6 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384013884 |
| M-5DX-G1 | 00845384013921 | 5 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013921 |
| LHD-8NS-M-G1 | 00845384013945 | 3 mm Fluted Matchstick, Less Aggressive. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384013945 |
| LHD-3SB-G1 | 00845384013976 | 3 mm Fluted Ball, Standard Length. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384013976 |
| M-3D-G1 | 00845384013990 | 3 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013990 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| L-3SDC-G1 | 00845384014003 | 3 mm Coarse Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014003 |
| S-35SB-G1 | 00845384014027 | 3.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014027 |
| L-2SB-G1 | 00845384014058 | 2 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014058 |
| M-2B-G1 | 00845384014065 | 2 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014065 |
| S-2SB-C-G1 | 00845384014096 | 2 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014096 |
| MHD-25DD-G1 | 00845384014102 | 25.4 mm Diamond Disc. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384014102 |
| S-2004TD-G1 | 00845384014171 | Twist Drill for 2.0 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014171 |
| XLHD-75AC-G1 | 00845384014188 | 7.5 mm Fluted Acorn. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384014188 |
| L-68DRMDX-G1 | 00845384014201 | 6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014201 |
| M-5BA-20-G1 | 00845384014218 | 5 mm x 20 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014218 |
| LHD-5DRM-L-G1 | 00845384014225 | 5 mm x 16.2 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384014225 |
| L-5B-4-G1 | 00845384014256 | 5 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014256 |
| S-5B-12F-G1 | 00845384014263 | 5 mm Fluted Ball, 12 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014263 |
| LHD-5B-G1 | 00845384014270 | 5 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384014270 |
| S-4OV-G1 | 00845384014287 | 4 mm x 8 mm Fluted Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014287 |
| L-4BA-G1 | 00845384014294 | 4 mm x 8 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014294 |
| M-4DRM-G1 | 00845384014317 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014317 |
| L-4B-4-G1 | 00845384014331 | 4 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014331 |
| MIA16-8NSM-G1 | 00845384014393 | 3 mm Fluted Matchstick, Less Aggressive. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384014393 |
| M-3DC-G1 | 00845384014423 | 3 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014423 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|---|-------------|-----------------|---|
| M-2DC-G1 | 00845384014478 | 2 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014478 |
| S-2B-C-G1 | 00845384014485 | 2 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014485 |
| S-25B-G1 | 00845384014492 | 2.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014492 |
| M-1SD-G1 | 00845384014560 | 1 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014560 |
| S-1SB-C-G1 | 00845384014584 | 1 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014584 |
| MHD-17DD-G1 | 00845384014591 | 17 mm Diamond Disc. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384014591 |
| SHD-17DD-G1 | 00845384014607 | 17 mm Diamond Disc. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384014607 |
| MHD-126BT-G1 | 00845384014614 | 12.6 mm x 10.4 mm Boring Tool, 3 Flutes. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384014614 |
| L-1R-G1 | 00845384014638 | 1.2 mm x 12.8 mm Fluted Router. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014638 |
| S-05B-G1 | 00845384014652 | 0.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014652 |
| S-2006TD-G1 | 00845384014669 | Twist Drill for 2.0 mm x 6 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014669 |
| L-8BA-G1 | 00845384014676 | 8 mm x 12.5 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014676 |
| M-8BA-G1 | 00845384014683 | 8 mm x 12.5 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014683 |
| S-8DC-G1 | 00845384014690 | 8 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014690 |
| L-6DC-G1 | 00845384014744 | 6 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014744 |
| S-68DRMDC-G1 | 00845384014751 | 6.8 mm x 10.6 mm Coarse Diamond Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014751 |
| LHD-64DRM-G1 | 00845384014768 | 6.4 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384014768 |
| MHD-62DRM-G1 | 00845384014782 | 6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384014782 |
| MIA16-5D-G1 | 00845384014843 | 5 mm Diamond Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384014843 |
| M-5B-C-G1 | 00845384014850 | 5 mm Carbide Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014850 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|--|-------------|-----------------|---|
| L-CRN-S-4-G1 | 00845384014928 | 2.47 mm x 30.3 mm Fluted Spiral Router, 4-Series. Use with CRANI-L-G1, CRANI-L Attachments. | Power Tools | EA |  (01)00845384014928 |
| MHD-25R-G1 | 00845384014935 | 2.15 mm x 25.4 mm Fluted Router. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384014935 |
| S-1506TD-M-G1 | 00845384014966 | 1.5 mm x 6 mm Fluted Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014966 |
| S-7IP-G1 | 00845384015055 | 7 mm x 13.1 mm Fluted Pear, Inverted. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015055 |
| S-7B-C-14F-G1 | 00845384015093 | 7 mm Carbide Fluted Ball, 14 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015093 |
| LHD-LS9-76-G1 | 00845384015109 | 7.6 mm x 28.6 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384015109 |
| M-6DX-20-G1 | 00845384015116 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015116 |
| S-6P-G1 | 00845384015123 | 6 mm x 9 mm Fluted Pear. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015123 |
| M-6BA-A-G1 | 00845384015147 | 6 mm x 11.3 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015147 |
| MIA16-6B-G1 | 00845384015178 | 6 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015178 |
| E-FP | 00845384011767 | Electric Systems Foot Control | Power Tools | EA |  (01)00845384011767 |
| MA19-15SD | 00845384011842 | 1.5 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011842 |
| MA19-3SD | 00845384011880 | 3 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011880 |
| MA19-8N | 00845384011910 | 2.3 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011910 |
| MA19-8N-18 | 00845384011927 | 1.8 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011927 |
| L-5B-G1 | 00845384012443 | 5 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384012443 |
| M-4B-G1 | 00845384012474 | 4 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012474 |
| S-4D-G1 | 00845384012498 | 4 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012498 |
| L-8NS-M-G1 | 00845384012511 | 3 mm Fluted Matchstick, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384012511 |
| L-8NS-G1 | 00845384012528 | 3 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384012528 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| M-8NS-G1 | 00845384012535 | 3 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012535 |
| S-8NS-G1 | 00845384012542 | 3 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012542 |
| S-2D-G1 | 00845384012580 | 2 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012580 |
| A-CRN-S-G1 | 00845384012597 | 2.15 mm x 22 mm Fluted Spiral Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Power Tools | EA |  (01)00845384012597 |
| S-7B-G1 | 00845384012658 | 7 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012658 |
| S-5DX-G1 | 00845384012689 | 5 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012689 |
| S-5D-G1 | 00845384012696 | 5 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012696 |
| S-5DC-G1 | 00845384012719 | 5 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012719 |
| S-4DX-G1 | 00845384012726 | 4 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012726 |
| M-4D-G1 | 00845384012733 | 4 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012733 |
| LHD-8NS-G1 | 00845384012757 | 3 mm Fluted Matchstick. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384012757 |
| M-3SB-G1 | 00845384012764 | 3 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012764 |
| S-3SDC-G1 | 00845384012788 | 3 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012788 |
| S-2SB-G1 | 00845384012801 | 2 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012801 |
| S-2B-G1 | 00845384012818 | 2 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012818 |
| S-2DC-G1 | 00845384012849 | 2 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012849 |
| L-CRN-G1 | 00845384012856 | 2.5 mm x 25.4 mm Fluted Router. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384012856 |
| SHD-6R-G1 | 00845384012887 | 1.12 mm x 6.35 mm Fluted Router. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384012887 |
| S-1504TD-G1 | 00845384012894 | Twist Drill for 1.5 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012894 |
| M-7B-G1 | 00845384012924 | 7 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012924 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| SHD-75AC-G1 | 00845384012931 | 7.5 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384012931 |
| M-6DX-G1 | 00845384012979 | 6 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384012979 |
| S-6DX-G1 | 00845384012986 | 6 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384012986 |
| S-6DC-G1 | 00845384013013 | 6 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013013 |
| M-5DC-G1 | 00845384013037 | 5 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013037 |
| L-5DC-G1 | 00845384013044 | 5 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013044 |
| M-4DX-G1 | 00845384013051 | 4 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013051 |
| M-4DC-G1 | 00845384013075 | 4 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013075 |
| M-3SD-G1 | 00845384013099 | 3 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013099 |
| L-8NS-M-C-G1 | 00845384013105 | 3 mm Carbide Fluted Matchstick, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013105 |
| MHD-15C-G1 | 00845384013112 | 3.2 mm Fluted Carbide Side Cutter. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384013112 |
| L-CRN-S-G1 | 00845384013136 | 2.47 mm x 30.3 mm Fluted Spiral Router. Use with CRANI-L-G1, CRANI-L Attachments. | Power Tools | EA |  (01)00845384013136 |
| M-8N-G1 | 00845384013150 | 2.3 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013150 |
| S-8N-G1 | 00845384013167 | 2.3 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013167 |
| A-CRN-4-G1 | 00845384013204 | 1.85 mm x 16 mm Fluted Router, 4-Series. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Power Tools | EA |  (01)00845384013204 |
| SHD-75AC-A-G1 | 00845384013235 | 7.5 mm Fluted Acorn, Less Aggressive. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013235 |
| L-6DX-20-G1 | 00845384013259 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013259 |
| L-6DX-G1 | 00845384013266 | 6 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013266 |
| S-6B-C-G1 | 00845384013273 | 6 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013273 |
| L-5DRM-G1 | 00845384013280 | 5 mm x 8.4 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013280 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| M-3SDC-G1 | 00845384013396 | 3 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013396 |
| L-8NSD-G1 | 00845384013402 | 3.2 mm Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013402 |
| M-2SB-G1 | 00845384013426 | 2 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013426 |
| S-25D-G1 | 00845384013440 | 2.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013440 |
| S-15SD-G1 | 00845384013518 | 1.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013518 |
| M-1R-G1 | 00845384013525 | 1.2 mm x 12.8 mm Fluted Router. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013525 |
| S-9B-G1 | 00845384013549 | 9 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013549 |
| L-7B-G1 | 00845384013556 | 7 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013556 |
| SHD-7B-G1 | 00845384013563 | 7 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013563 |
| M-7AC-G1 | 00845384013570 | 7 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013570 |
| MHD-8NS-G1 | 00845384013358 | 3 mm Fluted Matchstick. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384013358 |
| L-5OV-G1 | 00845384013600 | 5 mm x 10 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013600 |
| S-5B-C-G1 | 00845384013624 | 5 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013624 |
| M-4OV-G1 | 00845384013631 | 4 mm x 8 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013631 |
| L-4DX-G1 | 00845384013648 | 4 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384013648 |
| M-8NSD-G1 | 00845384013716 | 3.2 mm Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013716 |
| A-CRN-M-G1 | 00845384013723 | 2 mm x 15.6 mm Fluted Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Power Tools | EA |  (01)00845384013723 |
| M-8ND-G1 | 00845384013761 | 2.5 mm Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013761 |
| P-CRN-M-G1 | 00845384013792 | 1.3 mm x 12.8 mm Fluted Router. Use with CRANI-P-G1, CRANI-P Attachments. | Power Tools | EA |  (01)00845384013792 |
| XLHD-95DRM-G1 | 00845384013808 | 9.5 mm Fluted Drum. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384013808 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|---|-------------|-----------------|---|
| MHD-98B-G1 | 00845384013815 | 9.5 mm Boring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384013815 |
| S-8B-G1 | 00845384013822 | 8 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013822 |
| S-7B-C-G1 | 00845384013853 | 7 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013853 |
| MHD-6AC-G1 | 00845384013891 | 6 mm Fluted Acorn. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384013891 |
| M-5DRM-G1 | 00845384013907 | 5 mm x 8.4 mm Fluted Drum. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384013907 |
| S-5B-2-G1 | 00845384013914 | 5 MM FLUTED BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384013914 |
| S-4D-L-G1 | 00845384013938 | 4 MM DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384013938 |
| SHD-8NS-G1 | 00845384013952 | 3 mm Fluted Matchstick. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384013952 |
| S-3SBT-G1 | 00845384013969 | 3 mm Fluted Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013969 |
| S-3SD-100-G1 | 00845384013983 | 3 mm Diamond Ball, 100/120 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384013983 |
| S-3SB-C-G1 | 00845384014010 | 3 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014010 |
| S-35SD-G1 | 00845384014034 | 3.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014034 |
| S-35DC-G1 | 00845384014041 | 3.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014041 |
| M-2D-G1 | 00845384014072 | 2 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014072 |
| S-2SDCT-G1 | 00845384014089 | 2 mm Coarse Diamond Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014089 |
| SHD-25DD-G1 | 00845384014119 | 25.4 mm Diamond Disc. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384014119 |
| SHD-25R-G1 | 00845384014126 | 2.15 mm x 25.4 mm Fluted Router. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384014126 |
| M-8N-18-G1 | 00845384014133 | 1.8 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014133 |
| S-15SB-G1 | 00845384014140 | 1.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014140 |
| S-15DC-G1 | 00845384014157 | 1.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014157 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| M-1R-4-G1 | 00845384014164 | 1.2 mm x 12.8 mm Fluted Router, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014164 |
| M-6DC-G1 | 00845384014195 | 6 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014195 |
| M-5B-A-G1 | 00845384014232 | 5 mm Fluted Ball, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014232 |
| L-4BA-S-G1 | 00845384014300 | 4 mm x 8 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014300 |
| S-4BT-G1 | 00845384014324 | 4 mm Fluted Ball, Tapered. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014324 |
| M-4B-4-G1 | 00845384014348 | 4 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014348 |
| MIA16-4B-G1 | 00845384014355 | 4 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384014355 |
| S-4D-100-G1 | 00845384014362 | 4 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014362 |
| LHD-LS9-5-G1 | 00845384014386 | 4.7 mm x 20 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384014386 |
| MIA16-8NS-G1 | 00845384014409 | 3 mm Fluted Matchstick. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384014409 |
| S-3SDCT-G1 | 00845384014416 | 3 mm Coarse Diamond Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014416 |
| LHD-LS9-35-G1 | 00845384014430 | 3.5 mm x 19.8 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384014430 |
| S-8NSD-G1 | 00845384014447 | 3.2 mm Diamond Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014447 |
| S-2SBT-G1 | 00845384014454 | 2 mm Fluted Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014454 |
| S-2SD-120-G1 | 00845384014461 | 2 mm Diamond Ball, 120/140 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014461 |
| S-8ND-G1 | 00845384014508 | 2.5 mm Diamond Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014508 |
| S-25SD-G1 | 00845384014515 | 2.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014515 |
| S-25DC-G1 | 00845384014522 | 2.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014522 |
| S-25SDC-G1 | 00845384014539 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384014539 |
| XLHD-25R-G1 | 00845384014546 | 2.15 mm x 25.4 mm Fluted Router. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384014546 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| L-1SB-G1 | 00845384014553 | 1 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014553 |
| M-1D-G1 | 00845384014577 | 1 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384014577 |
| MA15-8NS | 00845384004615 | 3 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004615 |
| M-6B-C-G1 | 00845384015222 | 6 mm Carbide Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015222 |
| S-68DRMDX-G1 | 00845384015239 | 6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015239 |
| S-5BA-G1 | 00845384015345 | 5 mm x 10 mm Fluted Barrel. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015345 |
| S-5B-C-10F-G1 | 00845384015352 | 5 mm Carbide Fluted Ball, 10 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015352 |
| L-4DRM-G1 | 00845384015376 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015376 |
| LHD-4B-G1 | 00845384015406 | 4 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384015406 |
| MIA16-4DC-G1 | 00845384015413 | 4 mm Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015413 |
| L-4B-C-G1 | 00845384015437 | 4 mm Carbide Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015437 |
| L-47DRM-G1 | 00845384015451 | 4.7 mm x 8 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015451 |
| MHD-3DRMC-G1 | 00845384015468 | 3 mm x 9.5 mm Fluted Carbide Drum. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015468 |
| M-3BA-A-G1 | 00845384015475 | 3 mm x 11.3 mm Fluted Barrel, 14 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015475 |
| MIA16-3SB-G1 | 00845384015512 | 3 mm Fluted Ball, Standard Length. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015512 |
| M-3SB-2-G1 | 00845384015543 | 3 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015543 |
| M-35SD-G1 | 00845384015574 | 3.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015574 |
| S-2433TD-G1 | 00845384015628 | 2.4 mm x 3.3 mm Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015628 |
| M-1DC-G1 | 00845384015659 | 1 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015659 |
| MHD-97B-G1 | 00845384015673 | 12.6 mm Boring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015673 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|--|-------------|-----------------|---|
| S-15DRMC-L-G1 | 00845384015697 | 1.5 mm x 7.5 mm Cylindrical Carbide Drum, Extends 25 mm. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015697 |
| S-1203TD-G1 | 00845384015727 | 1.2 mm x 3 mm Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015727 |
| SHD-1504TD-G1 | 00845384015741 | 1.15 mm Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384015741 |
| S-05SD-G1 | 00845384015758 | 0.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015758 |
| L-9DRC-G1 | 00845384015765 | 9 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015765 |
| L-8DRC-G1 | 00845384015796 | 8 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015796 |
| L-8DRC-11-G1 | 00845384015802 | 8 mm x 11 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015802 |
| XLHD-6AC-G1 | 00845384015819 | 6 mm Fluted Acorn. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015819 |
| MIA16-6DX-G1 | 00845384015826 | 6 mm Extra Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015826 |
| SHD-6DX-G1 | 00845384015833 | 6 mm Extra Coarse Diamond Ball. Use with SHORT-HD-G1, SHORT-HD Attachments. | Power Tools | EA |  (01)00845384015833 |
| S-62BE-G1 | 00845384015857 | 6.2 mm Fluted Bell, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015857 |
| M-5B-2-G1 | 00845384015871 | 5 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015871 |
| M-5B-12F-G1 | 00845384015888 | 5 mm Fluted Ball, 12 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015888 |
| XLHD-5B-G1 | 00845384015895 | 5 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015895 |
| S-5DC-22-G1 | 00845384015925 | 5 MM COARSE DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384015925 |
| M-4BA-A-G1 | 00845384015956 | 4 mm x 11 mm Fluted Barrel, 14 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015956 |
| XLHD-4B-G1 | 00845384015970 | 4 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015970 |
| S-3B-4-G1 | 00845384016014 | 3 mm Fluted Ball, 4-Series, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016014 |
| XLHD-3SB-G1 | 00845384016021 | 3 mm Fluted Ball, Standard Length. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384016021 |
| S-3SDC-22-G1 | 00845384016052 | 3 MM COARSE DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384016052 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| M-35SDC-G1 | 00845384016069 | 3.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016069 |
| M-25SDC-G1 | 00845384016113 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016113 |
| S-8N-L-G1 | 00845384016120 | 2.3 MM FLUTED MATCHSTICK,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384016120 |
| M-15SDC-G1 | 00845384016151 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016151 |
| M-05SD-G1 | 00845384016182 | 0.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016182 |
| MIA16-7B-G1 | 00845384016212 | 7 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384016212 |
| M-4B-27-G1 | 00845384016229 | 4 mm Fluted Ball, Extends 27 mm. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016229 |
| MEDIUM-G1 | 00845384016311 | 8 cm Medium Attachment, G1 | Power Tools | EA |  (01)00845384016311 |
| QD11-G1 | 00845384016380 | 11 cm QD Angle Attachment, G1 | Power Tools | EA |  (01)00845384016380 |
| MA-D20-G1 | 00845384016397 | Minimal Access Angle Driver, G1 | Power Tools | EA |  (01)00845384016397 |
| S-4DX-20-G1 | 00845384016540 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016540 |
| S-6DX-20-G1 | 00845384016557 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016557 |
| M-8NS-ML-G1 | 00845384016564 | 3.2 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016564 |
| M-14R-G1 | 00845384016571 | 1.4 mm x 12.8 mm Fluted Router. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016571 |
| EG1A | 00845384017134 | G1 High Speed Electric Handpiece, Air Cooled | Power Tools | EA |  (01)00845384017134 |
| SC3002 | 00845384017448 | G1 Electric Console, With Irrigation | Power Tools | EA |  (01)00845384017448 |
| OCM5-06SD | 00845384017516 | 0.6 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017516 |
| OCM5-08SD | 00845384017530 | 0.8 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017530 |
| OCM5-1SD | 00845384017547 | 1 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017547 |
| OCM5-15SD | 00845384017554 | 1.5 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017554 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| OCM5-1SB | 00845384017578 | 1 mm Fluted Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017578 |
| OCM5-15SB | 00845384017585 | 1.5 mm Fluted Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017585 |
| OCM7-06SD | 00845384017615 | 0.6 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017615 |
| OCM7-1SD | 00845384017646 | 1 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017646 |
| OCM7-15SD | 00845384017653 | 1.5 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017653 |
| OCM7-2SD | 00845384017660 | 2 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017660 |
| OCM7-15SB | 00845384017684 | 1.5 mm Fluted Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017684 |
| OCM7-2SB | 00845384017691 | 2 mm Fluted Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017691 |
| M-6DC-2-G1 | 00845384015215 | 6 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015215 |
| MHD-16CT-G1 | 00845384015246 | 6.7 mm Coring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015246 |
| M-62DRM-G1 | 00845384015253 | 6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015253 |
| L-58OV-G1 | 00845384015260 | 5 mm x 8 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015260 |
| M-58OV-G1 | 00845384015277 | 5 mm x 8 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015277 |
| LHD-5DRM-G1 | 00845384015284 | 5 mm x 8.4 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384015284 |
| L-56OV-G1 | 00845384015291 | 5 mm x 6 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015291 |
| M-56OV-G1 | 00845384015307 | 5 mm x 6 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015307 |
| LHD-5DRM12-G1 | 00845384015314 | 5 mm x 12 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384015314 |
| M-5OV-G1 | 00845384015321 | 5 mm x 10 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015321 |
| MIA16-5OV-G1 | 00845384015338 | 5 mm X 10 mm Fluted Oval. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015338 |
| L-5B-C-G1 | 00845384015369 | 5 mm Carbide Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015369 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|---|-------------|-----------------|---|
| M-4OVD-G1 | 00845384015383 | 4 mm x 8 mm Diamond Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015383 |
| S-4OVD-G1 | 00845384015390 | 4 mm x 8 mm Diamond Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015390 |
| S-4B-C-10F-G1 | 00845384015420 | 4 mm Carbide Fluted Ball, 10 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015420 |
| MHD-8NS-M-G1 | 00845384015482 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015482 |
| XLHD-8NS-G1 | 00845384015499 | 3 mm Fluted Matchstick. Use with XL-HD-G1, XL-HD Attachments. | Power Tools | EA |  (01)00845384015499 |
| S-3SB-4-G1 | 00845384015505 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015505 |
| M-3SB-4-G1 | 00845384015529 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015529 |
| L-3SB-4-G1 | 00845384015536 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015536 |
| M-8NS-M-C-G1 | 00845384015550 | 3 mm Carbide Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015550 |
| L-35DR-G1 | 00845384015567 | 3.5 mm x 8.4 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015567 |
| S-35SDC-G1 | 00845384015581 | 3.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015581 |
| LHD-47-5-G1 | 00845384015604 | 3.2 mm Fluted Bell. Use with LONG-HD-G1, LONG-HD Attachments. | Power Tools | EA |  (01)00845384015604 |
| M-25SD-G1 | 00845384015611 | 2.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015611 |
| M-1SB-G1 | 00845384015635 | 1 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015635 |
| M-1SDC-G1 | 00845384015642 | 1 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015642 |
| S-1B-C-G1 | 00845384015666 | 1 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015666 |
| L-10DRC-G1 | 00845384015680 | 10 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015680 |
| S-15DRMC-G1 | 00845384015703 | 1.5 mm x 7.5 mm Cylindrical Carbide Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015703 |
| M-15SD-G1 | 00845384015710 | 1.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015710 |
| S-12D-G1 | 00845384015734 | 1.2 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015734 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|--|-------------|-----------------|---|
| MHD-95DRM-G1 | 00845384015772 | 9.5 mm Fluted Drum. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384015772 |
| L-8DX-G1 | 00845384015789 | 8 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384015789 |
| S-5B-4-G1 | 00845384015864 | 5 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015864 |
| S-5D-2-G1 | 00845384015901 | 5 MM DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384015901 |
| S-5DC-40-G1 | 00845384015918 | 5 mm Coarse Diamond Ball, 40/60 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015918 |
| M-55OV-C-G1 | 00845384015932 | 5.5 mm x 10 mm Carbide Fluted Oval.Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015932 |
| M-45DRMDX-G1 | 00845384015949 | 4 mm x 5 mm Extra Coarse Diamond Drum.Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015949 |
| M-4FD-G1 | 00845384015963 | 4 mm x 10 mm Diamond Pear Inverted.Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015963 |
| M-4AC-G1 | 00845384015987 | 4 mm Fluted Acorn.Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384015987 |
| MIA16-4D-G1 | 00845384015994 | 4 mm Diamond Ball. Use with MIA16-G1, MIA16 Attachments. | Power Tools | EA |  (01)00845384015994 |
| S-4DC-22-G1 | 00845384016007 | 4 MM COARSE DIAMOND BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS. | Power Tools | EA |  (01)00845384016007 |
| S-3SDC-50-G1 | 00845384016038 | 3 mm Coarse Diamond Ball, 50/60 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016038 |
| M-3DC-2-G1 | 00845384016045 | 3 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016045 |
| S-2SB-4-G1 | 00845384016083 | 2 mm Fluted Ball, 4-Series, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016083 |
| S-2SB-C-8F-G1 | 00845384016106 | 2 mm Carbide Fluted Ball, Standard, 8 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016106 |
| S-8N-18-4-G1 | 00845384016137 | 1.8 mm Fluted Matchstick, 4- Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016137 |
| L-8N-18-G1 | 00845384016144 | 1.8 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384016144 |
| S-1R-4-G1 | 00845384016175 | 1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384016175 |
| M-05D-G1 | 00845384016199 | 0.5 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016199 |
| MHD-9B-G1 | 00845384016205 | 9 mm Fluted Ball. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments. | Power Tools | EA |  (01)00845384016205 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| M-4DX-20-G1 | 00845384016236 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016236 |
| M-5B-27-G1 | 00845384016243 | 5 mm Fluted Ball, Extends 27 mm. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Power Tools | EA |  (01)00845384016243 |
| ADG-10-G1 | 00845384016250 | 1.0 mm Twist Drill for 1.25 mm Screw. Use with ADG Attachment. | Power Tools | EA |  (01)00845384016250 |
| ADG-11-G1 | 00845384016267 | 1.1 mm Twist Drill for 1.50 mm Screw. Use with ADG Attachment. | Power Tools | EA |  (01)00845384016267 |
| ADG-13-G1 | 00845384016274 | 1.3 mm Twist Drill for 1.7 mm Screw. Use with ADG Attachment. | Power Tools | EA |  (01)00845384016274 |
| ADG-155-G1 | 00845384016281 | 1.55 mm Twist Drill for 2.0 mm Screw. Use with ADG Attachment. | Power Tools | EA |  (01)00845384016281 |
| OCM5-05SD | 00845384017509 | 0.5 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017509 |
| OCM5-07SD | 00845384017523 | 0.7 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017523 |
| OCM5-2SD | 00845384017561 | 2 mm Diamond Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017561 |
| OCM5-2SB | 00845384017592 | 2 mm Fluted Ball, 5.6 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017592 |
| OCM7-05SD | 00845384017608 | 0.5 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017608 |
| OCM7-07SD | 00845384017622 | 0.7 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017622 |
| OCM7-08SD | 00845384017639 | 0.8 mm Diamond Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017639 |
| OCM7-1SB | 00845384017677 | 1 mm Fluted Ball, 7.3 cm. Use with OCM Attachment. | Power Tools | EA |  (01)00845384017677 |
| MA10-05SD | 00845384004387 | 0.5 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004387 |
| MA10-15SB | 00845384004400 | 1.5 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004400 |
| MA10-1SB | 00845384004417 | 1 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004417 |
| MA10-2SB | 00845384004431 | 2 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004431 |
| MA10-2SD | 00845384004448 | 2 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004448 |
| MA10-3SB | 00845384004455 | 3 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004455 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| MA10-3SD | 00845384004462 | 3 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004462 |
| MA10-4D | 00845384004479 | 4 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004479 |
| MA10-8NS | 00845384004509 | 3 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004509 |
| MA10-8NSDC | 00845384004516 | 3 mm Coarse Diamond Matchstick, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004516 |
| MA15-2SB | 00845384004530 | 2 mm Fluted Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004530 |
| MA10-08SD | 00845384004394 | 0.8 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004394 |
| MA10-25SB | 00845384004424 | 2.5 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004424 |
| MA10-8N | 00845384004486 | 2.3 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004486 |
| MA10-8N-18 | 00845384004493 | 1.8 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves. | Power Tools | EA |  (01)00845384004493 |
| MA15-15SD | 00845384004523 | 1.5 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004523 |
| MA15-2SD | 00845384004547 | 2 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004547 |
| MA15-3SB | 00845384004554 | 3 mm Fluted Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004554 |
| MA15-3SD | 00845384004561 | 3 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004561 |
| MA15-4D | 00845384004578 | 4 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004578 |
| MA15-4DC | 00845384004585 | 4 mm Coarse Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004585 |
| MA15-8N | 00845384004592 | 2.3 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004592 |
| MA15-8N-18 | 00845384004608 | 1.8 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004608 |
| MA15-8NSDC | 00845384004622 | 3 mm Coarse Diamond Matchstick, 15 cm. Use with MA-15 Bearing Sleeves. | Power Tools | EA |  (01)00845384004622 |
| MA-15C | 00845384004325 | Bearing Sleeve, 15cm Curved. Use with Minimal Access Attachments. | Power Tools | EA |  (01)00845384004325 |
| MA-15S | 00845384004332 | Bearing Sleeve, 15cm Straight. Use with Minimal Access Attachments. | Power Tools | EA |  (01)00845384004332 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| S-2SB-HX-G1 | 00845384017790 | ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384017790 |
| S-2B-HX-G1 | 00845384017806 | ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384017806 |
| S-25SB-HX-G1 | 00845384017813 | ANSPACH HELIX™ 2.5 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384017813 |
| S-25B-HX-G1 | 00845384017820 | ANSPACH HELIX™ 2.5 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384017820 |
| S-3SB-HX-G1 | 00845384017837 | ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384017837 |
| S-3B-HX-G1 | 00845384017844 | ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384017844 |
| S-35SB-HX-G1 | 00845384017851 | ANSPACH HELIX™ 3.5 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384017851 |
| S-35B-HX-G1 | 00845384017868 | ANSPACH HELIX™ 3.5 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384017868 |
| S-4B-HX-G1 | 00845384017875 | ANSPACH HELIX™ 4 mm Fluted Ball | Power Tools | EA |  (01)00845384017875 |
| S-5B-HX-G1 | 00845384017882 | ANSPACH HELIX™ 5 mm Fluted Ball | Power Tools | EA |  (01)00845384017882 |
| S-6B-HX-G1 | 00845384017899 | ANSPACH HELIX™ 6 mm Fluted Ball | Power Tools | EA |  (01)00845384017899 |
| S-7B-HX-G1 | 00845384017905 | ANSPACH HELIX™ 7 mm Fluted Ball | Power Tools | EA |  (01)00845384017905 |
| M-2SB-HX-G1 | 00845384017967 | ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384017967 |
| M-2B-HX-G1 | 00845384017974 | ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384017974 |
| M-3SB-HX-G1 | 00845384018001 | ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384018001 |
| M-3B-HX-G1 | 00845384018018 | ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384018018 |
| M-4B-HX-G1 | 00845384018049 | ANSPACH HELIX™ 4 mm Fluted Ball | Power Tools | EA |  (01)00845384018049 |
| M-5B-HX-G1 | 00845384018056 | ANSPACH HELIX™ 5 mm Fluted Ball | Power Tools | EA |  (01)00845384018056 |
| M-6B-HX-G1 | 00845384018063 | ANSPACH HELIX™ 6 mm Fluted Ball | Power Tools | EA |  (01)00845384018063 |
| M-7B-HX-G1 | 00845384018070 | ANSPACH HELIX™ 7 mm Fluted Ball | Power Tools | EA |  (01)00845384018070 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|--|-------------|-----------------|---|
| L-2SB-HX-G1 | 00845384018131 | ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384018131 |
| L-2B-HX-G1 | 00845384018148 | ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384018148 |
| L-3SB-HX-G1 | 00845384018179 | ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length | Power Tools | EA |  (01)00845384018179 |
| L-3B-HX-G1 | 00845384018186 | ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length | Power Tools | EA |  (01)00845384018186 |
| L-4B-HX-G1 | 00845384018216 | ANSPACH HELIX™ 4 mm Fluted Ball | Power Tools | EA |  (01)00845384018216 |
| L-5B-HX-G1 | 00845384018223 | ANSPACH HELIX™ 5 mm Fluted Ball | Power Tools | EA |  (01)00845384018223 |
| L-6B-HX-G1 | 00845384018230 | ANSPACH HELIX™ 6 mm Fluted Ball | Power Tools | EA |  (01)00845384018230 |
| L-7B-HX-G1 | 00845384018247 | ANSPACH HELIX™ 7 mm Fluted Ball | Power Tools | EA |  (01)00845384018247 |
| 2000-01-001 | 07612334268570 | KINCISE™ System Lithium-ion Battery | Power Tools | EA |  (01)07612334268570 |
| HK-2100-02-FP | 00845384012269 | Shipping Plug, Red, for Autolube, 5pk (REPLACEMENT PART) | Power Tools | EA |  (01)00845384012269 |
| AL-9152-00-FP | 00845384012290 | Oil Fill Cap for Autolube (REPLACEMENT PART) | Power Tools | EA |  (01)00845384012290 |
| XM-CASE | 00845384010784 | XMax Sterilization Case and Tray | Power Tools | EA |  (01)00845384010784 |
| HOSE-20-DISS | 00845384002536 | 20 Ft Air Extension Hose, DISS Adapter | Power Tools | EA |  (01)00845384002536 |
| MUFFLER-ASSY | 00845384005599 | REPLACEMENT MUFFLER ASSEMBLY FOR AUTOLUBE-III | Power Tools | EA |  (01)00845384005599 |
| E-FP-DIR | 00845384011750 | Electric Systems Foot Control With Direction Only | Power Tools | EA |  (01)00845384011750 |
| MA-19ST | 00845384011958 | Bearing Sleeve, 19 cm Straight. Use with Minimal Access Attachments. | Power Tools | EA |  (01)00845384011958 |
| E-FP-DIR/IRR | 00845384011743 | Electric Systems Foot Control With Direction and Irrigation | Power Tools | EA |  (01)00845384011743 |
| OCM-G1 | 00845384017721 | Otologic Curved Micro (OCM) Attachment, G1 | Power Tools | EA |  (01)00845384017721 |
| SHORT-G1 | 00845384016298 | 5 cm Short Attachment, G1 | Power Tools | EA |  (01)00845384016298 |
| SHORT-HD-G1 | 00845384016304 | 5 cm Heavy Duty Short Attachment, G1 | Power Tools | EA |  (01)00845384016304 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| LONG-G1 | 00845384016335 | 11 cm Long Attachment, G1 | Power Tools | EA |  (01)00845384016335 |
| MIA16-G1 | 00845384016359 | 16 cm Minimally Invasive Attachment, G1 | Power Tools | EA |  (01)00845384016359 |
| CSR60-G1 | 00845384016434 | Perforator Driver, Hudson End, 60:1 Ratio, G1 | Power Tools | EA |  (01)00845384016434 |
| QD14-G1 | 00845384016458 | 14 cm QD Angle Attachment, G1 | Power Tools | EA |  (01)00845384016458 |
| QD11-S-G1 | 00845384016472 | 10.5 cm QD Angle Attachment, G1 | Power Tools | EA |  (01)00845384016472 |
| MEDIUM-HD-G1 | 00845384016328 | 8 cm Heavy Duty Medium Attachment, G1 | Power Tools | EA |  (01)00845384016328 |
| LONG-HD-G1 | 00845384016342 | 11 cm Heavy Duty Long Attachment, G1 | Power Tools | EA |  (01)00845384016342 |
| QD8-G1 | 00845384016373 | 8 cm QD Angle Attachment, G1 | Power Tools | EA |  (01)00845384016373 |
| QD14-S-G1 | 00845384016465 | 13.5 cm QD Angle Attachment, G1 | Power Tools | EA |  (01)00845384016465 |
| QD8-S-G1 | 00845384016489 | 7.5 cm QD Angle Attachment, G1 | Power Tools | EA |  (01)00845384016489 |
| SC3001 | 00845384017431 | G1 Electric Console, Without Irrigation | Power Tools | EA |  (01)00845384017431 |
| MA-10C | 00845384004301 | Bearing Sleeve, 10cm Curved. Use with Minimal Access Attachments. | Power Tools | EA |  (01)00845384004301 |
| MA-10S | 00845384004318 | Bearing Sleeve, 10cm Straight. Use with Minimal Access Attachments. | Power Tools | EA |  (01)00845384004318 |
| MA-15ST | 00845384004349 | Bearing Sleeve, 15 cm Straight Taper. Use with Minimal Access Attachments. | Power Tools | EA |  (01)00845384004349 |
| XL-HD-G1 | 00845384016526 | 20.2 cm Heavy Duty X-Long Attachment, G1 | Power Tools | EA |  (01)00845384016526 |
| 200007008 | 07612334269119 | KINCISE™ System ATTUNE™ Revision Broach Adapter | Power Tools | EA |  (01)07612334269119 |
| 200002020 | 07612334268655 | KINCISE™ System Manual Handle | Power Tools | EA |  (01)07612334268655 |
| 200002212 | 07612334268730 | KINCISE™ System Primary Hip CORAIL™ TRI-LOCK™ SUMMIT™ Stem Impactor-Straight | Power Tools | EA |  (01)07612334268730 |
| 2000-00-001 | 07612334268563 | KINCISE™ System Automated Surgical Handpiece V2 | Power Tools | EA |  (01)07612334268563 |
| 200002213 | 07612334268747 | KINCISE™ System Primary Hip ACTIS™ Stem Impactor - Straight | Power Tools | EA |  (01)07612334268747 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|---|-------------|-----------------|---|
| 200002008 | 07612334268631 | KINCISE™ System Primary Hip, Screwdriver, hexagonal, 8.0mm | Power Tools | EA |  (01)07612334268631 |
| 200004012 | 07612334268853 | KINCISE™ System Primary Hip Threaded Femoral STEM Extractor - M6 X 1mm | Power Tools | EA |  (01)07612334268853 |
| MIA16-5DRM | 00845384016588 | 5 mm x 8.4 mm Fluted Drum. | Power Tools | EA |  (01)00845384016588 |
| QD11-8ND | 00845384006343 | 2.5 mm Diamond Matchstick. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006343 |
| XL-HD | 00845384010630 | 20.2 cm Heavy Duty Extra Long Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384010630 |
| SC2100 | 00845384008606 | eMax 2 Plus Console | Power Tools | EA |  (01)00845384008606 |
| SHORT | 00845384008798 | 5 cm Short Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384008798 |
| SHORT-HD | 00845384008804 | 5 cm Short Heavy Duty Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384008804 |
| SC2101 | 00845384011972 | eMax 2 Plus Console, Single Port with Irrigation | Power Tools | EA |  (01)00845384011972 |
| SC2102 | 00845384011989 | eMax 2 Plus Console, Single Port, No Irrigation | Power Tools | EA |  (01)00845384011989 |
| CRANI-A-G1 | 00845384016410 | 15 mm Craniotome Attachment, G1 | Power Tools | EA |  (01)00845384016410 |
| CRANI-L-G1 | 00845384016427 | 25 mm Craniotome Attachment, G1 | Power Tools | EA |  (01)00845384016427 |
| OCM | 00845384017493 | Otologic Curved Micro (OCM) Attachment | Power Tools | EA |  (01)00845384017493 |
| QD11-S | 00845384006381 | 10.5 cm Angle Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384006381 |
| QD14 | 00845384006398 | 14 cm Angle Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384006398 |
| QD14-S | 00845384006619 | 13.5 cm Angle Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384006619 |
| QD8 | 00845384006626 | 8 cm Angle Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384006626 |
| CRANI-A | 00845384001720 | 6.5 cm Adult Craniotome Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001720 |
| CRANI-P | 00845384001775 | 6.5 cm Pediatric Craniotome Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001775 |
| CSR60 | 00845384001782 | Perforator Driver with Hudson End, 60:1 Ratio. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001782 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| LONG | 00845384003571 | 11 cm Long Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384003571 |
| QD11 | 00845384005926 | 11 cm Angle Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384005926 |
| CRANI-P-G1 | 00845384016403 | 11.5 mm Craniotome Attachment, G1 | Power Tools | EA |  (01)00845384016403 |
| QD8-S | 00845384007159 | 7.5 cm Angle Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384007159 |
| ADG | 00845384000228 | 7.2 cm Adjustable Drill Guide. Adjusts 3-6 mm increments. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384000228 |
| CRANI-L | 00845384001751 | 7.5 cm Large Craniotome Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001751 |
| EMAX2-HC | 00845384002031 | eMax 2 and eMax 2 Plus Hand Control | Power Tools | EA |  (01)00845384002031 |
| EMAX2PLUS | 00845384002055 | eMax 2 Plus Handpiece | Power Tools | EA |  (01)00845384002055 |
| LONG-HD | 00845384003595 | 12.4 cm Heavy Duty Long Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384003595 |
| LONG-S | 00845384003601 | 10.5 cm Long Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384003601 |
| MA-D20 | 00845384004356 | Minimal Access 20° Angle Driver. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384004356 |
| MA-DRIVER | 00845384004370 | Minimal Access Straight Driver. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384004370 |
| MEDIUM-HD | 00845384004905 | 8 cm Medium Heavy Duty Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384004905 |
| MIA16 | 00845384005070 | 16 cm Minimally Invasive Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384005070 |
| MEDIUM | 00845384004899 | 8 cm Medium Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384004899 |
| S-SAW | 00845384008521 | Sagittal microSaw Attachment. Use with all Anspach Systems. | Power Tools | EA |  (01)00845384008521 |
| SA-JACOBS | 00845384008538 | Small Attachment, Keyless Jacobs Chuck. Use with all Anspach Systems. | Power Tools | EA |  (01)00845384008538 |
| XMAX | 00845384010791 | XMax Handpiece | Power Tools | EA |  (01)00845384010791 |
| QD8-5D-2 | 00845384011545 | 5 mm Diamond Ball, 2 mm Shaft Exposure. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384011545 |
| QD8-5B-C-10F | 00845384011811 | 5 mm Carbide Fluted Ball, 10 Flutes. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384011811 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| QD11-4BA-A | 00845384012016 | 4 mm x 11 mm Fluted Barrel, 14 Flutes. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384012016 |
| MO-3105 | 00845384012061 | 18.5 mm x 9 mm Oscillating Micro Blade. Use with O-SAW Attachment. | Power Tools | EA |  (01)00845384012061 |
| MS-3105 | 00845384012092 | 18.5 mm x 9 mm Sagittal Micro Blade. Use with S-SAW Attachment. | Power Tools | EA |  (01)00845384012092 |
| QD11-5B-A | 00845384012184 | 5 mm Fluted Ball, Less Aggressive. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384012184 |
| QD14-5B-A | 00845384012191 | 5 mm Fluted Ball, Less Aggressive. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384012191 |
| SA-JLATCH | 00845384008545 | Small Attachment, J-Latch. Use with all Anspach Systems. | Power Tools | EA |  (01)00845384008545 |
| QD14-4BA | 00845384011101 | 4 mm x 8 mm Fluted Barrel. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384011101 |
| MA19-4B | 00845384011897 | 4 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves. | Power Tools | EA |  (01)00845384011897 |
| MO-3225 | 00845384012078 | 31 mm x 9 mm Oscillating Micro Blade. Use with O-SAW Attachment. | Power Tools | EA |  (01)00845384012078 |
| MO-3515 | 00845384012085 | 42 mm x 13.3 mm Oscillating Micro Blade. Use with O-SAW Attachment. | Power Tools | EA |  (01)00845384012085 |
| MS-3225 | 00845384012108 | 31 mm x 9 mm Sagittal Micro Blade. Use with S-SAW Attachment. | Power Tools | EA |  (01)00845384012108 |
| MS-3515 | 00845384012115 | 42 mm x 13.3 mm Sagittal Micro Blade. Use with S-SAW Attachment. | Power Tools | EA |  (01)00845384012115 |
| QD11-4DX-20 | 00845384012351 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384012351 |
| L-5B-A-G1 | 00845384014249 | 5 mm Fluted Ball, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Power Tools | EA |  (01)00845384014249 |
| QD11-3SD | 00845384005995 | 3 mm Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005995 |
| QD11-5B | 00845384006138 | 5 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006138 |
| QD14-8NSDC | 00845384006602 | 3.2 mm Coarse Diamond Matchstick. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006602 |
| QD8-1SD | 00845384006701 | 1 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006701 |
| QD8-6B | 00845384007050 | 6 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007050 |
| QD11-4B | 00845384006039 | 4 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006039 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| QD11-4D | 00845384006053 | 4 mm Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006053 |
| QD11-8N-18 | 00845384006336 | 1.8 mm Fluted Matchstick. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006336 |
| QD14-5DC | 00845384006527 | 5 mm Coarse Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006527 |
| QD8-2SB | 00845384006756 | 2 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006756 |
| QD8-3SB | 00845384006817 | 3 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006817 |
| QD11-1SB | 00845384005940 | 1 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005940 |
| QD11-1SD | 00845384005957 | 1 mm Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005957 |
| QD11-3SB | 00845384005988 | 3 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005988 |
| QD11-4DC | 00845384006060 | 4 mm Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006060 |
| QD11-4OV | 00845384006091 | 4 mm x 8 mm Fluted Oval. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006091 |
| QD11-5DC | 00845384006183 | 5 mm Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006183 |
| QD11-5DRM | 00845384006190 | 5 mm x 8.4 mm Fluted Drum. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006190 |
| QD11-5DX | 00845384006206 | 5 mm Extra Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006206 |
| QD11-6BA-A | 00845384006251 | 6 mm x 11.3 mm Fluted Barrell. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006251 |
| QD11-6DC | 00845384006275 | 6 mm Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006275 |
| QD11-8NS-M | 00845384006367 | 3 mm Fluted Matchstick, Less Aggressive. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006367 |
| QD14-1SD | 00845384006411 | 1 mm Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006411 |
| QD11-3SDC | 00845384006008 | 3 mm Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006008 |
| QD14-2SD | 00845384006428 | 2 mm Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006428 |
| QD14-4D | 00845384006473 | 4 mm Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006473 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| QD14-6B | 00845384006534 | 6 mm Fluted Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006534 |
| QD14-6D | 00845384006541 | 6 mm Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006541 |
| QD14-6DX | 00845384006558 | 6 mm Extra Coarse Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006558 |
| QD14-8N-18 | 00845384006572 | 1.8 mm Fluted Matchstick. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006572 |
| QD14-8ND | 00845384006589 | 2.5 mm Diamond Matchstick. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006589 |
| QD14-8NS | 00845384006596 | 3 mm Fluted Matchstick. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006596 |
| QD8-05B | 00845384006633 | 0.5 mm Fluted Ball, Extended Length. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006633 |
| QD8-15SD | 00845384006664 | 1.5 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006664 |
| QD8-15SDC | 00845384006671 | 1.5 mm Coarse Diamond Ball, 120/140 Grit. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006671 |
| QD8-1R | 00845384006688 | 1.4 mm x 12.8 mm Fluted Router. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006688 |
| QD8-25SB | 00845384006725 | 2.5 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006725 |
| QD8-25SD | 00845384006732 | 2.5 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006732 |
| QD8-2SD | 00845384006763 | 2 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006763 |
| QD8-2SDC | 00845384006787 | 2 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006787 |
| QD8-35SDC | 00845384006800 | 3.5 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006800 |
| QD8-3SD-100 | 00845384006848 | 3 mm Diamond Ball, 100/120 Grit. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006848 |
| QD8-4DC | 00845384006893 | 4 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006893 |
| QD8-5DX | 00845384007005 | 5 mm Extra Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007005 |
| QD8-6DC | 00845384007081 | 6 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007081 |
| QD8-6DX | 00845384007098 | 6 mm Extra Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007098 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------------|----------------|---|-------------|-----------------|---|
| QD8-7B | 00845384007104 | 7 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007104 |
| QD8-8N | 00845384007111 | 2.3 mm Fluted Matchstick. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007111 |
| QD8-8N-18 | 00845384007128 | 1.8 mm Fluted Matchstick. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007128 |
| QD8-8ND | 00845384007135 | 2.5 mm Diamond Matchstick. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007135 |
| QD8-8NS | 00845384007142 | 3 mm Fluted Matchstick. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007142 |
| AUTOLUBE-III-20 | 00845384000402 | Pneumatic Foot Control, 20 Ft Hose | Power Tools | EA |  (01)00845384000402 |
| AUTOLUBE-III-MA7 | 00845384000464 | Pneumatic Foot Control, MA7 Adapter | Power Tools | EA |  (01)00845384000464 |
| CDA | 00845384001676 | 6.8 cm Controlled Depth Attachment. Adjusts 1-4 mm increments. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001676 |
| CDA-1R | 00845384001683 | 1.2 mm x 12.8 mm Fluted Router. Use with CDA Attachment. | Power Tools | EA |  (01)00845384001683 |
| CRANI-L-R | 00845384001768 | 7.5 cm Large Rotating Craniotome Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001768 |
| LHD-6B-M | 00845384003496 | 6 mm Fluted Ball. Use with LONG-HD Attachment. | Power Tools | EA |  (01)00845384003496 |
| LS-3406 | 00845384003625 | 6 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003625 |
| LS-3407 | 00845384003632 | 7 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003632 |
| LS-3409 | 00845384003656 | 9 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003656 |
| LS-3411 | 00845384003670 | 11 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003670 |
| LS-3412 | 00845384003687 | 12 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003687 |
| QD11-1R | 00845384005933 | 1.4 mm x 12.8 mm Fluted Router. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005933 |
| QD11-2SB | 00845384005964 | 2 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005964 |
| QD11-2SD | 00845384005971 | 2 mm Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384005971 |
| E-HC | 00845384016595 | Hand Control, Electric Handpiece EM | Power Tools | EA |  (01)00845384016595 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| QD11-4DX | 00845384006084 | 4 mm Extra Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006084 |
| QD11-4OVDC | 00845384006114 | 4 mm x 8 mm Coarse Diamond Oval. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006114 |
| QD11-5B-12F | 00845384006145 | 5 mm Fluted Ball, 12 Flutes. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006145 |
| QD11-5BA-A | 00845384006169 | 5 mm x 11.3 mm Fluted Barrel. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006169 |
| QD11-5D | 00845384006176 | 5 mm Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006176 |
| QD11-5OV | 00845384006213 | 5 mm x 10 mm Fluted Oval. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006213 |
| QD11-6B | 00845384006244 | 6 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006244 |
| QD11-6D | 00845384006268 | 6 mm Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006268 |
| QD11-6DX | 00845384006282 | 6 mm Extra Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006282 |
| QD11-7B | 00845384006305 | 7 mm Fluted Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006305 |
| QD11-8N | 00845384006329 | 2.3 mm Fluted Matchstick. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006329 |
| QD11-8NS | 00845384006350 | 3 mm Fluted Matchstick. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006350 |
| QD11-8NSDC | 00845384006374 | 3.2 mm Coarse Diamond Matchstick. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006374 |
| QD14-3SB | 00845384006435 | 3 mm Fluted Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006435 |
| QD14-3SD | 00845384006442 | 3 mm Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006442 |
| QD14-47DRM | 00845384006459 | 4.7 mm x 8 mm Fluted Drum. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006459 |
| QD14-4B | 00845384006466 | 4 mm Fluted Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006466 |
| QD14-4DC | 00845384006480 | 4 mm Coarse Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006480 |
| QD14-4OV | 00845384006497 | 4 mm x 8 mm Fluted Oval. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006497 |
| QD14-5B | 00845384006503 | 5 mm Fluted Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006503 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| QD14-5D | 00845384006510 | 5 mm Diamond Ball. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006510 |
| QD14-8N | 00845384006565 | 2.3 mm Fluted Matchstick. Use with QD14 Attachment. | Power Tools | EA |  (01)00845384006565 |
| QD8-05SD | 00845384006640 | 0.5 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006640 |
| QD8-15SB | 00845384006657 | 1.5 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006657 |
| QD8-1SB | 00845384006695 | 1 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006695 |
| QD8-25SDC | 00845384006749 | 2.5 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006749 |
| QD8-35SD | 00845384006794 | 3.5 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006794 |
| QD8-3SD | 00845384006831 | 3 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006831 |
| QD8-3SDC | 00845384006855 | 3 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006855 |
| QD8-4B | 00845384006862 | 4 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006862 |
| QD8-4D | 00845384006886 | 4 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006886 |
| QD8-4DX | 00845384006916 | 4 mm Extra Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006916 |
| QD8-4OV | 00845384006923 | 4 mm x 8 mm Fluted Oval. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006923 |
| QD8-5B | 00845384006954 | 5 mm Fluted Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006954 |
| QD8-5BA | 00845384006978 | 5 mm x 10 mm Fluted Barrel. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006978 |
| QD8-5D | 00845384006985 | 5 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006985 |
| QD8-5DC | 00845384006992 | 5 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006992 |
| QD8-5OV | 00845384007012 | 5 mm x 10 mm Fluted Oval. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007012 |
| QD8-6D | 00845384007074 | 6 mm Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384007074 |
| R-SAW | 00845384007173 | Reciprocating microSaw Attachment. Use with all Anspach Systems. | Power Tools | EA |  (01)00845384007173 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------------|----------------|--|-------------|-----------------|---|
| AUTOLUBE-III | 00845384000396 | Pneumatic Foot Control | Power Tools | EA |  (01)00845384000396 |
| AUTOLUBE-III-IRR | 00845384000457 | Pneumatic Foot Control for Irrigation System | Power Tools | EA |  (01)00845384000457 |
| CRANI-A-01 | 00845384001737 | 6.5 cm Adult Craniotome, Thin Foot Plate Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001737 |
| CRANI-A-R | 00845384001744 | 6.5 cm Adult Rotating Craniotome Attachment. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001744 |
| DRIVER | 00845384001928 | Keyless Driver. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384001928 |
| LS-3405 | 00845384003618 | 5 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003618 |
| LS-3408 | 00845384003649 | 8 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003649 |
| LS-3410 | 00845384003663 | 10 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384003663 |
| MO-3001 | 00845384005315 | 28.5 mm x 5.5 mm Oscillating Micro Blade. Use with O-SAW Attachment. | Power Tools | EA |  (01)00845384005315 |
| MO-3003 | 00845384005339 | 21 mm x 5.5 mm Oscillating Micro Blade. Use with O-SAW Attachment. | Power Tools | EA |  (01)00845384005339 |
| MO-3006 | 00845384005353 | 12 MM X 5.5 MM OSCILLATING MICRO BLADE. USE WITH O-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005353 |
| MR-0500 | 00845384005384 | 6.6 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment. | Power Tools | EA |  (01)00845384005384 |
| MR-0560 | 00845384005414 | 14 MM, 13 TEETH/CM RECIPROCATING MICRO BLADE. USE WITH R-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005414 |
| MR-0580 | 00845384005421 | 20 MM, TEETH/CM RECIPROCATING MICRO BLADE. USE WITH R-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005421 |
| MR-0600 | 00845384005438 | 25.4 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment. | Power Tools | EA |  (01)00845384005438 |
| MR-14006 | 00845384005445 | 39.5 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment. | Power Tools | EA |  (01)00845384005445 |
| MS-3100C | 00845384005483 | 41 mm x 14 mm Coarse Sagittal Saw Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384005483 |
| MS-3101C | 00845384005506 | 24 MM X 9.5 MM COARSE SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005506 |
| MS-3102 | 00845384005513 | 24 MM X 4.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005513 |
| MS-3104 | 00845384005520 | 15.2 mm x 9.5 mm Sagittal Micro Blade. Use with S-SAW Attachment. | Power Tools | EA |  (01)00845384005520 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|---|-------------|-----------------|---|
| MS-3240 | 00845384005568 | 41 mm x 9.5 mm Sagittal Saw Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384005568 |
| O-SAW | 00845384005612 | Oscillating microSaw Attachment. Use with all Anspach Systems. | Power Tools | EA |  (01)00845384005612 |
| MO-3002 | 00845384005322 | 34 MM X 10 MM OSCILLATING MICRO BLADE. USE WITH O-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005322 |
| MO-3005 | 00845384005346 | 18.5 mm x 10 mm Oscillating Micro Blade. Use with O-SAW Attachment. | Power Tools | EA |  (01)00845384005346 |
| MR-0520 | 00845384005391 | 22.9 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment. | Power Tools | EA |  (01)00845384005391 |
| MR-0540 | 00845384005407 | 25.1 mm, 14 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment. | Power Tools | EA |  (01)00845384005407 |
| MS-3101 | 00845384005490 | 24 MM X 9.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005490 |
| MS-3106 | 00845384005537 | 24 MM X 5.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005537 |
| MS-3108 | 00845384005544 | 33 MM X 4 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT. | Power Tools | EA |  (01)00845384005544 |
| MS-3231 | 00845384005551 | 41 mm x 19.5 mm Sagittal Saw Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Power Tools | EA |  (01)00845384005551 |
| SIL-15 | 00845384008897 | 3.2 mm Fluted Carbide Side Cutter. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008897 |
| SIL-1510 | 00845384008903 | 1.55 mm x 10 mm Twist Drill. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008903 |
| SIL-17-4C | 00845384009016 | 4 mm Coarse Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009016 |
| SIL-17-4CX | 00845384009023 | 4 mm Extra Coarse Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009023 |
| SIL-17-5 | 00845384009030 | 5 mm Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009030 |
| SIL-2 | 00845384009122 | 2.15 mm x 25.4 mm Fluted Router. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009122 |
| SIL-23 | 00845384009160 | 14.7 mm Coring Tool. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009160 |
| SIL-24 | 00845384009177 | 6 mm Fluted Acorn. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009177 |
| SIL-3-10 | 00845384009214 | 1.93 mm Suture Pass Drill / 1.17 eye. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009214 |
| SIL-32 | 00845384009221 | 7.5 mm Fluted Acorn. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009221 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| SIL-38 | 00845384009238 | 9.2 mm Fluted Acorn. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009238 |
| SIL-464-4 | 00845384009269 | Twist Drill for 2.0 mm x 4 mm Screw. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009269 |
| SIL-466-6 | 00845384009276 | Twist Drill for 2.0 mm x 6 mm Screw. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009276 |
| SIL-6 | 00845384009313 | 6 mm Fluted Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009313 |
| SIL-8-18 | 00845384009351 | 1.8 mm Fluted Matchstick. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009351 |
| SIL-14 | 00845384008873 | 25.4 mm Diamond Disc. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008873 |
| SIL-DS-A | 00845384009405 | 1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009405 |
| TURQ-17-3 | 00845384009542 | 3 mm Diamond Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009542 |
| TURQ-17-4 | 00845384009566 | 4 mm Diamond Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009566 |
| TURQ-17-5C | 00845384009603 | 5 mm Coarse Diamond Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009603 |
| TURQ-17-6 | 00845384009627 | 6 mm Diamond Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009627 |
| TURQ-406-6 | 00845384009672 | Twist Drill for 1.25 mm x 6 mm Screw. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009672 |
| TURQ-434-4 | 00845384009689 | Twist Drill for 1.5 mm x 4 mm Screw. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009689 |
| TURQ-5 | 00845384009702 | 5 mm Fluted Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009702 |
| TURQ-6 | 00845384009719 | 6 mm Fluted Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009719 |
| TURQ-L17-3 | 00845384009832 | 3 mm Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009832 |
| TURQ-L17-4 | 00845384009856 | 4 mm Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009856 |
| TURQ-L17-4C | 00845384009863 | 4 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009863 |
| TURQ-L17-5 | 00845384009887 | 5 mm Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009887 |
| TURQ-L17-5C | 00845384009894 | 5 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009894 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| TURQ-L17-6C | 00845384009924 | 6 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009924 |
| TURQ-L17-6CX | 00845384009931 | 6 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009931 |
| TURQ-L3 | 00845384009962 | 3 mm Fluted Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009962 |
| TURQ-L6 | 00845384010012 | 6 mm Fluted Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010012 |
| TURQ-L8 | 00845384010029 | 3 mm Fluted Matchstick. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010029 |
| TURQ-L8-18 | 00845384010036 | 1.8 mm Fluted Matchstick. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010036 |
| TURQ-L8-L | 00845384010050 | 3 mm Fluted Matchstick, Extends 20.8 mm. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010050 |
| TURQ-L8D-25 | 00845384010074 | 2.5 mm Diamond Matchstick. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010074 |
| TURQ-L9-58 | 00845384010098 | 5 mm x 8.4 mm Fluted Drum. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010098 |
| VIO-17-3 | 00845384010173 | 3 mm Diamond Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010173 |
| VIO-17-4 | 00845384010197 | 4 mm Diamond Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010197 |
| VIO-17-5 | 00845384010227 | 5 mm Diamond Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010227 |
| VIO-17-6CX | 00845384010272 | 6 mm Extra Coarse Diamond Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010272 |
| VIO-2 | 00845384010289 | 2.15 mm x 25.4 mm Fluted Router. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010289 |
| VIO-24 | 00845384010296 | 6 mm Fluted Acorn. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010296 |
| VIO-2XL | 00845384010319 | 3.05 mm x 38.2 mm Fluted Router. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010319 |
| VIO-32 | 00845384010333 | 7.5 mm Fluted Acorn. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010333 |
| VIO-38 | 00845384010340 | 9.2 mm Fluted Acorn. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010340 |
| VIO-40-5 | 00845384010388 | 5 mm x 10 mm Fluted Oval. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010388 |
| VIO-5 | 00845384010418 | 5 mm Fluted Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010418 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| VIO-6 | 00845384010425 | 6 mm Fluted Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010425 |
| VIO-8 | 00845384010470 | 3 mm Fluted Matchstick. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010470 |
| VIO-8-18 | 00845384010487 | 1.8 mm Fluted Matchstick. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010487 |
| VIO-8-M | 00845384010494 | 3 mm Fluted Matchstick, Less Aggressive. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010494 |
| TURQ-L5 | 00845384010005 | 5 mm Fluted Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010005 |
| SIL-0 | 00845384008828 | 1.12 mm x 6.35 mm Fluted Router. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008828 |
| SIL-1 | 00845384008835 | 1.85 mm x 16 mm Fluted Router. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008835 |
| SIL-10 | 00845384008859 | 9.5 mm Fluted Drum. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008859 |
| SIL-14-17 | 00845384008880 | 17 mm Diamond Disc. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008880 |
| SIL-16XL2 | 00845384008934 | 6.7 mm x 45 mm Coring Tool. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008934 |
| SIL-17-3 | 00845384008989 | 3 mm Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384008989 |
| SIL-17-4 | 00845384009009 | 4 mm Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009009 |
| SIL-17-5CX | 00845384009054 | 5 mm Extra Coarse Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009054 |
| SIL-17-6 | 00845384009061 | 6 mm Diamond Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009061 |
| SIL-2XL | 00845384009191 | 3.05 mm x 38.2 mm Fluted Router. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009191 |
| SIL-3 | 00845384009207 | 3 mm Fluted Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009207 |
| SIL-39 | 00845384009245 | 5 mm Fluted Acorn. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009245 |
| SIL-4 | 00845384009252 | 4 mm Fluted Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009252 |
| SIL-47 | 00845384009283 | 6.2 mm Fluted Bell, Side Cut Only. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009283 |
| SIL-5 | 00845384009290 | 5 mm Fluted Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009290 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| SIL-7 | 00845384009320 | 7 mm Fluted Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009320 |
| SIL-7-9 | 00845384009337 | 9 mm Fluted Ball. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009337 |
| SIL-8 | 00845384009344 | 3 mm Fluted Matchstick. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009344 |
| SIL-9 | 00845384009382 | 6.4 mm Fluted Drum. Use with B-SILVER Attachment. | Power Tools | EA |  (01)00845384009382 |
| TURQ-1 | 00845384009504 | 1.4 mm x 12.8 mm Fluted Router. Use with B-TURQUOISE, B-TURQ-X, or B-TURQ-CDA Attachments. | Power Tools | EA |  (01)00845384009504 |
| TURQ-17-2 | 00845384009528 | 2 mm Diamond Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009528 |
| TURQ-3 | 00845384009641 | 3 mm Fluted Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009641 |
| TURQ-4 | 00845384009658 | 4 mm Fluted Ball. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009658 |
| TURQ-436-6 | 00845384009696 | Twist Drill for 1.5 mm x 6 mm Screw. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009696 |
| TURQ-8 | 00845384009733 | 3 mm Fluted Matchstick. Use with B-TURQUOISE Attachment. | Power Tools | EA |  (01)00845384009733 |
| TURQ-L1 | 00845384009788 | 1.4 mm x 12.8 mm Fluted Router. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009788 |
| TURQ-L17-2 | 00845384009818 | 2 mm Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009818 |
| TURQ-L17-3C | 00845384009849 | 3 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009849 |
| TURQ-L17-4CX | 00845384009870 | 4 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009870 |
| TURQ-L17-5CX | 00845384009900 | 5 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009900 |
| TURQ-L17-7CX | 00845384009955 | 7 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009955 |
| TURQ-L4 | 00845384009979 | 4 mm Fluted Ball. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384009979 |
| TURQ-L8-23 | 00845384010043 | 2.3 mm Fluted Matchstick. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010043 |
| TURQ-L8-M | 00845384010067 | 3 mm Fluted Matchstick, Less Aggressive. Use with B-TURQ-L Attachment. | Power Tools | EA |  (01)00845384010067 |
| VIO-3 | 00845384010326 | 3 mm Fluted Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010326 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------------|----------------|--|-------------|-----------------|---|
| VIO-4 | 00845384010364 | 4 mm Fluted Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010364 |
| VIO-40-4 | 00845384010371 | 4 mm x 8 mm Fluted Oval. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010371 |
| VIO-7-2 | 00845384010456 | 2 mm Fluted Ball. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010456 |
| VIO-87-5 | 00845384010500 | 5 mm x 10 mm Fluted Barrel. Use with B-VIOLET Attachment. | Power Tools | EA |  (01)00845384010500 |
| EM-1961-11-FP | 00845384012306 | IV Pole for Console (REPLACEMENT PART) | Power Tools | EA |  (01)00845384012306 |
| GREY-471-50 | 00845384002192 | 1.1 mm Twist Drill for 1.5 mm Screw. Use with B-GREY-ADG Attachment. | Power Tools | EA |  (01)00845384002192 |
| GRE-1 | 00845384002154 | 1.85 mm x 16 mm Fluted Router. Use with B-GREEN Attachments. | Power Tools | EA |  (01)00845384002154 |
| RED-2 | 00845384007234 | 2.15 mm x 25.4 mm Fluted Router. Use with B-RED Attachment. | Power Tools | EA |  (01)00845384007234 |
| RED-32 | 00845384007265 | 7.5 mm Fluted Acorn. Use with B-RED Attachment. | Power Tools | EA |  (01)00845384007265 |
| RED-8 | 00845384007333 | 3 mm Fluted Matchstick. Use with B-RED Attachment. | Power Tools | EA |  (01)00845384007333 |
| RED-9 | 00845384007340 | 6.4 mm Fluted Drum. Use with B-RED Attachment. | Power Tools | EA |  (01)00845384007340 |
| AUTOLUBE-III-FG7 | 00845384000433 | Pneumatic Foot Control, Foot Guard and MA7 Adapter | Power Tools | EA |  (01)00845384000433 |
| BLA-15 | 00845384000945 | 3.2 mm Fluted Carbide Side Cutter. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000945 |
| BLA-2 | 00845384000952 | 2.15 mm x 25.4 mm Fluted Router. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000952 |
| BLA-51 | 00845384001027 | 6.4 mm Fluted Cylindrical Carbide. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384001027 |
| BLU-32 | 00845384001294 | 7.5 mm Fluted Acorn. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001294 |
| BLU-51 | 00845384001362 | 6.4 mm Fluted Cylindrical Carbide. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001362 |
| BLU-8 | 00845384001409 | 3 mm Fluted Matchstick. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001409 |
| BLU-8-18 | 00845384001416 | . Use with B-BLUE-S Attachment.1.8 mm Fluted Matchstick | Power Tools | EA |  (01)00845384001416 |
| BLU-8D-32C | 00845384001447 | 3.7 mm Coarse Diamond Matchstick. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001447 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|---|-------------|-----------------|---|
| BLU-9 | 00845384001454 | 6.4 mm Fluted Drum. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001454 |
| BLU-9DCX | 00845384001492 | 6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001492 |
| GOL-2 | 00845384002130 | 2.5 mm x 25.4 mm Fluted Router. Use with B-GOLD Attachment. | Power Tools | EA |  (01)00845384002130 |
| GOL-2S | 00845384002147 | 2.47 mm x 30.3 mm Fluted Spiral Router. Use with B-GOLD Attachment. | Power Tools | EA |  (01)00845384002147 |
| GREY-471-25 | 00845384002185 | 1.0 mm Twist Drill for 1.25 mm Screw. Use with B-GREY-ADG Attachment. | Power Tools | EA |  (01)00845384002185 |
| LONG-01 | 00845384003588 | 10.5 cm Long Attachment, Non-Tapered End. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384003588 |
| S-62DRM-G1 | 00845384015840 | 6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Power Tools | EA |  (01)00845384015840 |
| BLA-1 | 00845384000907 | 1.85 mm x 16 mm Fluted Router. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000907 |
| BLA-10 | 00845384000914 | 9.5 mm Fluted Drum. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000914 |
| BLA-5 | 00845384001010 | 5 mm Fluted Ball. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384001010 |
| BLA-9 | 00845384001072 | 6.4 mm Fluted Drum. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384001072 |
| BLU-10 | 00845384001157 | 9.5 mm Fluted Drum. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001157 |
| BLU-7 | 00845384001386 | 7 mm Fluted Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001386 |
| BLU-8-M | 00845384001423 | 3 mm Fluted Matchstick, Less Aggressive. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001423 |
| BLU-8D-32 | 00845384001430 | 3.2 mm Diamond Matchstick. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001430 |
| BLU-CS5 | 00845384001515 | 5 mm x 14 mm Fluted Drum, Side Cut Only. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001515 |
| BLU-LS9-35 | 00845384001560 | 3.5 mm x 19.8 mm Fluted Drum. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001560 |
| BLU-LS9-5 | 00845384001577 | 4.7 mm x 20 mm Fluted Drum. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001577 |
| BLU-LS9-5E | 00845384001584 | 4.7 mm x 20 mm Fluted Drum, Side Cut Only. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001584 |
| GRE-1S | 00845384002178 | 2.15 mm x 22 mm Fluted Spiral Router. Use with B-GREEN Attachments. | Power Tools | EA |  (01)00845384002178 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|---|-------------|-----------------|---|
| GREY-MIA20-7 | 00845384002413 | 7 mm Fluted Ball. Use with B-GREY-MIA20 Attachment. Use with B-GREY-MIA20 Attachment. | Power Tools | EA |  (01)00845384002413 |
| MRA-8S | 00845384005476 | 2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-S Attachments. | Power Tools | EA |  (01)00845384005476 |
| GREY-MIA20-4 | 00845384002406 | 4 mm Fluted Ball. Use with B-GREY-MIA20 Attachment. Use with B-GREY-MIA20 Attachment. | Power Tools | EA |  (01)00845384002406 |
| MRA-8L | 00845384005452 | 2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-L Attachments. | Power Tools | EA |  (01)00845384005452 |
| MRA-8M | 00845384005469 | 2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-M Attachments. | Power Tools | EA |  (01)00845384005469 |
| ORNG-1 | 00845384005704 | 11.1 mm Fluted Router. Use with ORANGE Attachment. | Power Tools | EA |  (01)00845384005704 |
| ORNG-1275 | 00845384005711 | 1.2 mm x 7.5 mm Twist Drill. Use with ORANGE Attachment. | Power Tools | EA |  (01)00845384005711 |
| ORNG-8-18 | 00845384005766 | 1.8 mm Fluted Matchstick. Use with ORANGE Attachment. | Power Tools | EA |  (01)00845384005766 |
| 1003-00-101 | 00845384018544 | KINCISE 4-PORT BATTERY CHARGER | Power Tools | EA |  (01)00845384018544 |
| SDCB | 00845384017271 | Small Diameter Cleaning Brush | Power Tools | EA |  (01)00845384017271 |
| G1-BSKT-INS | 00845384017462 | G1 Cleaning and Sterilization Basket - Insert | Power Tools | EA |  (01)00845384017462 |
| CSRSC | 00845384001812 | Shaft Storage Cover for XMax, microMax, and eMax System Perforator Drivers. | Power Tools | EA |  (01)00845384001812 |
| ACB | 00845384000211 | Attachment Cleaning Brushes (One 7 in Brush and One 12 in Brush) | Power Tools | EA |  (01)00845384000211 |
| G1-BSKT-BTM | 00845384017455 | G1 Cleaning and Sterilization Basket - Bottom | Power Tools | EA |  (01)00845384017455 |
| EMAX2-TRAY | 00845384002048 | eMax 2 Sterilization Case and Tray | Power Tools | EA |  (01)00845384002048 |
| G1-BSKT-LID | 00845384017479 | G1 Cleaning and Sterilization Basket - Lid | Power Tools | EA |  (01)00845384017479 |
| G1-BSKT-SLV | 00845384017486 | G1 Cleaning and Sterilization Basket - Connector Sleeve | Power Tools | EA |  (01)00845384017486 |
| OIL-II | 00845384005636 | Instrument Oil and One Replacement Filter for AUTOLUBE-II or AUTOLUBE- III | Power Tools | EA |  (01)00845384005636 |
| IRR-TUBE-HF | 00845384017202 | Sterile Irrigation High Flow Tube and Clips | Power Tools | EA |  (01)00845384017202 |
| HOSECLIPS-G1 | 00845384017714 | G1 Irrigation Tube Hose Clips | Power Tools | EA |  (01)00845384017714 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| IRR-TUBE | 00845384017196 | Sterile Irrigation Tube and Clips | Power Tools | EA |  (01)00845384017196 |
| IRR-CLIP-10 | 00845384002703 | 21.6 cm Irrigation Clip for 6 mm Diameter Tube. Use with QD8-G1, QD8-S-G1, SHORT-G1, SHORT Attachments. | Power Tools | EA |  (01)00845384002703 |
| IRR-CLIP-60 | 00845384002758 | 31.8 cm Irrigation Clip for Tapered Tube Use with QD11, QD11-S, QD14, QD14-S, B-QD11, B-QD11-S, B-QD14, B-QD14-S Attachments. | Power Tools | EA |  (01)00845384002758 |
| IRR-CLIP-20 | 00845384002710 | 26.7 cm Irrigation Clip for Tapered Tube. Use with QD8, QD8-S, B-QD8, B-QD8-S Attachments. | Power Tools | EA |  (01)00845384002710 |
| IRR-CLIP-30 | 00845384002727 | 21.6 cm Irrigation Clip for 8 mm Diameter Tube. Use with SHORT-HD-G1, SHORT-HD, B-SILVER Attachments. | Power Tools | EA |  (01)00845384002727 |
| IRR-CLIP-40 | 00845384002734 | 26.7 cm Irrigation Clip for 8 mm Diameter Tube. Use with LONG-HD-G1, MEDIUM-HD-G1, LONG-HD, MEDIUM-HD, B-BLUE-S, B-VIOLET Attachments. | Power Tools | EA |  (01)00845384002734 |
| IRR-CLIP-50 | 00845384002741 | 26.7 cm Irrigation Clip for 6 mm Diameter Tube. Use with LONG-G1, MEDIUM-G1, MIA16-G1, QD11-G1, QD11-S-G1, LONG, LONG-S, LONG-01, MEDIUM, MIA16, B-TURQ-L Attachments. | Power Tools | EA |  (01)00845384002741 |
| 1000-00-101 | 00845384018520 | KINCISE AUTOMATED SURGICAL IMPACTOR | Power Tools | EA |  (01)00845384018520 |
| 1002-00-102 | 00845384018537 | KINCISE RECHARGEABLE LI-ION BATTERY | Power Tools | EA |  (01)00845384018537 |
| 1010-01-101 | 00845384018551 | KINCISE POSTERIOR BROACH ADAPTER | Power Tools | EA |  (01)00845384018551 |
| 1010-01-102 | 00845384018568 | KINCISE ANTERIOR BROACH ADAPTER | Power Tools | EA |  (01)00845384018568 |
| 1011-01-101 | 00845384018575 | KINCISE PINNACLE SHELL/LINER IMPACTOR | Power Tools | EA |  (01)00845384018575 |
| 1012-01-101 | 00845384018582 | KINCISE BULLET TIP STEM INSERTER | Power Tools | EA |  (01)00845384018582 |
| 1013-00-101 | 00845384018612 | KINCISE FEMORAL HEAD IMPACTOR | Power Tools | EA |  (01)00845384018612 |
| 1013-00-901 | 00845384018629 | KINCISE FEM HEAD IMPACTOR, REPLACE CAP | Power Tools | EA |  (01)00845384018629 |
| SCHRADER-F | 00845384008613 | Schrader Adapter, Female | Power Tools | EA |  (01)00845384008613 |
| EX-BSKT-INS | 00845384016663 | EM XM Cleaning and Sterilization Basket - Insert | Power Tools | EA |  (01)00845384016663 |
| EX-BSKT-LID | 00845384016670 | EM XM Cleaning and Sterilization Basket - Lid | Power Tools | EA |  (01)00845384016670 |
| EX-BSKT-BTM | 00845384016656 | EM XM Cleaning and Sterilization Basket - Bottom | Power Tools | EA |  (01)00845384016656 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| B-OIL | 00845384000662 | Instrument Oil and One Replacement Filter for AUTOLUBE-I | Power Tools | EA |  (01)00845384000662 |
| HOSE | 00845384002475 | 20 Ft Air Extension Hose | Power Tools | EA |  (01)00845384002475 |
| HOSE-15 | 00845384002512 | 15 Ft Air Extension Hose | Power Tools | EA |  (01)00845384002512 |
| IMRI-S-8NS-M | 00845384011194 | 3 mm Fluted Matchstick, Extends 8.9 mm, Less Aggressive. Use with IMRI-SHORT Attachment. | Power Tools | EA |  (01)00845384011194 |
| BLA-6 | 00845384001034 | 6 mm Fluted Ball. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384001034 |
| BLA-8 | 00845384001065 | 3 mm Fluted Matchstick. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384001065 |
| BLU-14 | 00845384001171 | 25.4 mm Diamond Disc. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001171 |
| BLU-17-2 | 00845384001195 | 2 mm Diamond Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001195 |
| BLU-17-6 | 00845384001232 | 6 mm Diamond Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001232 |
| BLU-24 | 00845384001249 | 6 mm Fluted Acorn. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001249 |
| BLU-39 | 00845384001317 | 5 mm Fluted Acorn. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001317 |
| BLU-4 | 00845384001324 | 4 mm Fluted Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001324 |
| BLU-40-55 | 00845384001331 | 5.5 mm x 10 mm Fluted Oval. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001331 |
| BLU-5 | 00845384001355 | 5 mm Fluted Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001355 |
| BLU-6 | 00845384001379 | 6 mm Fluted Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001379 |
| BLA-24 | 00845384000969 | 6 mm Fluted Acorn. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000969 |
| BLA-32 | 00845384000983 | 7.5 mm Fluted Acorn. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000983 |
| BLA-38 | 00845384000990 | 9.2 mm Fluted Acorn. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384000990 |
| BLA-7 | 00845384001041 | 7 mm Fluted Ball. Use with B-BLACK Attachment. | Power Tools | EA |  (01)00845384001041 |
| BLU-1 | 00845384001140 | 1.85 mm x 16 mm Fluted Router. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001140 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|---------------|----------------|--|-------------|-----------------|---|
| BLU-17-1 | 00845384001188 | 1 mm Diamond Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001188 |
| BLU-17-3 | 00845384001201 | 3 mm Diamond Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001201 |
| BLU-17-4 | 00845384001218 | 4 mm Diamond Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001218 |
| BLU-17-5 | 00845384001225 | 5 mm Diamond Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001225 |
| BLU-3 | 00845384001287 | 3 mm Fluted Ball. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001287 |
| BLU-38 | 00845384001300 | 9.2 mm Fluted Acorn. Use with B-BLUE-S Attachment. | Power Tools | EA |  (01)00845384001300 |
| IMRI-A-CRN | 00845384002574 | 1.85 mm x 16 mm Fluted Router. Use with IMRI-A-CRN or IMRI-SHORT-HD Attachments. | Power Tools | EA |  (01)00845384002574 |
| IMRI-S-4B | 00845384002642 | 4 mm Fluted Ball. Use with IMRI-SHORT Attachment. | Power Tools | EA |  (01)00845384002642 |
| IMRI-SHD-6B | 00845384002659 | 6 mm Fluted Ball. Use with IMRI-SHORT Attachment. | Power Tools | EA |  (01)00845384002659 |
| IMRI-SHORT-HD | 00845384002680 | 5 cm Heavy Duty Short Attachment. Use with iMRI System Only | Power Tools | EA |  (01)00845384002680 |
| MM-SAGITTAL | 00845384005308 | Sagittal Saw. Use with XMax, eMax Systems. | Power Tools | EA |  (01)00845384005308 |
| IMRI-OIL | 00845384002611 | Synthetic Oil for iMRI Foot Control Only. | Power Tools | EA |  (01)00845384002611 |
| IMRI-S-1004TD | 00845384002628 | 1.0 mm x 4.0 mm Twist Drill with Depth Stop. Use with IMRI-SHORT Attachment. | Power Tools | EA |  (01)00845384002628 |
| IMRI-S-1R | 00845384002635 | 1.4 mm x 12.8 mm Fluted Router. Use with IMRI-SHORT Attachment. | Power Tools | EA |  (01)00845384002635 |
| IMRI-SHORT | 00845384002673 | 5 cm Short Attachment. Use with iMRI System Only | Power Tools | EA |  (01)00845384002673 |
| P-CRN-4 | 00845384005797 | 1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with CRANI-P Attachment. | Power Tools | EA |  (01)00845384005797 |
| L-2SB | 00845384002901 | 2 mm Fluted Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002901 |
| S-12D | 00845384007401 | 1.2 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007401 |
| S-5B | 00845384008149 | 5 mm Fluted Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008149 |
| A-CRN-S | 00845384000198 | 2.15 mm x 22 mm Fluted Spiral Router. Use with CRANI-A Attachment. | Power Tools | EA |  (01)00845384000198 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| S-25DC | 00845384007678 | 2.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007678 |
| S-6DC | 00845384008316 | 6 mm Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008316 |
| M-8NSD | 00845384004295 | 3.2 mm Diamond Matchstick. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004295 |
| M-8N | 00845384004257 | 2.3 mm Fluted Matchstick. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004257 |
| M-8NS-M | 00845384004288 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004288 |
| M-35SDC | 00845384003922 | 3.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003922 |
| M-5DC | 00845384004141 | 5 mm Coarse Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004141 |
| M-6B | 00845384004165 | 6 mm Fluted Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004165 |
| M-4DC | 00845384004042 | 4 mm Coarse Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004042 |
| M-4DX | 00845384004059 | 4 mm Extra Coarse Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004059 |
| M-4OV | 00845384004073 | 4 mm x 8 mm Fluted Oval. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004073 |
| M-5AC | 00845384004080 | 5 mm Fluted Acorn. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004080 |
| M-5B-4 | 00845384004110 | 5 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004110 |
| M-6DX | 00845384004219 | 6 mm Extra Coarse Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004219 |
| M-6P | 00845384004226 | 6 mm x 9 mm Fluted Pear. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004226 |
| M-7B | 00845384004240 | 7 mm Fluted Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004240 |
| L-5B | 00845384003069 | 5 mm Fluted Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003069 |
| L-6D | 00845384003175 | 6 mm Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003175 |
| L-8N | 00845384003274 | 2.3 mm Fluted Matchstick. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003274 |
| L-8NS | 00845384003298 | 3 mm Fluted Matchstick. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003298 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| L-4D | 00845384003007 | 4 mm Diamond Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003007 |
| L-3SDC | 00845384002963 | 3 mm Coarse Diamond Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002963 |
| L-4BA-S | 00845384002994 | 4 mm x 8 mm Fluted Barrel. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002994 |
| L-4OV | 00845384003045 | 4 mm x 8 mm Fluted Oval. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003045 |
| L-5AC | 00845384003052 | 5 mm Fluted Acorn. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003052 |
| L-5DC | 00845384003090 | 5 mm Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003090 |
| L-5DRC | 00845384003106 | 5 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003106 |
| L-5DRM | 00845384003113 | 5 mm x 8.4 mm Fluted Drum. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003113 |
| L-5DX | 00845384003120 | 5 mm Extra Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003120 |
| L-6DRC | 00845384003199 | 6 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003199 |
| L-7DRC | 00845384003236 | 7 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003236 |
| L-8NS-M | 00845384003304 | 3 mm Fluted Matchstick, Less Aggressive. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003304 |
| ORNG-33 | 00845384005728 | 10.5 mm Small Bone Burr. Use with ORANGE Attachment. | Power Tools | EA |  (01)00845384005728 |
| ORNG-35 | 00845384005735 | 2.3 mm Fluted Ball. Use with ORANGE Attachment. | Power Tools | EA |  (01)00845384005735 |
| ORNG-36 | 00845384005742 | 2.9 mm Fluted Ball. Use with ORANGE Attachment. | Power Tools | EA |  (01)00845384005742 |
| M-3D | 00845384003946 | 3 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003946 |
| M-1DC | 00845384003779 | 1 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003779 |
| M-2B | 00845384003854 | 2 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003854 |
| M-3SB | 00845384003977 | 3 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003977 |
| L-3SB | 00845384002949 | 3 mm Fluted Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002949 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| M-1SB | 00845384003809 | 1 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003809 |
| M-1SD | 00845384003816 | 1 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003816 |
| M-25SD | 00845384003830 | 2.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003830 |
| M-25SDC | 00845384003847 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003847 |
| M-2DC | 00845384003878 | 2 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003878 |
| M-2SD | 00845384003892 | 2 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003892 |
| M-3B | 00845384003939 | 3 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003939 |
| M-3SB-2 | 00845384003984 | 3 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003984 |
| M-3SD | 00845384003991 | 3 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003991 |
| M-3SDC | 00845384004004 | 3 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004004 |
| M-4B-4 | 00845384004028 | 4 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004028 |
| M-4D | 00845384004035 | 4 mm Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004035 |
| L-10DRC | 00845384002857 | 10 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002857 |
| MDA-8NSDC | 00845384004707 | 3 mm Coarse Diamond Matchstick. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004707 |
| MHD-15C | 00845384004929 | 3.2 mm Fluted Carbide Side Cutter. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384004929 |
| MHD-16CT | 00845384004936 | 6.7 mm Coring Tool. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384004936 |
| MHD-17DD | 00845384004943 | 17 mm Diamond Disc. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384004943 |
| MHD-25DD | 00845384004967 | 25.4 mm Diamond Disc. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384004967 |
| MHD-25R | 00845384004974 | 2.15 mm x 25.4 mm Fluted Router. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384004974 |
| MHD-8NS-M | 00845384005032 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384005032 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| MIA16-6B | 00845384005124 | 6 mm Fluted Ball. Use with MIA16 Attachment. | Power Tools | EA |  (01)00845384005124 |
| MIA16-8NS | 00845384005155 | 3 mm Fluted Matchstick. Use with MIA16 Attachment. | Power Tools | EA |  (01)00845384005155 |
| MOTOR-CASE | 00845384005377 | Handpiece Sterilization Case | Power Tools | EA |  (01)00845384005377 |
| M-5B | 00845384004097 | 5 mm Fluted Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004097 |
| M-8NS | 00845384004271 | 3 mm Fluted Matchstick. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004271 |
| M-4FD | 00845384004066 | 4 mm x 10 mm Diamond Pear Inverted. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004066 |
| M-5B-2 | 00845384004103 | 5 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004103 |
| M-5BA-20 | 00845384004127 | 5 mm x 20 mm Fluted Barrel. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004127 |
| M-5D | 00845384004134 | 5 mm Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004134 |
| M-5OV | 00845384004158 | 5 mm x 10 mm Fluted Oval. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004158 |
| M-6B-4 | 00845384004172 | 6 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004172 |
| M-6D | 00845384004189 | 6 mm Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004189 |
| M-6DC | 00845384004196 | 6 mm Coarse Diamond Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004196 |
| M-6DC-2 | 00845384004202 | 6 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004202 |
| M-7AC | 00845384004233 | 7 mm Fluted Acorn. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004233 |
| M-8ND | 00845384004264 | 2.5 mm Diamond Matchstick. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004264 |
| L-5D | 00845384003083 | 5 mm Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003083 |
| L-7AC | 00845384003212 | 7 mm Fluted Acorn. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003212 |
| L-8ND | 00845384003281 | 2.5 mm Diamond Matchstick. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003281 |
| L-6B | 00845384003151 | 6 mm Fluted Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003151 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-------------|----------------|--|-------------|-----------------|---|
| L-4DX | 00845384003038 | 4 mm Extra Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003038 |
| L-5BA | 00845384003076 | 5 mm x 10 mm Fluted Barrel. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003076 |
| L-5OV | 00845384003137 | 5 mm x 10 mm Fluted Oval. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003137 |
| L-68DRMDX | 00845384003144 | 6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003144 |
| L-6DC | 00845384003182 | 6 mm Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003182 |
| L-6DX | 00845384003205 | 6 mm Extra Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003205 |
| L-7B | 00845384003229 | 7 mm Fluted Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003229 |
| L-8DRC | 00845384003250 | 8 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003250 |
| L-4B | 00845384002970 | 4 mm Fluted Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002970 |
| L-4DC | 00845384003014 | 4 mm Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003014 |
| L-4DRM | 00845384003021 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003021 |
| M-3DC | 00845384003953 | 3 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003953 |
| M-3DC-2 | 00845384003960 | 3 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003960 |
| M-4B | 00845384004011 | 4 mm Fluted Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384004011 |
| N/REGULATOR | 00845384005605 | Nitrogen Regulator with Schrader | Power Tools | EA |  (01)00845384005605 |
| P-CRN | 00845384005780 | 1.4 mm x 12.8 mm Fluted Router. Use with CRANI-P Attachment. | Power Tools | EA |  (01)00845384005780 |
| M-1B | 00845384003755 | 1 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003755 |
| M-1D | 00845384003762 | 1 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003762 |
| M-2D | 00845384003861 | 2 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003861 |
| M-1R | 00845384003786 | 1.2 mm x 12.8 mm Fluted Router. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003786 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| M-1R-4 | 00845384003793 | 1.2 mm x 12.8 mm Fluted Router, 4-Series. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003793 |
| M-1SDC | 00845384003823 | 1 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003823 |
| M-2SB | 00845384003885 | 2 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003885 |
| M-2SDC | 00845384003908 | 2 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003908 |
| M-35SD | 00845384003915 | 3.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003915 |
| L-2SD | 00845384002925 | 2 mm Diamond Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002925 |
| L-3SD | 00845384002956 | 3 mm Diamond Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002956 |
| MDA-3SD | 00845384004677 | 3 mm Diamond Ball. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004677 |
| MDA-4D | 00845384004684 | 4 mm Diamond Ball. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004684 |
| MDA-8N-18 | 00845384004691 | 1.8 mm Fluted Matchstick. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004691 |
| MHD-19CT | 00845384004950 | 9.9 mm Coring Tool. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384004950 |
| MHD-6B | 00845384005018 | 6 mm Fluted Ball. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384005018 |
| MHD-8NS | 00845384005025 | 3 mm Fluted Matchstick. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384005025 |
| MIA16-4B | 00845384005094 | 4 mm Fluted Ball. Use with MIA16 Attachment. | Power Tools | EA |  (01)00845384005094 |
| L-1R | 00845384002864 | 1.2 mm x 12.8 mm Fluted Router. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002864 |
| L-1SB | 00845384002888 | 1 mm Fluted Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002888 |
| L-1SD | 00845384002895 | 1 mm Diamond Ball, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384002895 |
| MDA-3SB | 00845384004660 | 3 mm Fluted Ball. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004660 |
| MDA-2SB | 00845384004646 | 2 mm Fluted Ball. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004646 |
| MDA-2SD | 00845384004653 | 2 mm Diamond Ball. Use with MDA Attachment. | Power Tools | EA |  (01)00845384004653 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| L-8NSDC | 00845384003328 | 3.2 mm Coarse Diamond Matchstick. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003328 |
| L-CRN | 00845384003359 | 2.5 mm x 25.4 mm Fluted Router. Use with CRANI-L Attachment. | Power Tools | EA |  (01)00845384003359 |
| LHD-6B | 00845384003489 | 6 mm Fluted Ball. Use with LONG-HD Attachment. | Power Tools | EA |  (01)00845384003489 |
| LHD-8NS | 00845384003519 | 3 mm Fluted Matchstick. Use with LONG-HD Attachment. | Power Tools | EA |  (01)00845384003519 |
| LHD-LS9-5 | 00845384003557 | 4.7 mm x 20 mm Fluted Drum. Use with LONG-HD Attachment. | Power Tools | EA |  (01)00845384003557 |
| M-05D | 00845384003700 | 0.5 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003700 |
| M-05SD | 00845384003717 | 0.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003717 |
| M-15SD | 00845384003731 | 1.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003731 |
| M-15SDC | 00845384003748 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003748 |
| ADG-11 | 00845384000242 | 1.1 mm Twist Drill for 1.50 mm Screw. Use with ADG Attachments. | Power Tools | EA |  (01)00845384000242 |
| ADG-13 | 00845384000259 | 1.3 mm Twist Drill for 1.7 mm Screw. Use with ADG Attachments. | Power Tools | EA |  (01)00845384000259 |
| ADG-155 | 00845384000266 | 1.55 mm Twist Drill for 2.0 mm Screw. Use with ADG Attachments. | Power Tools | EA |  (01)00845384000266 |
| A-CRN-M | 00845384000181 | 2 mm x 15.6 mm Fluted Router. Use with CRANI-A Attachment. | Power Tools | EA |  (01)00845384000181 |
| QD8-4OVD | 00845384006930 | 4 mm x 8 mm Diamond Oval. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006930 |
| RED-17-55C | 00845384007210 | 5.5 mm Coarse Diamond Ball. Use with B-RED Attachment. | Power Tools | EA |  (01)00845384007210 |
| SHD-4840DS | 00845384016618 | 4.8 mm x 4 mm Twist Drill with Depth Stop. Use with SHORTH D Attachment. | Power Tools | EA |  (01)00845384016618 |
| QD11-7DX | 00845384006312 | 7 mm Extra Coarse Diamond Ball. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006312 |
| S-5AC | 00845384008132 | 5 mm Fluted Acorn. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008132 |
| L-8NSD | 00845384003311 | 3.2 mm Diamond Matchstick. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003311 |
| L-9B | 00845384003335 | 9 mm Fluted Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003335 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| L-9DRC | 00845384003342 | 9 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment. | Power Tools | EA |  (01)00845384003342 |
| L-CRN-S | 00845384003366 | 2.47 mm x 30.3 mm Fluted Spiral Router. Use with CRANI-L Attachment. | Power Tools | EA |  (01)00845384003366 |
| M-15D | 00845384003724 | 1.5 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384003724 |
| A-CRN-4 | 00845384000174 | 1.85 mm x 16 mm Fluted Router, 4-Series. Use with CRANI-A Attachments. | Power Tools | EA |  (01)00845384000174 |
| A-CRN-S-4 | 00845384000204 | 2.15 mm x 22 mm Fluted Spiral Router, 4-Series. Use with CRANI-A Attachment. | Power Tools | EA |  (01)00845384000204 |
| ADG-10 | 00845384000235 | 1.0 mm Twist Drill for 1.25 mm Screw. Use with ADG Attachments. | Power Tools | EA |  (01)00845384000235 |
| A-CRN | 00845384000167 | 1.85 mm x 16 mm Fluted Router. Use with CRANI-A Attachments. | Power Tools | EA |  (01)00845384000167 |
| QD11-4OVD | 00845384006107 | 4 mm x 8 mm Diamond Oval. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384006107 |
| QD8-1SDC | 00845384006718 | 1 mm Coarse Diamond Ball. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384006718 |
| P-CRN-M | 00845384005803 | 1.3 mm x 12.8 mm Fluted Router. Use with CRANI-P Attachment. | Power Tools | EA |  (01)00845384005803 |
| S-4B | 00845384008026 | 4 mm Fluted Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008026 |
| S-4B-C | 00845384008040 | 4 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008040 |
| S-2D | 00845384007739 | 2 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007739 |
| S-3B | 00845384007876 | 3 mm Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007876 |
| S-3DC | 00845384007913 | 3 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007913 |
| S-3SD | 00845384007975 | 3 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007975 |
| S-25D | 00845384007661 | 2.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007661 |
| S-2DC | 00845384007746 | 2 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007746 |
| S-2B-C | 00845384007722 | 2 mm Carbide Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007722 |
| S-2SB-C | 00845384007760 | 2 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007760 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| S-2SBT | 00845384007777 | 2 mm Fluted Ball, Tapered, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007777 |
| S-2SD-120 | 00845384007791 | 2 mm Diamond Ball, 120/140 Grit, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007791 |
| S-35B | 00845384007821 | 3.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007821 |
| S-35SD | 00845384007869 | 3.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007869 |
| S-3SDC-50 | 00845384008002 | 3 mm Coarse Diamond Ball, 50/60 Grit, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008002 |
| S-4D-L | 00845384008095 | 4 mm Diamond Ball, Extends 27 mm. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008095 |
| S-4OV | 00845384008125 | 4 mm x 8 mm Fluted Oval. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008125 |
| S-4D | 00845384008071 | 4 mm Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008071 |
| S-4DC | 00845384008101 | 4 mm Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008101 |
| S-4DX | 00845384008118 | 4 mm Extra Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008118 |
| S-4BT | 00845384008064 | 4 mm Fluted Ball, Tapered. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008064 |
| S-4D-100 | 00845384008088 | 4 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008088 |
| S-2SD | 00845384007784 | 2 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007784 |
| S-4BL-C | 00845384008057 | 4 mm Carbide Fluted Ball, Extends 27 mm. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008057 |
| S-35DC | 00845384007845 | 3.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007845 |
| S-3D | 00845384007906 | 3 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007906 |
| S-25SB | 00845384007685 | 2.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007685 |
| S-25SD | 00845384007692 | 2.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007692 |
| S-25SDC | 00845384007708 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007708 |
| S-2B | 00845384007715 | 2 mm Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007715 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|--|-------------|-----------------|---|
| S-2SB | 00845384007753 | 2 mm Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007753 |
| S-2SDC | 00845384007807 | 2 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007807 |
| S-2SDCT | 00845384007814 | 2 mm Coarse Diamond Ball, Tapered, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007814 |
| S-35D | 00845384007838 | 3.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007838 |
| S-35SB | 00845384007852 | 3.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007852 |
| S-3B-C | 00845384007890 | 3 mm Carbide Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007890 |
| S-3SB | 00845384007920 | 3 mm Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007920 |
| S-3SB-C | 00845384007944 | 3 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007944 |
| S-3SBT | 00845384007968 | 3 mm Fluted Ball, Tapered, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007968 |
| S-3SD-100 | 00845384007982 | 3 mm Diamond Ball, 100/120 Grit, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007982 |
| S-3SDC | 00845384007999 | 3 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007999 |
| S-3SDCT | 00845384008019 | 3 mm Coarse Diamond Ball, Tapered, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008019 |
| S-4B-4 | 00845384008033 | 4 mm Fluted Ball, 4-Series. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008033 |
| S-15SD | 00845384007500 | 1.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007500 |
| S-15B | 00845384007456 | 1.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007456 |
| S-05D | 00845384007357 | 0.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007357 |
| S-1254TD | 00845384007395 | Twist Drill for 1.25 mm x 4 mm Screw. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007395 |
| S-1510TD | 00845384007449 | 1.55 mm x 10 mm Fluted Twist Drill. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007449 |
| S-15D | 00845384007463 | 1.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007463 |
| S-15DC | 00845384007470 | 1.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007470 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| S-1B | 00845384007524 | 1 mm Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007524 |
| S-1DC | 00845384007555 | 1 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007555 |
| S-1R | 00845384007562 | 1.4 mm x 12.8 mm Fluted Router. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007562 |
| S-1SB | 00845384007586 | 1 mm Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007586 |
| S-2006TD | 00845384007630 | Twist Drill for 2.0 mm x 6 mm Screw. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007630 |
| S-2433TD | 00845384007647 | 2.4 mm x 3.3 mm Twist Drill. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007647 |
| S-25B | 00845384007654 | 2.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007654 |
| S-1D | 00845384007548 | 1 mm Diamond Ball, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007548 |
| S-1SDC | 00845384007616 | 1 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007616 |
| S-06SD | 00845384007364 | 0.6 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007364 |
| S-08SD | 00845384007371 | 0.8 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007371 |
| S-1203TD | 00845384007388 | 1.2 mm x 3 mm Twist Drill. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007388 |
| S-1504TD | 00845384007418 | Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007418 |
| S-1506TD | 00845384007425 | Twist Drill for 1.5 mm x 6 mm Screw. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007425 |
| S-1506TD-M | 00845384007432 | 1.5 mm x 6 mm Fluted Twist Drill. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007432 |
| S-15SB | 00845384007494 | 1.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007494 |
| S-15SDC | 00845384007517 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007517 |
| S-1SD | 00845384007609 | 1 mm Diamond Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007609 |
| S-2004TD | 00845384007623 | Twist Drill for 2.0 mm x 4 mm Screw. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384007623 |
| S-5DC-22 | 00845384011736 | 5 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384011736 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|--------------|----------------|--|-------------|-----------------|---|
| QD11-3BA-A | 00845384012009 | 3 mm x 11.3 mm Fluted Barrel, 14 Flutes. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384012009 |
| L-58OV | 00845384012030 | 5 mm x 8 mm Fluted Oval. Use with LONG Attachment. | Power Tools | EA |  (01)00845384012030 |
| S-15DCT | 00845384012153 | 1.5 mm Coarse Diamond Ball, Tapered, Extended Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384012153 |
| XLHD-25R | 00845384010647 | 2.15 mm x 25.4 mm Fluted Router. Use with XL-HD Attachment. | Power Tools | EA |  (01)00845384010647 |
| QD11-45DRMDX | 00845384011026 | 4 mm x 5 mm Extra Coarse Diamond Drum. Use with QD11 Attachment. | Power Tools | EA |  (01)00845384011026 |
| L-6B-4 | 00845384011149 | 6 mm Fluted Ball, 4-Series. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011149 |
| L-CRN-S-4 | 00845384011156 | 2.47 mm x 30.3 mm Fluted Spiral Router, 4 Series. Use with CRANI-L Attachment. | Power Tools | EA |  (01)00845384011156 |
| M-3SB-4 | 00845384011163 | 3 mm Fluted Ball, 4 Series, Standard Length. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384011163 |
| L-4B-C | 00845384011200 | 4 mm Carbide Fluted Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011200 |
| M-5B-C | 00845384011569 | 5 mm Carbide Fluted Ball. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384011569 |
| L-8NS-M-C | 00845384011583 | 3 mm Carbide Fluted Matchstick, Less Aggressive. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011583 |
| M-6DX-20 | 00845384011590 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384011590 |
| S-3SDC-22 | 00845384011712 | 3 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384011712 |
| S-4DC-22 | 00845384011729 | 4 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384011729 |
| S-8ND | 00845384008460 | 2.5 mm Diamond Matchstick. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008460 |
| S-8NSD | 00845384008491 | 3.2 mm Diamond Matchstick. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008491 |
| S-9B | 00845384008514 | 9 mm Fluted Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008514 |
| SHD-25R | 00845384008651 | 2.15 mm x 25.4 mm Fluted Router. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008651 |
| SHD-6DX | 00845384008729 | 6 mm Extra Coarse Diamond Ball. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008729 |
| SHD-8NS | 00845384008767 | 3 mm Fluted Matchstick. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008767 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|--|-------------|-----------------|---|
| SHD-9AC | 00845384008774 | 9.2 mm Fluted Acorn. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008774 |
| S-5B-C | 00845384008170 | 5 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008170 |
| S-5DC | 00845384008200 | 5 mm Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008200 |
| S-5DX | 00845384008224 | 5 mm Extra Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008224 |
| S-68DRMDC | 00845384008231 | 6.8 mmx 10.6 mm Coarse Diamond Drum. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008231 |
| S-68DRMDX | 00845384008248 | 6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008248 |
| S-6B-C | 00845384008286 | 6 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008286 |
| S-6IP | 00845384008330 | 6 mm x 11.8 mm Fluted Pear, Inverted. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008330 |
| S-6P | 00845384008347 | 6 mm x 9 mm Fluted Pear. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008347 |
| S-8B | 00845384008415 | 8 mm Fluted Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008415 |
| S-8N-18 | 00845384008446 | 1.8 mm Fluted Matchstick. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008446 |
| S-8N-L | 00845384008453 | 2.3 mm Fluted Matchstick, Extends 22 mm. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008453 |
| L-3SB-4 | 00845384011118 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011118 |
| L-4B-4 | 00845384011125 | 4 mm Fluted Ball, 4-Series. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011125 |
| L-5B-4 | 00845384011132 | 5 mm Fluted Ball, 4-Series. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011132 |
| S-2SB-4 | 00845384011170 | 2 mm Fluted Ball 4 Series, Standard Length. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384011170 |
| S-8N-18-4 | 00845384011187 | 1.8 mm Fluted Matchstick, 4 Series. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384011187 |
| L-8DX | 00845384011255 | 8 mm Extra Coarse Diamond Ball. Use with LONG Attachment. | Power Tools | EA |  (01)00845384011255 |
| QD8-5B-2 | 00845384011538 | 5 mm Fluted Ball, 2 mm Shaft Exposure. Use with QD8 Attachment. | Power Tools | EA |  (01)00845384011538 |
| XLHD-95DRM | 00845384010760 | 9.5 mm Fluted Drum. Use with XL-HD Attachment. | Power Tools | EA |  (01)00845384010760 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|-----------|----------------|---|-------------|-----------------|---|
| L-56OV | 00845384012023 | 5 mm x 6 mm Fluted Oval. Use with LONG Attachment. | Power Tools | EA |  (01)00845384012023 |
| M-56OV | 00845384012047 | 5 mm x 6 mm Fluted Oval. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384012047 |
| M-58OV | 00845384012054 | 5 mm x 8 mm Fluted Oval. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384012054 |
| L-6DX-20 | 00845384012160 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with LONG Attachment. | Power Tools | EA |  (01)00845384012160 |
| L-8BA | 00845384012214 | 8 mm x 12.5 mm Fluted Barrel. Use with LONG Attachment. | Power Tools | EA |  (01)00845384012214 |
| M-8BA | 00845384012221 | 8 mm x 12.5 mm Fluted Barrel. Use with MEDIUM Attachment. | Power Tools | EA |  (01)00845384012221 |
| S-4DX-20 | 00845384012368 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384012368 |
| S-6DX-20 | 00845384012375 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384012375 |
| MHD-9B | 00845384012412 | 9 mm Fluted Ball. Use with MEDIUM-HD Attachment. | Power Tools | EA |  (01)00845384012412 |
| SHD-7B | 00845384008750 | 7 mm Fluted Ball. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008750 |
| SHD-DS-A | 00845384008781 | 1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008781 |
| S-6B-4 | 00845384008279 | 6 mm Fluted Ball, 4-Series. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008279 |
| S-6D | 00845384008293 | 6 mm Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008293 |
| S-6D-100 | 00845384008309 | 6 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008309 |
| S-6DX | 00845384008323 | 6 mm Extra Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008323 |
| S-6PD | 00845384008354 | 6 mm x 9 mm Diamond Pear. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008354 |
| S-6R | 00845384008361 | 1.12 mm x 6.35 mm Fluted Router. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008361 |
| S-7B | 00845384008378 | 7 mm Fluted Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008378 |
| S-7IP | 00845384008408 | 7 mm x 13.1 mm Fluted Pear, Inverted. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008408 |
| S-8DC | 00845384008422 | 8 mm Coarse Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008422 |

| Product # | UDI-DI | Product Desc | Company | Unit of Measure | UDI Barcode |
|------------|----------------|---|-------------|-----------------|---|
| S-8N | 00845384008439 | 2.3 mm Fluted Matchstick. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008439 |
| S-8NS | 00845384008477 | 3 mm Fluted Matchstick. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008477 |
| S-8NS-M | 00845384008484 | 3 mm Fluted Matchstick, Extends 8.9 mm, Less Aggressive. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008484 |
| S-9AC | 00845384008507 | 9.2 mm Fluted Acorn. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008507 |
| SHD-1504TD | 00845384008620 | 1.15 mm Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008620 |
| SHD-17DD | 00845384008637 | 17 mm Diamond Disc. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008637 |
| SHD-25DD | 00845384008644 | 25.4 mm Diamond Disc. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008644 |
| SHD-3-10 | 00845384008668 | 1.93 mm Suture Pass Drill / 1.17 eye. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008668 |
| SHD-5B | 00845384008699 | 5 mm Fluted Ball. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008699 |
| SHD-6AC | 00845384008705 | 6 mm Fluted Acorn. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008705 |
| SHD-6B | 00845384008712 | 6 mm Fluted Ball. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008712 |
| SHD-6R | 00845384008736 | 1.12 mm x 6.35 mm Fluted Router. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008736 |
| SHD-75AC | 00845384008743 | 7.5 mm Fluted Acorn. Use with SHORT-HD Attachment. | Power Tools | EA |  (01)00845384008743 |
| S-5B-12F | 00845384008156 | 5 mm Fluted Ball, 12 Flutes. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008156 |
| S-5B-4 | 00845384008163 | 5 mm Fluted Ball, 4-Series. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008163 |
| S-5D | 00845384008187 | 5 mm Diamond Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008187 |
| S-5D-100 | 00845384008194 | 5 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008194 |
| S-5DC-40 | 00845384008217 | 5 mm Coarse Diamond Ball, 40/60 Grit. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008217 |
| S-6AC | 00845384008255 | 6 mm Fluted Acorn. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008255 |
| S-6B | 00845384008262 | 6 mm Fluted Ball. Use with SHORT Attachment. | Power Tools | EA |  (01)00845384008262 |