



|                 |   |
|-----------------|---|
| Set Code:       | 01.211.043E   |
| Set Barcode:    | <br>(01)10886982260406 |
| Description:    | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL   |
| Case Report ID: |   |


 Primary Tray

|    | Product #  | Product Desc.   | QTY | UDI-DI         | UDI Barcode   |
|----|------------|---|-----|----------------|---|
| 1  | 02.127.112 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/12MM | 3   | 10886982043108 | <br>(01)10886982043108   |
| 2  | 02.127.114 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/14MM | 3   | 10886982043115 | <br>(01)10886982043115   |
| 3  | 02.127.116 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/16MM | 3   | 10886982043122 | <br>(01)10886982043122   |
| 4  | 02.127.118 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/18MM | 3   | 10886982043139 | <br>(01)10886982043139   |
| 5  | 02.127.120 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/20MM | 3   | 10886982043146 | <br>(01)10886982043146  |
| 6  | 02.127.122 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/22MM | 3   | 10886982043153 | <br>(01)10886982043153 |
| 7  | 02.127.124 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/24MM | 3   | 10886982043160 | <br>(01)10886982043160 |
| 8  | 02.127.126 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/26MM | 3   | 10886982043177 | <br>(01)10886982043177 |
| 9  | 02.127.128 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/28MM | 3   | 10886982043184 | <br>(01)10886982043184 |
| 10 | 02.127.130 | 3.5MM VARIABLE ANGLE LOCKINGSCREW/SLF-TPNG/STRDRV/30MM  | 3   | 10886982043191 | <br>(01)10886982043191 |
| 11 | 02.127.132 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/32MM | 3   | 10886982043207 | <br>(01)10886982043207 |
| 12 | 02.127.134 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/34MM | 3   | 10886982043214 | <br>(01)10886982043214 |




|                 |   |
|-----------------|---|
| Set Code:       | 01.211.043E   |
| Set Barcode:    | <br>(01)10886982260406 |
| Description:    | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL   |
| Case Report ID: |   |


**Primary Tray**

|    | Product #  | Product Desc.   | QTY | UDI-DI         | UDI Barcode   |
|----|------------|---|-----|----------------|---|
| 13 | 02.127.136 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/36MM   | 3   | 10886982043221 | <br>(01)10886982043221   |
| 14 | 02.127.138 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/38MM   | 3   | 10886982043238 | <br>(01)10886982043238   |
| 15 | 02.127.140 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/40MM   | 3   | 10886982043245 | <br>(01)10886982043245   |
| 16 | 02.127.142 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/42MM   | 2   | 10886982043252 | <br>(01)10886982043252   |
| 17 | 02.127.144 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/44MM   | 2   | 10886982043269 | <br>(01)10886982043269  |
| 18 | 02.127.146 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/46MM   | 2   | 10886982043276 | <br>(01)10886982043276 |
| 19 | 02.127.148 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/48MM   | 2   | 10886982043283 | <br>(01)10886982043283 |
| 20 | 02.127.150 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/50MM   | 2   | 10886982043290 | <br>(01)10886982043290 |
| 21 | 02.206.212 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/12MM | 2   | 10886982050908 | <br>(01)10886982050908 |
| 22 | 02.206.214 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/14MM | 2   | 10886982050922 | <br>(01)10886982050922 |
| 23 | 02.206.216 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/16MM | 2   | 10886982050946 | <br>(01)10886982050946 |
| 24 | 02.206.218 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/18MM | 2   | 10886982050960 | <br>(01)10886982050960 |
| 25 | 02.206.220 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/20MM | 2   | 10886982050984 | <br>(01)10886982050984 |










|                 |   |
|-----------------|---|
| Set Code:       | 01.211.043E   |
| Set Barcode:    | <br>(01)10886982260406 |
| Description:    | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL   |
| Case Report ID: |   |


**Primary Tray**

|    | Product #  | Product Desc.   | QTY | UDI-DI         | UDI Barcode   |
|----|------------|---|-----|----------------|---|
| 26 | 02.206.222 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/22MM | 2   | 10886982051004 | <br>(01)10886982051004   |
| 27 | 02.206.224 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/24MM | 2   | 10886982051028 | <br>(01)10886982051028   |
| 28 | 02.206.226 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/26MM | 2   | 10886982051042 | <br>(01)10886982051042   |
| 29 | 02.206.228 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/28MM | 2   | 10886982051066 | <br>(01)10886982051066   |
| 30 | 02.206.230 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/30MM | 2   | 10886982051080 | <br>(01)10886982051080  |
| 31 | 02.206.232 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/32MM | 2   | 10886982051103 | <br>(01)10886982051103 |
| 32 | 02.206.234 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/34MM | 2   | 10886982051127 | <br>(01)10886982051127 |
| 33 | 02.206.236 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/36MM | 2   | 10886982051141 | <br>(01)10886982051141 |
| 34 | 02.206.238 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/38MM | 2   | 10886982051165 | <br>(01)10886982051165 |
| 35 | 02.206.240 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/40MM | 2   | 10886982051189 | <br>(01)10886982051189 |
| 36 | 02.206.242 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/42MM | 2   | 10886982051202 | <br>(01)10886982051202 |
| 37 | 02.206.244 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/44MM | 2   | 10886982051226 | <br>(01)10886982051226 |
| 38 | 02.206.246 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/46MM | 2   | 10886982051264 | <br>(01)10886982051264 |











|                 |   |
|-----------------|---|
| Set Code:       | 01.211.043E   |
| Set Barcode:    | <br>(01)10886982260406 |
| Description:    | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL   |
| Case Report ID: |   |


 Primary Tray

|    | Product #  | Product Desc.   | QTY | UDI-DI         | UDI Barcode   |
|----|------------|---|-----|----------------|---|
| 39 | 02.206.248 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/48MM | 2   | 10886982051288 | <br>(01)10886982051288   |
| 40 | 02.206.250 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/50MM | 2   | 10886982051301 | <br>(01)10886982051301   |
| 41 | 02.211.416 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 78MM RIGHT        | 1   | 10886982055088 | <br>(01)10886982055088   |
| 42 | 02.211.417 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 78MM LEFT         | 1   | 10886982055101 | <br>(01)10886982055101   |
| 43 | 02.211.418 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLANTAR PLATE 78MM RT   | 1   | 10886982055125 | <br>(01)10886982055125  |
| 44 | 02.211.419 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLANTAR PLATE 78MM LT   | 1   | 10886982055149 | <br>(01)10886982055149 |
| 45 | 02.211.420 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 95MM RIGHT        | 1   | 10886982055163 | <br>(01)10886982055163 |
| 46 | 02.211.421 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 95MM LEFT         | 1   | 10886982055187 | <br>(01)10886982055187 |
| 47 | 03.111.038 | HANDLE WITH QUICK COUPLING                                | 1   | 10886982072368 | <br>(01)10886982072368 |
| 48 | 03.113.024 | 2.8MM CALIBRATED DRILL BIT QC 250MM/95MM                  | 1   | 10886982072900 | <br>(01)10886982072900 |
| 49 | 03.118.002 | LARGE COMPRESSION FORCEPS WITH SPEED LOCK                 | 1   | 10886982073310 | <br>(01)10886982073310 |
| 50 | 03.118.005 | 3.5MM COMPRESSION/DISTRACTION POST/FOR VA-LOCKING HOLE    | 2   | 10886982073341 | <br>(01)10886982073341 |
| 51 | 03.118.015 | 2.8MM COMPRESSION WIRE 15MM THREAD/200MM LENGTH           | 2   | 10886982073419 | <br>(01)10886982073419 |

|                 |   |
|-----------------|---|
| Set Code:       | 01.211.043E   |
| Set Barcode:    | <br>(01)10886982260406 |
| Description:    | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL   |
| Case Report ID: |   |

**Primary Tray**

|    | Product #  | Product Desc.                                     | QTY | UDI-DI         | UDI Barcode   |
|----|------------|---|-----|----------------|---|
| 52 | 03.118.020 | 2.8MM COMPRESSION WIRE 20MM THREAD/200MM LENGTH   | 2   | 10886982073433 | <br>(01)10886982073433   |
| 53 | 03.118.025 | 2.8MM COMPRESSION WIRE 25MM THREAD/200MM LENGTH   | 2   | 10886982073457 | <br>(01)10886982073457   |
| 54 | 03.118.030 | 2.8MM COMPRESSION WIRE 30MM THREAD/200MM LENGTH   | 2   | 10886982073471 | <br>(01)10886982073471   |
| 55 | 03.118.035 | 2.8MM COMPRESSION WIRE 35MM THREAD/200MM LENGTH   | 2   | 10886982073495 | <br>(01)10886982073495   |
| 56 | 03.118.040 | 2.8MM COMPRESSION WIRE 40MM THREAD/200MM LENGTH   | 2   | 10886982073518 | <br>(01)10886982073518  |
| 57 | 03.127.001 | 2.8MM FIXED ANGLE DRILL GUIDE                     | 1   | 10886982075017 | <br>(01)10886982075017 |
| 58 | 03.127.002 | 2.8MM VARIABLE ANGLE DOUBLE DRILL GUIDE WITH CONE | 1   | 10886982075024 | <br>(01)10886982075024 |
| 59 | 03.127.004 | 2.8MM VA SPHERICAL DRILL GUIDE-LONG               | 1   | 10886982075048 | <br>(01)10886982075048 |
| 60 | 03.127.016 | 2.5NM TORQUE LIMITING HANDLE WITH QC              | 1   | 10886982075161 | <br>(01)10886982075161 |
| 61 | 292.16     | 1.6MM KIRSCHNER WIRE W/TROCAR POINT 150MM         | 1   | 20886982180374 | <br>(01)20886982180374 |
| 62 | 310.23     | 2.5MM DRILL BIT/QC/GOLD/180MM                     | 2   | 10886982186263 | <br>(01)10886982186263 |
| 63 | 310.288    | 2.8MM DRILL BIT/QC/165MM                          | 2   | 10886982186423 | <br>(01)10886982186423 |
| 64 | 310.35     | 3.5MM DRILL BIT/QC/110MM                          | 2   | 10886982186515 | <br>(01)10886982186515 |

|                 |   |
|-----------------|---|
| Set Code:       | 01.211.043E   |
| Set Barcode:    | <br>(01)10886982260406 |
| Description:    | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL   |
| Case Report ID: |   |

 **Primary Tray**

|    | Product #  | Product Desc.   | QTY | UDI-DI         | UDI Barcode   |
|----|------------|---|-----|----------------|---|
| 65 | 312.28     | 3.5MM/2.5MM DOUBLE DRILL SLEEVE                             | 1   | 10886982187703 | <br>(01)10886982187703   |
| 66 | 314.116    | STARDRIVE SCREWDRIVER SHAFT QC/T15                          | 2   | 10886982188540 | <br>(01)10886982188540   |
| 67 | 319.09     | DEPTH GAUGE FOR SMALL SCREWS                                | 1   | 10886982189998 | <br>(01)10886982189998   |
| 68 | 319.97     | SCREW FORCEPS   | 1   | 10886982190352 | <br>(01)10886982190352   |
| 69 | 329.04     | BENDING IRON FOR 2.7MM & 3.5MM PLATES                       | 1   | 10886982191731 | <br>(01)10886982191731  |
| 70 | 329.05     | BENDING IRON FOR 2.7MM & 3.5MM PLATES                       | 1   | 10886982191748 | <br>(01)10886982191748 |
| 71 | 60.116.019 | SUPPORT POSTS FOR SCREW RACK F/MODULAR GRAPHIC CASES        | 1   | 20886982243826 | <br>(01)20886982243826 |
| 72 | 60.211.026 | TRAY F/3.5MM VA-LCP MEDIAL COLUMN FUSION PLATES & INSTR     | 1   | 10886982256744 | <br>(01)10886982256744 |
| 73 | 60.211.027 | SCREW RACK F/3.5MM VA-LOCKING/ 3.5MM CRTX LOW PROF HEAD SCR | 1   | 10886982256751 | <br>(01)10886982256751 |
| 74 | 60.211.028 | TRAY F/LARGE COMPRESSION/ DISTRACTION FORCEPS & INSTR       | 1   | 10886982256768 | <br>(01)10886982256768 |
| 75 | 60.211.034 | LABEL PACK F/3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE SET    | 1   | 10886982256805 | <br>(01)10886982256805 |
| 76 | 61.116.034 | GRAPHIC CASE/FULL LENGTH 2 HIGH                             | 1   | 10886982250308 | <br>(01)10886982250308 |